





UNIVERSITY OF HELSINKI

Institute of Biotechnology

PUBLICATIONS 2005–2010



Institute of Biotechnology

PUBLICATIONS 2005

ORIGINAL ARTICLES

Abrescia NGA, Kivelä HM, Grimes JM, Bamford JKH, Bamford DH, Stuart DI. Preliminary crystallographic analysis of the major capsid protein P2 of the lipid-containing bacteriophage PM2. *Acta Cryst F* 2005; 61: 762-765.

Adriani W, Leo Damiana, Greco D, Rea M, di Porzio U, Laviola G, Perrone-Capano C. Methylphenidate administration to adolescent rats determines plastic changes on reward-related behavior and striatal gene expression. *Neuropsychopharmacology*. 2005; 23; I-II.

Alakuijala A, Palgi M, Wegelius K, Schmidt M, Enz R, Paulin L, Saarma M, Pasternack M. GABA receptor ρ subunit expression in the developing rat brain. *Dev. Brain. Res.* 2005; 154: 15-23.

Ala-Poikela, Svensson ME, Rojas A, Horko T, Paulin L, Valkonen JPT, Kvarnheden, A. Genetic diversity and mixed infections of begomoviruses infecting tomato, pepper and cucurbit crops in Nicaragua. *Plant Pathology* 2005; 54: 448-459.

Aurikko JP, Ruotolo BT, Grossmann JG, Moncrieffe M, Stephens E, Leppänen V-M, Robinson CV, Saarma M, Bradshaw, RA, Blundell TL. Characterization of symmetric complexes of nerve growth factor and the ectodomain of the pan-neurotrophin receptor, p75NTR. *J. Biol. Chem.* 2005; 280: 33453-33460.

Bamford DH, Grimes JM, Stuart DI. What does structure tell us about virus evolution? *Curr. Opin. Struct. Biol.* 2005; 15: 655-663.

Bamford DH, Ravanti JJ, Rönholm G, Laurinavicius S, Kukkaro P, Dyall-Smith M, Somerharju P, Kalkkinen N, Bamford JK. Constituents of SH1, a novel lipid-containing virus infecting the halophilic euryarchaeon *Haloarcula hispanica*. *J. Virol.* 2005; 79: 9097-9107.

Belevich I, Borisov VB, Zhang J, Yang K, Konstantinov AA, Gennis RB, Verkhovsky MI. Time-resolved electrometric and optical studies on cytochrome *bd* suggest a mechanism of electron-proton coupling in the di-heme active site. *Proc. Natl. Acad. Sci. USA* 2005; 102: 3657-3662.

Belevich I, Borisov VB, Konstantinov AA, Verkhovsky MI. Oxygenated complex of cytochrome *bd* from

Escherichia coli: Stability and photolability. *FEBS Lett.* 2005; 579: 4567-4570.

Brambillasca S, Yabal M, Soffientini P, Stefanovic S, Makarow M, Hedge RS, Borgese N. Transmembrane topogenesis of a tail-anchored protein is modulated by membrane lipid composition. *EMBO J.* 2005; 24: 2533-2542.

Briggs JAG, Huiskonen JT, Fernando KV, Gilbert RJC, Scotti P, Butcher SJ, Fuller SD. Classification and three-dimensional reconstruction of unevenly distributed or symmetry mismatched features of icosahedral particles. *J. Struct. Biol.* 2005; 150: 332-339.

Brosché M, Vinocur B, Alatalo ER, Lamminmäki A, Teichmann T, Ottow EA, Djilianov D, Afif D, Bogeat-Triboulot M-B, Altman A, Polle A, Dreyer E, Rudd S, Paulin L, Auvinen P, Kangasjärvi J. Gene expression and metabolite profiling of *Populus euphratica* growing in the Negev desert. *Genome Biol.* 2005; 6: R101.

Daugelavicius R, Cvirkaite V, Gaidelyte A, Bakiene E, Gabrenaite-Verkhovskaya R, Bamford DH. Penetration of enveloped double-stranded RNA bacteriophages 13 and 6 into *Pseudomonas syringae* cells. *J. Virol.* 2005; 79: 5017-5026.

Davydenko SG, Feng D, Jäntti J, Keränen S. Characterization of GPI14/YJR013w mutation that induces cell wall integrity signalling pathway and results in increased protein production in *Saccharomyces cerevisiae*. *Yeast* 2005; 22: 993-1009.

Elo MA, Karjalainen HM, Sironen RK, Valmu L, Redpath NT, Browne GJ, Kalkkinen N, Helminen HJ, Lammi MJ. High hydrostatic pressure inhibits the biosynthesis of eukaryotic elongation factor-2. *J. Cell Biochem.* 2005; 94: 497-507.

Frilander MJ, Meng X. Proximity of the U12 snRNA with both the 5' splice site and the branch point during early stages of spliceosome assembly. *Mol. Cell Biol.* 2005; 25: 4813-4825.

Gaidelyte A, Jaatinen ST, Daugelavicius R, Bamford JK, Bamford DH. The linear double-stranded DNA of phage Bam35 enters lysogenic host cells,

- but the late phage functions are suppressed. *J. Bacteriol.* 2005; 187: 3521-3527.
- Hakala TK, Lundell T, Galkin S, Maijala P, Kalkkinen N, Hatakka A. Manganese peroxidases, laccases and oxalic acid from the selective white-rot fungus *Physisporinus rivulosus* grown on spruce wood chips. *Enzyme Microb. Tech.* 2005; 36: 461-468.
- Halonen P, Tammenkoski M, Niiranen L, Huopalahti S, Parfenyev AN, Goldman A, Baykov A, Lahti R. Effects of active site mutations on the metal binding affinity, catalytic competence, and stability of the family II pyrophosphatase from *Bacillus subtilis*. *Biochemistry* 2005; 44: 4004-4010.
- Heger A, Wilton CA, Sivakumar A, Holm L. ADDA: a domain database with global coverage of the protein universe. *Nucleic Acids Res.* 2005; 33: 188-191.
- Hiltunen JO, Laurikainen A, Klinge E, Saarma M. Neurotrophin-3 is a target-derived neurotrophic factor for penile erection-inducing neurons. *Neuroscience* 2005; 133: 51-58.
- Hotulainen P, Paunola E, Vartiainen MK, Lappalainen P. Actin-depolymerizing factor and cofilin-1 play overlapping roles in promoting rapid F-actin depolymerization in mammalian nonmuscle cells. *Mol Biol Cell.* 2005; 16: 649-664.
- Hynynen R, Laitinen S, Käkelä R, Tanhuanpää K, Lusa S, Ehnholm C, Somerharju P, Ikonen E, Olkkonen VM. Over-expression of OSBP-related protein 2 (ORP2) induces changes in cellular cholesterol metabolism and enhances endocytosis. *Biochem. J.* 2005; 390: 273-283.
- Hölttä-Vuori M, Alpy F, Tanhuanpää K, Jokitalo E, Mutka A-L, Ikonen E. MLN64 is involved in actin-mediated dynamics of late endocytic organelles. *Mol Biol Cell.* 2005; 16: 3873-3886.
- Ivanov KI, Tselykh TV, Heino TI, Mäkinen K. The RISC component VIG is a target for dsRNA-independent protein kinase activity in *Drosophila* S2 cells. *Journal of RNAi and Gene Silencing* 2005; 1:12-20. T
- Jaakola VP, Prilusky J, Sussman JL, Goldman A. G protein-coupled receptors show unusual patterns of intrinsic unfolding. *Protein Eng. Des. Sel.* 2005; 18: 103-110.
- Johansson M, Lehto M, Tanhuanpää K, Cover TL, Olkkonen VM. The Oxysterol-binding Protein Homologue ORP1L Interacts with Rab7 and Alters Functional Properties of Late Endocytic Compartments. *Mol. Biol. Cell* 2005; 16: 5480-5492.
- Jukkola T, Trokovic R, Maj P, Lamberg A, Mankoo B, Pachnis V, Savilahti H, Partanen J. *Meox1^{Cre}*: A mouse line expressing Cre recombinase in somatic mesoderm. *Genesis* 2005; 43: 148-153.
- Juuti JT, Jokela S, Tarkka MT, Paulin L, Lahdensalo J. Two phylogenetically highly distinct β -tubulin genes of the basidiomycete *Suillus bovinus*. *Curr. Genet.* 2005; 47: 253-263.
- Käkelä R, Tanhuanpää K, Laitinen S, Somerharju P, Olkkonen VM. Over-expression of OSBP-related protein 2 (ORP2) in CHO cells induces alterations of phospholipid species composition. *Biochem. Cell Biol.* 83: 677-683.
- Kankainen M, Holm L. POCO: discovery of regulatory patterns from promoters of oppositely expressed gene sets. *Nucl. Acids Res.* 2005; 33: W427-W431.
- Karhinen L, Nunes Bastos R, Jokitalo E, Makarow M. Endoplasmic reticulum exit of a secretory glycoprotein in the absence of Sec24p family proteins in yeast. *Traffic* 2005; 6: 562-574.
- Karisola P, Kotovuori A, Poikonen S, Niskanen E, Kalkkinen N, Turjanmaa K, Palosuo T, Reunala T, Alenius H, Kulomaa MS. Isolated hevein-like domains, but not 31-kd endochitinases, are responsible for IgE-mediated *in vitro* and *in vivo* reactions in latex-fruit syndrome. *J. Allergy Clin. Immunol.* 2005; 115: 598-605.
- Kassai Y, Munne P, Hotta Y, Penttilä E, Kavanagh K, Ohbayashi N, Takeda S, Thesleff I, Jernvall J, Itoh N. Regulation of mammalian tooth cusp patterning by ectodin. *Science* 2005; 309: 2067-2070.
- Kiljunen S, Vilen H, Pajunen M, Savilahti H, Skurnik M. Nonessential genes of phage ϕ YeO3-12 include genes involved in adaptation to growth on *Yersinia enterocolitica* serotype O:3. *J. Bacteriol.* 2005; 187: 1405-1414.
- King, SJ, Arrigo-Nelson SJ, Pochron ST, Semperebon GM, Godfrey LR, Wright PC, Jernvall J. Dental senescence in a long-lived primate links infant survival to rainfall. *Proc. Natl. Acad. Sci. USA* 2005; 102: 16579-16583.

- Knop M, Miller KJ, Mazza M, Feng D, Weber M, Keränen S, Jääntti J. Molecular interactions position Mso1p, a novel PTB domain homologue, in the interface of the Exocyst complex and the exocytic SNARE machinery. *Mol. Biol. Cell* 2005; 16: 4543-4556.
- Kuorelahti S, Kalkkinen N, Penttilä M, Londesborough J, Richard P. Identification in the Mold *Hypocrea jecorina* of the first fungal d-galacturonic acid reductase. *Biochemistry* 2005; 44: 11234-11240.
- Laasik E, Ojarand M, Pajunen M, Savilahti H, Mae A. Novel mutants of *Erwinia carotovora* subsp. *carotovora* defective in the production of plant cell wall degrading enzymes generated by Mu transpososome-mediated insertion mutagenesis. *FEMS Microbiol. Lett.* 2005; 243: 93-99.
- Laitinen RAE, Immanen J, Auvinen P, Rudd S, Alatalo E, Paulin L, Ainasoja M, Kotilainen M, Koskela S, Teeri TH, Elomaa P. Analysis of the floral transcriptome uncovers new regulators of organ determination and gene families related to flower organ differentiation in *Gerbera hybrida* (Asteraceae). *Genome Res.* 2005; 15: 475-486.
- Lantto R, Puolanne E, Kalkkinen N, Buchert J, Autio K. Enzyme-aided modification of chicken breast myofibril proteins: Effect of laccase and transglutaminase on gelation and thermal stability. *J. Agric. Food Chem.* 2005; 53: 9231-9237.
- Lappe M, Holm L. Algorithms for protein interaction networks. *Biochem. Soc. Trans.* 2005; 33: 530-534.
- Laurila MR, Salgado PS, Makeyev EV, Nettelship J, Stuart DI, Grimes JM, Bamford DH. Gene silencing pathway RNA-dependent RNA polymerase of *Neurospora crassa*: yeast expression and crystallization of selenomethionated QDE-1 protein. *J. Struct. Biol.* 2005; 149: 111-115.
- Laurila MR, Salgado PS, Stuart DI, Grimes JM, Bamford DH. Back-priming mode of $\phi 6$ RNA-dependent RNA polymerase. *J. Gen. Virol.* 2005; 86: 521-526.
- Laurinmäki PA, Huiskonen JT, Bamford DH, Butcher SJ. Membrane proteins modulate the bilayer curvature in the bacterial virus bam35. *Structure (Camb)* 2005; 13: 1819-1828.
- Lavine KJ, Yu K, White AC, Zhang X, Smith C, Partanen J, Ornitz DM. Endocardial and epicardial derived FGF signals regulate myocardial proliferation and differentiation in vivo. *Dev. Cell* 2005; 8: 85-95.
- Lehtiö L, Fabrichniy I, Hansen T, Schonheit P, Goldman A. Unusual twinning in an acetyl coenzyme A synthetase (ADP-forming) from *Pyrococcus furiosus*. *Acta Crystallogr. D Biol. Crystallogr.* 2005; 61: 350-354.
- Lisal J, Lam TT, Kainov DE, Emmett MR, Marshall AG, Tuma R. Functional visualization of viral molecular motor by hydrogen-deuterium exchange reveals transient states. *Nat. Struct. Mol. Biol.* 2005; 12(5): 460-466.
- Lisal J, Tuma R. Cooperative mechanism of RNA packaging motor. *J. Biol. Chem.* 2005; 280: 23157-23164.
- Liu XL, Kilpeläinen P, Hellman U, Sun Y, Wartiovaara J, Morgunova E, Pikkarainen T, Yan K, Jonsson AP, Tryggvason K. Characterization of the interactions of the nephrin intracellular domain. *FEBS J.* 2005; 272: 228-243.
- Lonka L, Aalto A, Kopra O, Kuronen M, Kokaia Z, Saarma M, Lehesjoki AE. The neuronal ceroid lipofuscinosis *Cln8* gene expression is developmentally regulated in mouse brain and up-regulated in the hippocampal kindling model of epilepsy. *BMC Neurosci.* 2005; 27: 1-11.
- Lovschall H, Tummers M, Thesleff I, Fuchtbauer E-M, Poulsen K. Activation of the notch signalling pathway in response to pulp capping of rat molars. *Eur. J. Oral. Sci.* 2005; 113: 312-317.
- Magnusson PU, Ronca R, Dell'Era P, Carlstedt P, Jakobsson L, Partanen J, Dimberg A, Claesson-Welsh L. Fibroblast growth factor receptor-1 expression is required for hematopoietic but not endothelial cell development. *Arterioscler. Thromb. Vasc. Biol.* 2005; 25: 944-949.
- Mantela J, Jiang Z, Ylikoski J, Fritzsich B, Zacksenhaus E, Pirvola U. The retinoblastoma gene pathway regulates the postmitotic state of hair cells of the mouse inner ear. *Development* 2005; 132: 2377-2388.
- Medina OP, Kairemo K, Valtanen H, Kangasniemi A, Kaukinen S, Ahonen I, Permi P, Annala A, Sneck M, Holopainen JM, Karonen SL, Kinnunen PK, Koivunen E. Radionuclide imaging of tumor xenografts in mice using a gelatinase-targeting peptide. *Anticancer Res.* 2005; 25: 33-42.

- Meier C, Mancini EJ, Bamford DH, Walsh MA, Stuart DI, Grimes JM. Overcoming the false-minima problem in direct methods: structure determination of the packaging enzyme P4 from bacteriophage phi13. *Acta Crystallogr. D Biol. Crystallogr.* 2005; 61: 1238-1244.
- Merckel MC, Huiskonen JT, Bamford DH, Goldman A, Tuma R. The Structure of the Bacteriophage PRD1 spike sheds light on the evolution of viral capsid architecture. *Mol. Cell* 2005; 18:161-170.
- Nordlund HR, Laitinen OH, Uotila ST, Kulmala M, Kalkkinen N, Kulomaa MS. Production of Hev b5 as a fluorescent biotin-binding tripartite fusion protein in insect cells. *Biochem. Biophys. Res. Commun.* 2005; 336: 232-238.
- Overmyer K, Brosché M, Pellinen R, Kuittinen T, Tuominen H, Ahlfors R, Keinänen M, Saarma M, Scheel D, Kangasjarvi J. Ozone-induced programmed cell death in the Arabidopsis radical-induced cell death1 mutant. *Plant Physiol.* 2005; 137:1092-1104.
- Pajunen MI, Pulliainen AT, Finne J, Savilahti H. Generation of transposon insertion mutant libraries for Gram-positive bacteria by electroporation of phage Mu DNA transposition complexes. *Microbiology* 2005; 151: 1209-1218.
- Pajusto M, Toivonen TH, Tarkkanen J, Jokitalo E, Mattila PS. Reactive oxygen species induce signals that lead to apoptotic DNA degradation in primary CD4+ T cells. *Apoptosis* 2005; 10: 1433-1443.
- Pakkanen JS, Jokitalo E, Tuominen RK. Up-regulation of $\beta 2$ and 7 subunit containing nicotinic acetylcholine receptors in mouse striatum at cellular level. *Eur. J. Neurosci.* 2005; 21: 2681-2691.
- Pehkonen P, Wong G, Törönen P. Theme discovery from gene lists for identification and viewing of multiple functional groups. *BMC Bioinformatics* 2005; 6: 162.
- Porter K, Kukkaro P, Bamford JK, Bath C, Kivelä HM, Dyall-Smith ML, Bamford DH. SH1: A novel, spherical halovirus isolated from an Australian hypersaline lake. *Virology* 2005; 335: 22-33.
- Poussu E, Jäntti J, Savilahti H. A gene truncation strategy generating N- and C-terminal deletion variants of proteins for functional studies: mapping of the Sec1p binding domain in yeast Mso1p by a Mu *in vitro* transposition-based approach. *Nucleic. Acid Res.* 2005; 33:e104.
- Rapala J, Berg KA, Lyra C, Niemi RM, Manz W, Suomalainen S, Paulin L, Lahti K. *Paucibacter toxinivorans* gen. nov., sp. nov., a bacterium that degrades cyclic cyanobacterial hepatotoxins microcystins and nodularin. *Int. J. Syst. Evol. Microbiol.* 2005; 55: 1563–1568.
- Raulo E, Tumova S, Pavlov I, Pekkanen M, Hienola A, Klankki E, Kalkkinen N, Taira T, Kilpeläinen L, Rauvala H. The two thrombospondin type I repeat domains of the heparin-binding growth-associated molecule bind to heparin/heparan sulfate and regulate neurite extension and plasticity in hippocampal neurons. *J. Biol. Chem.* 2005; 280: 41576-41583.
- Ribacka C, Verkhovsky MI, Belevich I, Bloch D, Puustinen A, Wikström M. An elementary reaction step of the proton pump is revealed by mutation of tryptophan 164 to phenylalanine in cytochrome c oxidase from *Paracoccus denitrificans*. *Biochemistry* 2005; 44: 16502-16512.
- Rice R, Rice DPC, Thesleff I. Foxc1 integrates Fgf and Bmp signalling independently of twist or noggin during calvarial bone development. *Dev. Dyn.* 2005; 233: 847-852.
- Rice R, Thesleff I, Rice DP. Regulation of Twist, Snail, and Id1 is conserved between the developing murine palate and tooth. *Dev. Dyn.* 2005; 234: 28-35.
- Saariaho AH, Lamberg A, Elo S, Savilahti H. Functional comparison of the transposition core machineries of phage Mu and *Haemophilus influenzae* Mu-like prophage Hin–Mu reveals interchangeable components. *Virology* 2005; 331: 6-19.
- Salazar-Ciudad I, Jernvall J. Graduality and innovation in the evolution of complex phenotypes: insights from development. *J. Exp. Zool. B Mol. Dev. Evol.* 2005; 304: 619-631.
- Salgado PS, Walsh MA, Laurila MR, Stuart DI, Grimes JM. Going soft and SAD with manganese. *Acta Crystallogr. D Biol. Crystallogr.* 2005; 61:108-111.
- Salo H, Sievi E, Suntio T, Mecklin M, Mattila P, Renkonen R, Makarow M. Co-expression of two mammalian glycosyltransferases in the yeast cell wall allows synthesis of sLex. *FEMS Yeast Res.* 2005; 5: 341-350.

- Saren A-M, Ravantti JJ, Benson SD, Burnett RM, Paulin L, Bamford DH, Bamford JKH. A Snapshot of viral evolution from genome analysis of the *Tectiviridae* family. *J. Mol. Biol.* 2005; 350: 427-440.
- Savijoki K, Suokko A, Palva A, Valmu L, Kalkkinen N, Varmanen P. Effect of heat-shock and bile salts on protein synthesis of *Bifidobacterium longum* revealed by [(35)S]methionine labelling and two-dimensional gel electrophoresis. *FEMS Microbiol. Lett.* 2005; 248: 207-215.
- Seppä L, Makarow M. Regulation and recovery of functions of *Saccharomyces cerevisiae* chaperone BiP/Kar2p after thermal insult. *Eukaryot Cell* 2005; 4: 2008-2016.
- Sinegina L, Wikström M, Verkhovskiy MI, Verkhovskaya ML. Activation of isolated NADH: ubiquinone reductase I (Complex I) from *Escherichia coli* by detergent and phospholipids. Recovery of ubiquinone reductase activity and changes in EPR signals of iron-sulfur clusters. *Biochemistry* 2005; 44: 8500-8506.
- Strömsten NJ, Bamford DH, Bamford JK. In vitro DNA packaging of PRD1: a common mechanism for internal-membrane viruses. *J. Mol. Biol.* 2005; 348: 617-629.
- Teo CH, Tan SH, Ho CL, Faridah QZ, Othman YR, Heslop-Harrison JS, Kalendar R, Schulman AH. Genome constitution and classification using retrotransposon-based markers in the orphan crop banana. *J. Plant Biol.* 2005; 48: 96-105.
- Tornberg J, Voikar V, Savilahti H, Rauvala H, Airaksinen MS. Behavioural phenotypes of hypomorphic KCC2-deficient mice. *Eur. J. Neurosci.* 2005; 21: 1327-1337.
- Tortoli E, Rindi L, Goh KS, Katila ML, Mariottini A, Mattei R, Mazzarelli G, Suomalainen S, Torkko P, Rastogi N. *Mycobacterium florentinum* sp. nov., isolated from humans. *Int. J. Syst. Evol. Microbiol.* 2005; 55: 1101-1106.
- Trevitt C, Craven C, Milanesi L, Syson K, Mattinen M, Perkins J, Annala A, Hunter C, Waltho J. Enhanced ligand affinity for receptors in which components of the binding site are independently mobile. *Chem. Biol.* 2005; 12: 89-97.
- Trokovic R, Jukkola T, Saarimäki J, Peltopuro P, Naserke T, Weisenhorn DM, Trokovic N, Wurst W, Partanen J. *Fgfr1*-dependent boundary cells between developing mid- and hindbrain. *Dev. Biol.* 2005; 278: 428-439.
- Trummal K, Tonismagi K, Siigur E, Aaspollu A, Lopp A, Sillat T, Saat R, Kasak L, Tammiste I, Kogerman P, Kalkkinen N, Siigur J. A novel metalloprotease from *Vipera lebetina* venom induces human endothelial cell apoptosis. *Toxicon.* 2005; 46: 46-61.
- Tselykh TV, Roos C, Heino TI. The mitochondrial ribosome-specific MrpL55 protein is essential in *Drosophila* and dynamically required during development. *Exp. Cell Res.* 2005; 307: 354-366.
- Vainio S, Bykov I, Hermansson M, Jokitalo E, Somerharju P, Ikonen E. Defective insulin receptor activation and altered lipid rafts in Niemann-Pick type C disease hepatocytes. *Biochem J.* 2005; 391: 465-472.
- Valmu I, Kalkkinen N, Husa A, Rye PD. Differential susceptibility of transferrin glycoforms to chymotrypsin: a proteomics approach to the detection of carbohydrate-deficient transferrin. *Biochemistry* 2005; 44: 16007-16013.
- Vicient CM, Kalendar R, Schulman AH. Variability, recombination and mosaic evolution of the barley BARE-1 retrotransposon. *J. Mol. Evol.* 2005; 61: 275-291.
- Virtanen H, Yang J, Beshpalov MM, Hiltunen JO, Leppänen VM, Kalkkinen N, Goldman A, Saarma, Runeberg-Roos P. The first cysteine-rich domain of the receptor GFRalpha1 stabilizes the binding of GDNF. *Biochem. J.* 2005; 387: 817-824.
- von Nandelstadh P, Grönholm M, Moza M, Lamberg A, Savilahti H, Carpén O. Actin-organising properties of the muscular dystrophy protein myotilin. *Exp. Cell Res.* 2005; 310: 131-139.
- Waltimo-Sirén J, Kolkka M, Pynnönen S, Kuurila K, Kaitila I, Kovero O. Craniofacial features in osteogenesis imperfecta: a cephalometric study. *Am. J. Med. Genet. A* 2005; 133: 142-150.
- Wang XP, Åberg T, James MJ, Levanon D, Groner Y, Thesleff I. Runx2 (Cbfa1) inhibits *Shh* signalling in the lower but not upper molars of mouse embryos and prevents the budding of putative successional teeth. *J. Dent. Res.* 2005; 84: 138-143.
- Wikström M, Ribacka C, Molin M, Laakkonen L, Verkhovskiy MI, Puustinen A. Gating of proton and water transfer in the respiratory enzyme. *Proc. Natl. Acad. Sci. USA* 2005; 102: 10478-10481.
- Würtz P, Fredriksson K, Permi P. A set of HA-detected experiments for measuring scalar and

residual dipolar couplings. *J. Biomol. NMR*. 2005; 31: 321-330.

Ziedaite G, Daugelavicius R, Bamford JK, Bamford DH. The Holin protein of bacteriophage PRD1 forms a pore for small-molecule and endolysin translocation. *J. Bacteriol.* 2005; 187: 5397-5405.

Åberg T, Rice R, Rice D, Thesleff I, Waltimo-Sirén J. Chondrogenic potential of mouse calvarial mesenchyme. *J. Histochem. Cytochem.* 2005; 53: 653-663.

REVIEWS AND BOOK CHAPTERS

Bogachev AV, Verkhovsky MI. Na⁺-Translocating NADH: Quinone oxidoreductase: progress achieved and prospects of investigations. *Biochemistry (Moscow)* 2005; 70: 143-149.

Brudvig GW, Wikström M. Mechanistic comparisons between Photosystem II and cytochrome oxidase. In: *Photosystem II: The Light-Driven Water: Plastoquinone Oxidoreductase*, (T. Wydrzynski and K. Satoh, eds.), Chapter 31, Springer Verlag, pp. 697-713

Frilander MJ, Turunen JJ. RNA ligation by T4 DNA ligase. In: *Handbook of RNA biochemistry* (Bindereif, A, Hartmann, R, Schön, A, & Westhof, E. Eds.), 2005; pp. 36-52. Wiley-VCH, Weinheim, Germany.

Heger A, Holm L. Towards next generation bioinformatics methods by exhaustive comparison between all protein sequences. In: *CSC Report on Scientific Computing in Finland 2004-2005* (edit. Laine M). 2005.

Holm L. Protein structure comparison. In: *Encyclopedia of Genetics, Genomics, Proteomics and Bioinformatics* (Eds.W.R. Taylor et al.). John Wiley & Sons 2005.

Ikonen E, Vainio S. Lipid microdomains and insulin resistance: is there a connection? *Sci. STKE* 2005; Jan 25; (268):pe3.

Magden J, Kääriäinen L, Ahola T. Inhibitors of virus replication: recent developments and prospects. *Appl. Microbiol. Biotechnol.* 2005; 66: 612-621.

Makarow M, Hänninen A-L, Suntio T, Bastos RN. Production of heterologous proteins in yeast with the aid of the Hsp150Δ carrier. In: *Methods*

in Molecular Biology: Yeast Protocols: Second Edition (ed. Xiao W), 2005; 313: 333-343.

Pirttimaa MJ, Bamford DH. Nucleic acid packaging of RNA viruses. In: *Encyclopedia of Molecular Cell Biology and Molecular Medicine* (ed. R.A. Mayers), 2nd Edition; 2005: 363-375.

Poranen MM, Tuma R, Bamford DH. Assembly of double-stranded RNA bacteriophages. *Adv. Virus Res.* 2005; 64: 15-43.

Puig O, Tjian R. Transcriptional feedback control of insulin receptor by dFOXO/FOXO1, *Genes. Dev.* 2005; 19: 2435-2446.

Schulman AH, Kalendar R. A movable feast: Diverse retrotransposons and their contribution to barley genome dynamics. *Cytogenet. Genome Res.* 2005; 110: 598-605.

Silvennoinen L, Koivunen P, Myllyharju J, Kilpeläinen I, Permi P. NMR assignment of the N-terminal domain a of the glycoprotein chaperone ERp57. *J. Biomol. NMR* 2005; 33:136.

Thesleff I. Developmental defects in teeth. In: *Evidence-Based Medicine guidelines (EBMG)* (ed. Ilkka Kunnamo). Chichester, UK. John Wiley & Sons, Ltd., 2005: 254-255.

Tryggvason K, Wartiovaara J. How does the kidney filter plasma? *Physiology (Bethesda)*. 2005; 20: 96-101.

Tuma R. Raman spectroscopy of proteins: from peptides to large assemblies. *J. Raman. Spectrosc.* 2005; 36: 307-319.

Wikström M (editor). *Biophysical and Structural Aspects of Bioenergetics*. RSC Publishing 2005; 396 pp.

Wikström M. Cytochrome Oxidase. In: *Encyclopedia of Inorganic Chemistry*, John Wiley & Sons 2005.

Wright P C, Razafindratsita V R, Pochron S T, Jernvall J. The key to Madagascar frugivores. In: *Tropical Fruits and Frugivores: The Search for Strong Interactors*, J. L. Dew & J. P. Boubli (eds),

OTHER PUBLICATIONS

Ikonen E. Introduction: New aspects of cellular sterol metabolism and transport. *Semin. Cell Dev. Biol.* 2005; 16: 151-153.

DISSERTATIONS

Huiskonen Juha. Structure and assembly of membrane-containing dsDNA bacteriophages. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 24/2005.*

Jaakola Veli-Pekka. Functional and structural studies on heptahelical membrane proteins. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 18/2005.*

Kainov Denis. Packaging Motors of Cystoviruses. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 15/2005.*

Karhinen Leena. Glycosylation and sorting of secretory proteins in the endoplasmic reticulum of the yeast *Saccharomyces cerevisiae*. University of Helsinki, Institute of Biotechnology and Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry and Faculty of Forestry and Agriculture, Department of Applied Chemistry and Microbiology. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 7/2005.*

Mähönen Ari Pekka. Cytokinins regulate vascular morphogenesis in the *Arabidopsis thaliana* root. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 22/2005.*

Puustinen Pietri. Posttranslational modifications of potato virus A movement related proteins CP and VPg. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics and Faculty of Forestry and Agriculture, Department of Applied Biology and Institute of Biotechnology. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 11/2005.*

Sen Saurabh. Functional studies on alpha2-adrenergic receptor subtypes. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry and Institute of Biotechnology, Viikki Graduate School in Biosciences. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 8/2005.*

Seppä Laura. Regulation of heat shock response in yeast and mammalian cells. University of Helsinki, Institute of Biotechnology and Faculty of Biosciences, Department of Biological and Environmental Sciences, Biochemistry. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 17/2005.*

Trokovic Nina. Fibroblast growth factor receptor 1 in craniofacial and midbrain-hindbrain development. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics and Institute of Biotechnology, Developmental Biology Program and Viikki Graduate School in Biosciences. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 5/2005.*

Trokovic Ras. Fibroblast growth factor receptor 1 signaling in the early development of the midbrain-hindbrain and pharyngeal region. University of Helsinki, Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics and Institute of Biotechnology, Viikki Graduate School in Biosciences. *Dissertationes Biocentri Viikki Universitatis Helsingiensis 4/2005.*

PATENTS AND PATENT APPLICATIONS

Arumäe U, Y Li-Ying, Saarma M. Method of screening cell death modulators. EC:12Q1/37, IPC: C12Q1/02; C12N5/02

Titievsky AV, Poteriaev D, Arumäe U, Saarma M. Ret-independent signaling pathway for GDNF. EC: G01N33/50D2, IPC: C07H21/04; C12N1/20; C12N15/00 (+12)

Airaksinen M, Saarma M. Compounds related to or derived from GFR α 4 and their use

Savilahti H, Tieaho V. Methods and materials for producing deletion derivatives of polypeptides. US Patent Application Number 10/511,327, filed 30.3.2005

Savilahti H, Frilander M, Meng X, Paatero A, Pajunen M, Turakainen H. Method for delivering nucleic acid into eukaryotic genomes (PCT, filed 14.4.2004).

National applications filed, Oct/Nov 2005: USA, Canada, Japan, European countries (EPO, European Patent Organisation) Patent application: PCT/FI2004/000228,

Institute of Biotechnology

PUBLICATIONS 2006

ORIGINAL ARTICLES

Airavaara M, Mijatovic J, Vihavainen T, Piepponen TP, Saarma M, Ahtee L. In heterozygous GDNF knockout mice the response of striatal dopaminergic system to acute morphine is altered. *Synapse*. 2006; 59: 321-329.

Alminaitė A, Halttunen V, Kumar V, Vaheri A, Holm L, Plyusnin A. Oligomerization of hantavirus nucleocapsid protein: Analysis of the N-terminal coiled-coil Domain. *J Virol*. 2006; 80: 9073-9081.

Antonius-Klemola K, Kalendar R, Schulman AH. TRIM retrotransposons occur in apple and are polymorphic between varieties but not sports. *Theor Appl Genet*. 2006;112: 999-1008.

Belevich I, Tuukkanen A, Wikström M, Verkhovsky MI. Proton-coupled electron equilibrium in soluble and membrane-bound cytochrome c oxidase from *Paracoccus denitrificans*. *Biochemistry*. 2006; 45: 4000-4006.

Belevich I, Verkhovsky MI, Wikström M. Proton-coupled electron transfer drives the proton pump of cytochrome c oxidase. *Nature*. 2006; 440: 829-832.

Bogachev AV, Bertsova YV, Bloch DA, Verkhovsky MI. Thermodynamic properties of the redox centers of Na(+)-translocating NADH:quinone oxidoreductase. *Biochemistry*. 2006; 45: 3421-3428.

Bugyi B, Papp G, Hild G, Lorinczy D, Nevalainen EM, Lappalainen P, Somogyi B, Nyitrai M. Formins regulate actin filament flexibility through long range allosteric interactions. *J. Biol. Chem*. 2006; 281: 10727-10736.

Brambillasca S, Yabal M, Makarow M, Borgese N. Unassisted translocation of large polypeptide domains across phospholipid bilayers. *J Cell Biol*. 2006; 175: 767-777.

Druka A, Muehlbauer G, Druka I, Caldo R, Baumann U, Rostoks R, Schreiber A, Wise R, Close T, Kleinhofs A, Graner A, Schulman A, Langridge P, Sato K, Hayes P, McNicol J, Marshall D, Waugh R. An atlas of gene expression from seed to seed through barley development. *Funct Integr Genomics*. 2006; 6: 202-211.

Egloff MP, Malet H, Putics A, Heinonen M, Dutartre H, Frangeul A, Gruez A, Campanacci V, Cambillau C, Ziebuhr J, Ahola T, Canard B. Structural and functional basis for ADP-ribose and poly(ADP-ribose) binding by viral macro domains. *J Virol*. 2006; 80: 8493-8502.

Erkkilä K, Kyttänen S, Wikström M, Taari K, Sinha Hikim AP, Swerdloff RS, Dunkel L. Regulation of human male germ cell death by modulators of ATP production. *Am J Physiol Endocrinol Metab*. 2006; 290: E1145-E1154.

Fortelius M, Gionis A, Jernvall J, Mannila H. Spectral ordering and biochronology of European fossil mammals. *Paleobiology*. 2006; 32: 206-214.

Gaidelyte A, Cvirkaite-Krupovic V, Daugelavicius R, Bamford JK, Bamford DH. The entry mechanism of membrane-containing phage Bam35 infecting *Bacillus thuringiensis*. *J. Bacteriol*. 2006;188(16):5925-34.

Golubtsov A, Kääriäinen L, Caldentey J. Characterization of the cysteine protease domain of Semliki Forest virus replicase protein nsP2 by in vitro mutagenesis. *FEBS Lett*. 2006; 580:1502-1508.

Gomez E, Schulman AH, Martinez-Izquierdo JA, Vicent CM. Integrase diversity and transcription of the maize retrotransposon Grande. *Genome*. 2006; 49: 558-562.

Gorbikova EA, Vuorilehto K, Wikström M, Verkhovsky MI. Redox titration of all electron carriers of cytochrome c oxidase by Fourier transform infrared spectroscopy. *Biochemistry*. 2006; 45: 5641-5649.

Gupta R, Auvinen P, Thomas A, Arjas E. Bayesian hierarchical model for correcting signal saturation in microarrays using pixel intensities. *Stat Appl Genet Mol Biol*. 2006; 5:Article 20.

Halak S, Lehtiö L, Basta T, Burger S, Contzen M, Stolz A, Goldman A. Structure and function of the 3-carboxy-cis,cis-muconate lactonizing enzyme from the protocatechuate degradative pathway of *Agrobacterium radiobacter* S2. *FEBS J*. 2006; 273: 5169-5182.

Hallikas OK, Aaltonen JM, von Koskull H, Lindberg LA, Valmu L, Kalkkinen N, Wahlström T, Kataoka H, Andersson L, Lindholm D, Schroder J. Identification of antibodies against HAI-1 and integrin $\{\alpha\}_6\{\beta\}_4$ as immunohistochemical markers of human villous Cytotrophoblast. *J. Histochem. Cytochem.* 2006; 54: 745-752.

Hattula K, Furuhjelm J, Tikkanen J, Tanhuanpää K, Laakkonen P, Peränen J. Characterization of the Rab8-specific membrane traffic route linked to protrusion formation. *J. Cell Sci.* 2006; 119: 4866-4877.

Helfer E, Nevalainen EM, Naumanen P, Romero S, Didry D, Pantaloni D, Lappalainen P, Carlier MF. Mammalian twinfilin sequesters ADP-G-actin and caps filament barbed ends: implications in motility. *EMBO J.* 2006; 25: 1184-1195.

Hellman M, Paavilainen VO, Annala A, Lappalainen P, Permi P. NMR assignment of the C-terminal ADF-H domain of an actin monomer binding protein, twinfilin. *J. Biomol. NMR.* 2006; 36: 66.

Hotulainen P, Lappalainen P. Stress fibers are generated by two distinct actin assembly mechanisms in motile cells. *J Cell Biol.* 2006; 173: 383-394.

Huiskonen JT, de Haas F, Bubeck D, Bamford DH, Fuller SD, Butcher SJ. Structure of the bacteriophage phi6 nucleocapsid suggests a mechanism for sequential RNA packaging. *Structure.* 2006; 14: 1039-1048.

Iwaki M, Puustinen A, Wikström M, Rich PR. Structural and chemical changes of the P_M intermediate of *Paracoccus denitrificans* cytochrome c oxidase revealed by IR spectroscopy with labelled tyrosines and histidine. *Biochemistry.* 2006; 45: 10873-10885.

Iwai H, Zuger S, Jin J, Tam PH. Highly efficient protein trans-splicing by a naturally split DnaE intein from *Nostoc punctiforme*. *FEBS Lett.* 2006; 580: 1853-1858.

Jacob AL, Smith C, Partanen J, Ornitz DM. Fibroblast growth factor receptor 1 signaling in the osteo-chondrogenic cell lineage regulates sequential steps of osteoblast maturation. *Dev Biol.* 2006; 296: 315-328.

James MJ, Järvinen E, Wang XP, Thesleff I. Different roles of Runx2 during early neural crest-derived

bone and tooth development. *J. Bone Miner. Res.* 2006; 21:1034-1044.

Jokiranta TS, Jaakola VP, Lehtinen MJ, Parepalo M, Meri S, Goldman A. Structure of complement factor H carboxyl-terminus reveals molecular basis of atypical haemolytic uremic syndrome. *EMBO J.* 2006; 25: 1784-1794.

Jukkola T, Lahti L, Naserke T, Wurst W, Partanen J. FGF regulated gene-expression and neuronal differentiation in the developing midbrain-hindbrain region. *Dev Biol.* 2006; 297: 141-157.

Järvinen E, Salazar-Ciudad I, Birchmeier W, Taketo MM, Jernvall J, Thesleff I. Continuous tooth generation in mouse is induced by activated epithelial Wnt/beta-catenin signaling. *Proc Natl Acad Sci U S A.* 2006;103: 18627-18632.

Kalendar R, Schulman AH. IRAP and REMAP for retrotransposon-based genotyping and fingerprinting. *Nature Protocols.* 2006;1: 2478-2484.

Kankainen M, Brader G, Törönen P, Palva ET, Holm L. Identifying functional gene sets from hierarchically clustered expression data: map of abiotic stress regulated genes in *Arabidopsis thaliana*. *Nucleic Acids Res.* 2006; 34: e124.

Kivelä HM, Roine E, Kukkaro P, Laurinavicius S, Somerharju P, Bamford DH. Quantitative dissociation of archaeal virus SH1 reveals distinct capsid proteins and a lipid core. *Virology.* 2006; 356: 4-11.

Klein OD, Minowada G, Peterkova R, Kangas A, Yu BD, Lesot H, Peterka M, Jernvall J, Martin GR. Sprouty genes control diastema tooth development via bidirectional antagonism of epithelial-mesenchymal FGF signaling. *Dev Cell.* 2006; 11:181-190.

Kokko A, Ylisaukko-Oja SS, Kiuru M, Takatalo MS, Salmikangas P, Tuimala J, Arango D, Karhu A, Aaltonen LA, Jäntti J. Modeling tumor predisposing FH mutations in yeast: Effects on fumarase activity, growth phenotype and gene expression profile. *Int J Cancer.* 2006; 118: 1340-1345.

Krupovic M, Vilen H, Bamford JK, Kivelä HM, Aalto JM, Savilahti H, Bamford DH. Genome characterization of lipid-containing marine bacteriophage PM2 by transposon insertion mutagenesis. *J. Virol.* 2006; 80: 9270-9278.
Laakkonen L, Jobson RW, Albert VA. A new model for the evolution of carnivory in the bladderwort

plant(Utricularia):adaptive changes in cytochrome c oxidase (COX) provide respiratory power. *Plant Biology*. 2006; 8: 758-64, Georg Thieme Verlag KG Stuttgart New York, DOI 10.1055/s-2006-924459, ISSN 1435-8603.

Laurikkala J, Mikkola ML, James M, Tummers M, Mills AA, Thesleff I. p63 regulates multiple signalling pathways required for ectodermal organogenesis and differentiation. *Development*. 2006; 133: 1553-1563.

Lehtiö L, Grossmann JG, Kokona B, Fairman R, Goldman A. Crystal structure of a glycol radical enzyme from *Archaeoglobus fulgidus*. *J Mol Biol*. 2006; 357: 221-235.

Lilleväli K, Haugas M, Matilainen T, Pussinen C, Karis A, Salminen M. Gata3 is required for early morphogenesis and Fgf10 expression during otic development. *Mech. Dev*. 2006; 123: 415-429.

Lindfors PH, Lindahl M, Rossi J, Saarma M, Airaksinen MS. Ablation of persephin receptor glial cell line-derived neurotrophic factor family receptor alpha4 impairs thyroid calcitonin production in young mice. *Endocrinology*. 2006; 147: 2237-2244.

Lisal J, Kainov DE, Lam TT, Emmett MR, Wei H, Gottlieb P, Marshall AG, Tuma R. Interaction of packaging motor with the polymerase complex of dsRNA bacteriophage. *Virology*. 2006; 351: 73-79.

Louhivuori M, Otten R, Lindorff-Larsen K, Annala A. Conformational fluctuations affect protein alignment in dilute liquid crystal media. *J. Am. Chem. Soc*. 2006; 128: 4371-4376.

Lulla A, Lulla V, Tints K, Ahola T, Merits A. Molecular determinants of substrate specificity for Semliki Forest virus nonstructural protease. *J Virol*. 2006; 80: 5413-5422.

Lulla V, Merits A, Sarin P, Kääriäinen L, Keränen S, Ahola T. Identification of mutations causing temperature-sensitive defects in Semliki Forest virus RNA synthesis. *J Virol*. 2006; 80: 3108-3111.

Mattinen ML, Hellman M, Permi P, Autio K, Kalkkinen N, Buchert J. Effect of protein structure on laccase-catalyzed protein oligomerization. *J Agric Food Chem*. 2006; 54: 8883-8890.

Marttinen P, Corander J, Törönen P, Holm L. Bayesian search of functionally divergent protein

subgroups and their function specific residues. *Bioinformatics* 2006; 22: 2466-2474.

Mähönen AP, Bishopp A, Higuchi M, Nieminen KM, Kinoshita K, Tormäkangas K, Ikeda Y, Oka A, Kakimoto T, Helariutta Y. Cytokinin signaling and its inhibitor AHP6 regulate cell fate during vascular development. *Science*. 2006; 311: 94-98.

Mähönen AP, Higuchi M, Tormäkangas K, Miyawaki K, Pischke MS, Sussman MR, Helariutta Y, Kakimoto T. Cytokinins regulate a bidirectional phosphorelay network in Arabidopsis. *Curr Biol*. 2006; 16: 1116-1122.

Nakamura F, Pudas R, Heikkinen O, Permi P, Kilpeläinen I, Munday AD, Hartwig JH, Stossel TP, Ylännä J. The structure of the GPIb-filamin A complex. *Blood*. 2006; 107: 1925-1932.

Oksanen E, Jaakola VP, Tolonen T, Valkonen K, Akerstrom B, Kalkkinen N, Virtanen V, Goldman A. Reindeer beta-lactoglobulin crystal structure with pseudo-body-centred noncrystallographic symmetry. *Acta Crystallogr D Biol Crystallogr*. 2006; 62: 1369-1374.

Pakkanen JS, Stenfors J, Jokitalo E, Tuominen RK. Effect of chronic nicotine treatment on localization of neuronal nicotinic acetylcholine receptors at cellular level. *Synapse*. 2006; 59: 383-393.

Pessa HK, Ruokolainen A, Frilander MJ. The abundance of the spliceosomal snRNPs is not limiting the splicing of U12-type introns. *RNA*. 2006; 12: 1883-1892.

Piltti K, Kerosuo L, Hakanen J, Eriksson M, Angers-Loustau A, Leppä S, Salminen M, Sariola H, Wartiovaara K. E6/E7 oncogenes increase and tumor suppressors decrease the proportion of self-renewing neural progenitor cells. *Oncogene*. 2006; 25: 4880-4889.

Poranen MM, Ravanti JJ, Grahn AM, Gupta R, Auvinen P, Bamford DH. Global changes in cellular gene expression during bacteriophage PRD1 infection. *J. Virol*. 2006; 80: 8081-8088.

Psencik J, Arellano JB, Ikonen TP, Borrego CM, Laurinmäki PA, Butcher SJ, Serimaa RE, Tuma R. Internal structure of chlorosomes from brown-colored chlorobium species and the role of carotenoids in their assembly. *Biophys J*. 2006; 91: 1433-1440.

Puttonen E, Tossavainen H, Permi P. Simultaneous determination of one- and two-bond scalar and residual dipolar couplings between

13C', 13C α and 15N spins in proteins. *Magn. Reson. Chem.* 2006; 44 Spec No:S168-176.

Puumalainen TJ, Poikonen S, Kotovuori A, Vaali K, Kalkkinen N, Reunala T, Turjanmaa K, Palosuo T. Napins, 2S albumins, are major allergens in oilseed rape and turnip rape. *J. Allergy Clin. Immunol.* 2006; 117: 426-432.

Pääkkönen K, Tossavainen H, Permi P, Rakkolainen H, Rauvala H, Raulo E, Kilpeläinen I, Guntert P. Solution structures of the first and fourth TSR domains of F-spondin. *Proteins.* 2006; 64: 665-672.

Rantanen MK, Lehtiö L, Rajagopal L, Rubens CE, Goldman A. Crystallization and preliminary crystallographic analysis of two *Streptococcus agalactiae* proteins: the family II inorganic pyrophosphatase and the serine/threonine phosphatase. *Acta Crystallograph Sect F Struct Biol Cryst Commun.* 2006; 62: 891-894.

Rauhämäki V, Baumann M, Soliymani R, Puustinen A, Wikström M. Identification of a histidine-tyrosine cross-link in the active site of the *cbb₃*-type cytochrome *c* oxidase from *Rhodobacter sphaeroides*. *Proc Natl Acad Sci. USA.* 2006; 103, 44, 16135-16140.

Ruokoranta TM, Grahn AM, Ravantti JJ, Poranen MM, Bamford DH. Complete genome sequence of the broad host range single-stranded RNA phage PRR1 places it in the levivirus genus with characteristics shared with alloviruses. *J. Virol.* 2006; 80: 9326-9330.

Saariaho AH, Savilahti H. Characteristics of MuA transposase-catalyzed processing of model transposon end DNA hairpin substrates. *Nucleic Acids Res.* 2006; 34: 3139-3149.

Salgado PS, Koivunen MR, Makeyev EV, Bamford DH, Stuart DI, Grimes JM. The Structure of an RNAi Polymerase Links RNA Silencing and Transcription. *PLoS Biol.* 2006; 4: e434.

Salonen JM, Valmu L, Rönholm G, Kalkkinen N, Vihinen M. Proteome analysis of B-cell maturation. *Proteomics.* 2006; 6: 5152-5168.

Samel M, Vija H, Rönholm G, Siigur J, Kalkkinen N, Siigur E. Isolation and characterization of an apoptotic and platelet aggregation inhibiting L-amino acid oxidase from *Vipera berus berus* (common viper) venom. *Biochim Biophys Acta.* 2006; 1764: 707-714.

Schulman AH. Retrotransposons as molecular markers. *Euphytica* 2006; DOI 10.1007/s10681-006-9282-5.

Selinheimo E, Saloheimo M, Ahola E, Westerholm-Parvinen A, Kalkkinen N, Buchert J, Kruus K. Production and characterization of a secreted, C-terminally processed tyrosinase from the filamentous fungus *Trichoderma reesei*. *FEBS J.* 2006; 273: 4322-4335.

Sese M, Corominas M, Stocker H, Heino TI, Hafen E, Serras F. The Cdi/TEK1 kinase is required for Sevenless signaling and epithelial organization in the *Drosophila* eye. *J. Cell Sci.* 2006; 119: 5047-5056.

Sharma V, Puustinen A, Wikström M, Laakkonen L. Sequence analysis of the *cbb3* oxidases and an atomic model for the *Rhodobacter sphaeroides* enzyme. *Biochemistry.* 2006; 45: 5754-5765.

Siren N, Weegar J, Dahlbacka J, Kalkkinen N, Fagervik K, Leisola M, von Weymarn N. Production of recombinant HIV-1 Nef (negative factor) protein using *Pichia pastoris* and a low-temperature fed-batch strategy. *Biotechnol. Appl. Biochem.* 2006; 44: 151-158.

Sivakumar A, Wilton C, Holm L. From sequences to functional unit. *Physiol. Genomics.* 2006; 25: 1-8.

Strandman S, Hietala S, Koli B, Butcher SJ, Tenhu H. Supramolecular assemblies of amphiphilic PMMA-b-PAA stars in aqueous solutions. *Polymer.* 2006; 47:6524-6535.

Syrjäkoski K, Jäntti J, Kallioniemi A, Karhu R. Mutations in the BRCA2 interacting DSS1 are not a risk factor for male breast cancer. *Int J Cancer.* 2006; 120: 444-446.

Tanhuanpää P, Kalendar R, Laurila J, Schulman AH, Manninen O, Kiviharju E. Generation of SNP markers for short straw in oat (*Avena sativa* L.). *Genome.* 2006; 49: 282-287.

Toikkanen JH, Fatal N, Hildén P, Makarow M, Kuismanen E. YET1, YET2 and YET3 of *Saccharomyces cerevisiae* encode members of BAP31 homologs with partially overlapping functions. *J Biological Sci.* 6; 446-456: 2006.

Tönismägi K, Samel M, Trummal K, Rönholm G, Siigur J, Kalkkinen N, Siigur E. I-Amino acid oxidase from *Vipera lebetina* venom: Isolation, characterization, effects on platelets and bacteria *Toxicon*. 2006; 48: 227-237.

Torvinen E, Meklin T, Torkko P, Suomalainen S, Reiman M, Katila ML, Paulin L, Nevalainen A. Mycobacteria and fungi in moisture-damaged building materials. *Appl Environ Microbiol*. 2006; 72: 6822-6824.

Tossavainen H, Permi P, Purhonen SL, Sarvas M, Kilpeläinen I, Seppälä R. NMR solution structure and characterization of substrate binding site of the PPlase domain of PrsA protein from *Bacillus subtilis*. *FEBS Lett*. 2006; 580: 1822-1826.

Tossavainen H, Pihlajamaa T, Huttunen TK, Raulo E, Rauvala H, Permi P, Kilpeläinen I. The layered fold of the TSR domain of *P. falciparum* TRAP contains a heparin binding site. *Protein Sci*. 2006; 15: 1760-1768.

Tulamo R, Frosen J, Junnikkala S, Paetau A, Pitkäniemi J, Kangasniemi M, Niemelä M, Jääskeläinen J, Jokitalo E, Karatas A, Hernesniemi J, Meri S. Actovation associates with saccular cerebral artery aneurysm wall degeneration and rupture. *Neurosurgery*. 2006; 59:1069-1077.

Tuskan GA et al. The genome of black cottonwood, *Populus trichocarpa* (Torr. & Gray). *Science*. 2006; 313: 1596-1604.

Tuukkanen A, Verkhovsky MI, Laakkonen L, Wikström M. The K-pathway revisited: A computational study on cytochrome c oxidase. *Biochim Biophys Acta*. 2006; 1757: 1117-1121.

Uchiyama K, Totsukawa G, Puhka M, Kaneko Y, Jokitalo E, Dreveny I, Beuron F, Zhang X, Freemont P, Kondo H. p37 is a p97 adaptor required for golgi and ER biogenesis in interphase and at the end of mitosis. *Dev Cell*. 2006; 11: 803-816.

Verkhovsky MI, Belevich I, Bloch DA, Wikström M. Elementary steps of proton translocation in the catalytic cycle of cytochrome oxidase. *Biochim. Biophys. Acta*. 2006 ;1757: 401-407.

von Ossowski L, Tossavainen H, von Ossowski I, Cai C, Aitio O, Fredriksson K, Permi P, Annala A, Keinänen K. Peptide binding and NMR analysis of the interaction between SAP97 PDZ2 and GluR-A: potential involvement of a disulfide bond. *Biochemistry*. 2006; 45: 5567-5575.

Wahlström G, Norokorpi HL, Heino TI. *Drosophila* alpha-actinin in ovarian follicle cells is regulated by EGFR and Dpp signalling and required for cytoskeletal remodelling. *Mech Dev*. 2006; 123: 801-818.

Wurtz P, Hellman M, Tossavainen H, Permi P. Towards unambiguous assignment of methyl-containing residues by double and triple sensitivity-enhanced HCCmHm-TOCSY experiments. *J. Biomol NMR*. 2006; 36: 13-26.

REVIEWS AND BOOK CHAPTERS

Airaksinen MS, Holm L, Hatinen T. Evolution of the GDNF family ligands and receptors. *Brain Behav Evol*. 2006; 68: 181-190.

Bishopp A, Mähönen AP, Helariutta Y. Signs of change: hormone receptors that regulate plant development. *Development*. 2006; 133: 1857-1869.

Frilander MJ. Geenisäätelyn peruseriaatteet. Perinnöllisyyslääketiede (P. Aula, H. Kääriäinen, A. Palotie Eds.).2006; pp15-30 Kustannus Oy Duodecim, Helsinki.

Grahn AM, Butcher SJ, Bamford JKH, Bamford DH. PRD1 - dissecting the genome, structure and entry. *The Bacteriophages (ed R.Calendar)*, 2006; 161-170, Oxford University Press, New York.

Makarow M, Braakman I (Eds.) Chaperones. In: *Topics in Current Genetics*; 16. Springer Verlag Heidelberg, 2006, 299 pp.

Makarow M, Hänninen AL, Suntio T, Bastos RN. Production of heterologous proteins in yeast with the aid of the Hsp150delta carrier. *Methods Mol. Biol*. 2006; 313: 333-343.

Myllykangas L, Heino T. A fruit fly (*Drosophila melanogaster*) as a model organism for studies of brain diseases. *Duodecim*. 2006; 122: 443-450.

Puig O, Tjian R. Nutrient availability and growth: regulation of insulin signaling by dFOXO/FOXO1. *Cell Cycle*. 2006; 5: 503-505.

Sabot F, Schulman AH. Parasitism and the retrotransposon life cycle in plants: a hitchhiker's guide to the genome. *Heredity*. 2006; 20: 1-8.

Schulman AH. Retrotransposons as molecular markers. *Euphytica* 2006; DOI 10.1007/s10681-006-9282-5.

Thesleff I. Utvecklingsbiologiska genombrott inom odontologin. (1) *Tandläkartidningen Årg 98* 1: 50-58, 2006; (2) *Nor Tannlegeforen Tid* 116: 24-30, 2006; and (3) *Tandlaegebladet* 110: 12-20, 2006; Kehitysbiologian läpimurtoja hammalääketieteessä. *Suomen Hammaslääkärilehti* 2006; 4: 180-185.

Thesleff I. The genetic basis of tooth development and dental defects. *Am J Med Genet A.* 2006; 140: 2530-2535.

Thesleff I. The Teeth. In: *Embryos, Genes and Birth Defects.* (eds. P. Ferretti, A. Copp, C. Tickle, G. Moore). John Wiley & Sons, London, pp. 515-535, 2006.

Tryggvason K, Patrakka J, Wartiovaara J. Hereditary proteinuria syndromes and mechanisms of proteinuria. *N Engl J Med.* 2006; 354: 1387-1401.

Wang X-P, Thesleff I. Tooth development. In: *Cell Signalling and Growth Factors in Development.* (ed. K. Unsicker and K. Krieglstein). Wiley-VCH, Weinheim, pp. 719-754, 2006.

Wikström M, Verkhovsky Ml. Towards the mechanism of proton pumping by the haem-copper oxidases. *Biochim. Biophys. Acta.* 2006; 1757: 1047-1051.

DISSERTATIONS

Eronen Jussi. Eurasian Neogene large herbivorous mammals and climate. Departement of Geology, University of Helsinki. *Acta Zoologica Fennica* No. 216, 2006.

Karhu Nelli. The genome packaging machinery of dsDNA Bacteriophage PRD1. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 29/2006.

Koivunen Minni. Molecular details of phage $\phi 6$ RNA-dependent RNA synthesis. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of General Microbiology, Faculty of Biosciences and Helsinki Graduate School in Biotechnology and Molecular Biology, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 35/2006.

Lehtiö Lari. Enzymes with radical tendencies: The PFL family. Research Program in Structural Biology and Biophysics, Institute of Biotechnology and Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki and National Graduate School on Informational and Structural Biology.

Lisal Jiri. Mechanism of RNA translocation by a viral packaging motor. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Biochemistry, Faculty of Biosciences and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 21/2006.

Mäkeläinen Katri. Lost in translation: Translation mechanisms in production of Cocksfoot mottle virus protein. Institute of Biotechnology and Department of Applied Biology, Department of Applied Chemistry and Microbiology, Faculty of Agriculture and Forestry, and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 3/2006.

Perttilä Julia. Expression, enzymatic activities and subcellular localization of hepatitis E virus and Semliki Forest virus replicase proteins. Institute of Biotechnology and Department of Biological and Environmental Sciences, Faculty of Biosciences and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 1/2006.

Saariaho Anna-Helena. Characterization of the molecular components and function of the *BARE-1*, Hin-Mu and Mu Transposition machineries. Institute of Biotechnology and Division of Genetics, Department of Biological and Environmental Sciences, Faculty of Biosciences and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 14/2006.

Tornberg Janne. Generation and characterization of the cation-chloride cotransporter KCC2 hypomorphic mouse. Neuroscience Center and Institute of Biotechnology, Department of Biological and Environmental Sciences, Faculty of Biosciences and Helsinki Graduate School in Biotechnology and Molecular Biology, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki* 28/2006.

Vilen Heikki. Mu *in vitro* Transposition technology in Functional in functional genetics and genomics: Applications on mouse and bacteriophages. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics, Faculty of Biosciences and Helsinki Graduate School in Biotechnology and Molecular Biology, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki 7/2006*.

Vöikar Vootele. Evaluation of methods and applications for behavioural profiling of transgenic mice. Neuroscience Center and Institute of Biotechnology, Department of Biological and Environmental Sciences, Faculty of Biosciences, Finnish Graduate School of Neuroscience, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki 16/2006*.

Wahlström Gudrun. From actin monomers to Bundles: The roles of twinfilin and -actinin in *Drosophila melanogaster* Development. Institute of Biotechnology and Division of Genetics, Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki 5/2006*.

Yabal Monica. Membrane insertion of C-tail anchored proteins. Institute of Biotechnology and Department of Biological and Environmental Sciences, Faculty of Biosciences and Helsinki Graduate School in Biotechnology and Molecular Biology, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki 32/2006*.

Yang Jianmin. Structure and function of GDNF receptor alpha splice variants. Institute of Biotechnology and Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki. *Dissertationes Bioscientiarum Molecularium Universitatis Helsingiensis in Viikki 5/2006*.

Åberg Thomas. The Function of Bmps and in the Runx2 in normal tooth development and in the pathogenesis of cleidocranial dysplasia. Developmental Biology Research Programme, Institute of Biotechnology and Department of Orthodontics, Institute of Dentistry and Department of Oral and Maxillofacial Diseases, Helsinki University Central Hospital and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes Bioscientiarum*

Molecularium Universitatis Helsingiensis in Viikki 31/2006.

PATENTS AND PATENT APPLICATIONS

Airaksinen MS, Saarma M, Poteriaev D, Lindahl M, Timmusk T, Rossi J. Compounds related to or derived from GFRalpha4 and their use. EP1257581, 8.3.2006.

Immonen T, Sariola H, Saarma M, Alakuijala A, Pasternack M, Roos C. GDNF related neuropeptides. EP 1660659, 2.3.2006.

Immonen T, Sariola H, Saarma M, Alakuijala A, Pasternack M, Roos C. GDNF related neuropeptides. US 10/570,460, 2.3.2006.

Karelson M, Saarma M, Pilv M. Antisense agents combining strongly bound base-modified oligonucleotide and artificial nuclease. US provisional 60/797,448, 3.5.2006.

Saarma M, Lauren J, Lindholm P, Timmusk T, Tuominen T. Novel neurotrophic factor protein and uses thereof. US 11/330,359, 12.1.2006.

Saarma M, Lindholm P, Voutilainen M, Peränen J, Lindahl M, Andressoo J-O, Raasmaja A, Männistö P, Tuominen T. Novel neurotrophic factor protein and uses thereof (Gene therapy). 14.12.2006.

Saarma M, Rauvala H, Bespalov M, Tumova S. Novel receptor for GDNF family of ligands. 30.8.2006.

Sivonen K, Jokela J, Wahlsten M, Permi P, Døskeland S O, Herfindal L. "Bioaktiivinen syklinen peptidi". Jätetty Patentti- ja rekisteri-hallitukseen 30.5.2006 numerolla 20060526.

Institute of Biotechnology

PUBLICATIONS 2007

ORIGINAL ARTICLES

Aalto AP, Sarin LP, van Dijk AA, Saarma M, Poranen MM, Arumäe U, Bamford DH. Large-scale production of dsRNA and siRNA pools for RNA interference utilizing bacteriophage phi6 RNA-dependent RNA polymerase. *RNA*. 2007; 13: 422-429.

Airavaara M, Tuomainen H, Piepponen TP, Saarma M, Ahtee L. Effects of repeated morphine on locomotion, place preference and dopamine in heterozygous glial cell line-derived neurotrophic factor knockout mice. *Genes Brain Behav*. 2007; 6: 287-298.

Astier Y, Kainov DE, Bayley H, Tuma R, Howorka S. Stochastic detection of motor protein-RNA complexes by single-channel current recording. *Chemphyschem*. 2007; 8: 2189-2194.

Balistreri G, Caldenty J, Kääriäinen L, Ahola T. Enzymatic defects of the nsP2 proteins of Semliki Forest virus temperature-sensitive mutants. *J Virol*. 2007; 81: 2849-2860.

Belevich G, Euro L, Wikström M, Verkhovskaya M. Role of the conserved arginine 274 and histidine 224 and 228 residues in the NuoCD subunit of complex I from *Escherichia coli*. *Biochemistry*. 2007; 46: 526-533.

Belevich I, Bloch DA, Belevich N, Wikström M, Verkhovsky MI. Exploring the proton pump mechanism of cytochrome c oxidase in real time. *Proc Natl Acad Sci U S A*. 2007; 104: 2685-2690.

Belevich I, Borisov VB, Verkhovsky MI. Discovery of the true peroxy intermediate in the catalytic cycle of terminal oxidases by the real-time measurement. *J Biol Chem*. 2007; 282: 28514-28519.

Bertling E, Quintero-Monzon O, Mattila PK, Goode BL, Lappalainen P. Mechanism and biological role of profilin-Srv2/CAP interaction. *J Cell Sci*. 2007; 120: 1225-1234.

Blak AA, Naserke T, Saarimäki-Vire J, Peltopuro P, Giraldo-Velasquez M, Vogt Weisenhorn DM, Prakash N, Sendtner M, Partanen J, Wurst W. Fgfr2 and Fgfr3 are not required for patterning and maintenance of the midbrain and anterior hindbrain. *Dev Biol*. 2007; 303: 231-243.

Bogachev AV, Bertsova YV, Aitio O, Permi P, Verkhovsky MI. Redox-Dependent Sodium

Binding by the Na(+)-Translocating NADH: Quinone Oxidoreductase from *Vibrio harveyi*. *Biochemistry*. 2007; 46: 11177-11184.

Casas-Tinto S, Marr MT 2nd, Andreu P, Puig O. Characterization of the *Drosophila* insulin receptor promoter. *Biochim Biophys Acta*. 2007; 1769: 236-243.

Conti A, Fabbrini F, D'Agostino P, Negri R, Greco D, Genesio R, D'Armiento M, Olla C, Paladini D, Zannini M, Nitsch L. Altered expression of mitochondrial and extracellular matrix genes in the heart of human fetuses with chromosome 21 trisomy. *BMC Genomics*. 2007; 8: 268.

Daugelavicius R, Gaidelyte A, Cvirkaite-Krupovic V, Bamford DH. On-line monitoring of changes in host cell physiology during the one-step growth cycle of Bacillus phage Bam35. *J Microbiol Methods*. 2007; 69: 174-179.

Evans AR, Wilson GP, Fortelius M, Jernvall J. High-level similarity of dentitions in carnivores and rodents. *Nature*. 2007; 445: 78-81.

Fabrichniy IP, Lehtiö L, Tammenkoski M, Zyryanov AB, Oksanen E, Baykov AA, Lahti R, Goldman A. A trimetal site and substrate distortion in a family II inorganic pyrophosphatase. *J Biol Chem*. 2007; 282: 1422-1431.

Feng D, Zhao X, Soromani C, Toikkanen J, Romisch K, Vembar SS, Brodsky JL, Keränen S, Jäntti J. The trans-membrane domain is sufficient for Sbh1p function, its association with the Sec61 complex and its interaction with Rtn1p. *J Biol Chem*. 2007; 282: 30618-30628.

Gaidelyte A, Vaara M, Bamford DH. Bacteria, Phages and Septicemia. *PLoS ONE*. 2007; 2(11):e1145 doi:10.1371/journal.pone.0001145.

Gershman B, Puig O, Hang L, Peitzsch RM, Tatar M, Garofalo RS. High-resolution dynamics of the transcriptional response to nutrition in *Drosophila*: a key role for dFOXO. *Physiol Genomics*. 2007; 29: 24-34.

19. Gorbikova EA, Belevich NP, Wikström M, Verkhovsky MI. Protolytic reactions on reduction of cytochrome c oxidase studied by ATR-FTIR spectroscopy. *Biochemistry*. 2007; 46: 4177-4183.

Grönholm T, Annala A. Natural distribution. *Math Biosci*. 2007; 210: 659-667.

- Gupta R, Ruosaari S, Kulathinal S, Hollmen J, Auvinen P. Microarray image segmentation using additional dye-An experimental study. *Mol Cell Probes*. 2007; 21: 321-328.
- Heger A, Mallick S, Wilton C, Holm L. The global trace graph, a novel paradigm for searching protein sequence databases. *Bioinformatics*. 2007; 23: 2361-2367.
- Hilditch S, Berghall S, Kalkkinen N, Penttilä M, Richard P. The missing link in the fungal D-galacturonate pathway; Identification of the L-threo-3-deoxy-hexulose aldolase. *J Biol Chem*. 2007; 282: 26195-26201.
- Hong L, Khirug S, Cai C, Ludwig A, Blaesse P, Kolikova J, Afzalov R, Coleman SK, Lauri S, Airaksinen MS, Keinänen K, Khiroug L, Saarma M, Kaila K, Rivera C. KCC2 interacts with the dendritic cytoskeleton to promote spine development. *Neuron*. 2007; 56: 1019-1033.
- Huiskonen JT, Butcher SJ. Membrane-containing viruses with icosahedrally symmetric capsids. *Curr Opin Struct Biol*. 2007; 17: 229-236.
- Huiskonen JT, Jäälinoja HT, Briggs JA, Fuller SD, Butcher SJ. Structure of a hexameric RNA packaging motor in a viral polymerase complex. *J Struct Biol*. 2007; 158: 156-164.
- Huiskonen JT, Manole V, Butcher SJ. Tale of two spikes in bacteriophage PRD1. *Proc Natl Acad Sci U S A*. 2007; 104: 6666-6671.
- Hätinen T, Holm L, Airaksinen MS. Loss of neurturin in frog - comparative genomics study of GDNF family ligand-receptor pairs. *Mol Cell Neurosci*. 2007; 34: 155-167.
- Ikonen TP, Li H, Psencik J, Laurinmäki P, Butcher SJ, Frigaard NU, Serimaa RE, Bryant DA, Tuma R. X-ray scattering and electron cryomicroscopy study on the effect of carotenoid biosynthesis to the structure of *Chlorobium tepidum* chlorosomes. *Biophys J*. 2007; 93: 620-628.
- Iwai H, Fiaux J. Use of biosynthetic fractional ¹³C-labeling for backbone NMR assignment of proteins. *J Biomol NMR*. 2007; 37: 187-193.
31. Iwai H, Züger S. Protein ligation: applications in NMR studies of proteins. *Biotechnol Genet Eng Rev*. 2007; 24: 129-146.
- Jäälinoja HT, Huiskonen JT, Butcher SJ. Electron cryomicroscopy comparison of the architectures of the enveloped bacteriophages phi6 and phi8. *Structure*. 2007; 15: 157-167.
- Jasaitis A, Johansson MP, Wikström M, Vos MH, Verkhovsky MI. Nanosecond electron tunneling between the hemes in cytochrome bo₃. *Proc Natl Acad Sci USA* 2007; 104: 20811-20814.
- Karhu NJ, Ziedaite G, Bamford DH, Bamford JK. Efficient DNA packaging of bacteriophage PRD1 requires the unique vertex protein P6. *J Virol*. 2007; 81: 2970-2979.
- Kassinen A, Krogus-Kurikka L, Mäkivuokko H, Rinttilä T, Paulin L, Corander J, Malinen E, Apajalahti J, Palva A. The fecal microbiota of irritable bowel syndrome patients differs significantly from that of healthy subjects. *Gastroenterology*. 2007; 133: 24-33.
- Kavanagh KD, Evans AR, Jernvall J. Predicting evolutionary patterns of mammalian teeth from development. *Nature*. 2007; 449: 427-432.
- Kettunen P, Spencer-Dene B, Furmanek T, Kvinnslund IH, Dickson C, Thesleff I, Luukko K. Fgfr2b mediated epithelial-mesenchymal interactions coordinate tooth morphogenesis and dental trigeminal axon patterning. *Mech Dev*. 2007; 124: 868-883.
- Kim YC, Wikström M, Hummer G. Kinetic models of redox-coupled proton pumping. *Proc Natl Acad Sci U S A*. 2007; 104: 2169-2174.
- Koutaniemi S, Warinowski T, Kärkönen A, Alatalo E, Fossdal CG, Saranpää P, Laakso T, Fagerstedt KV, Simola LK, Paulin L, Rudd S, Teeri TH. Expression profiling of the lignin biosynthetic pathway in Norway spruce using EST sequencing and real-time RT-PCR. *Plant Mol Biol*. 2007; 65: 311-328.
- Krogerus C, Samuilova O, Poyry T, Jokitalo E, Hyypiä T. Intracellular localization and effects of individually expressed human parechovirus 1 non-structural proteins. *J Gen Virol*. 2007; 88: 831-841.
- Krupovic M, Bamford DH. Putative prophages related to lytic tailless marine dsDNA phage PM2 are widespread in the genomes of aquatic bacteria. *BMC Genomics*. 2007; 8: 236.
- Krupovic M, Daugelavicius R, Bamford DH. A novel lysis system in PM2, a lipid-containing marine double-stranded DNA bacteriophage. *Mol Microbiol* 2007; 64: 1635-1648.
- Krupovic M, Daugelavicius R, Bamford DH. Polymyxin B induces lysis of marine Pseudoalteromonads. *Antimicrob Agents Chemother*. 2007; 51: 3908-3914.
- Kuokkanen E, Smith W, Mäkinen M, Tuominen H, Puhka M, Jokitalo E, Duvet S, Berg T, Heikinheimo P. Characterisation and subcellular localisation of human neutral class II {alpha}-mannosidase. *Glycobiology*. 2007; 17: 1084-1093.
- Kurkela M, Patana AS, Mackenzie PI, Court MH, Tate CG, Hirvonen J, Goldman A, Finel M. Interactions with other human UDP-glucuronosyltransferases

- attenuate the consequences of the Y485D mutation on the activity and substrate affinity of UGT1A6. *Pharmacogenet Genomics*. 2007; 17: 115-126.
- Kärenlampi R, Rautelin H, Schonberg-Norio D, Paulin L, Hänninen ML. Longitudinal study of Finnish *Campylobacter jejuni* and *C. coli* isolates from humans, using multilocus sequence typing, including comparison with epidemiological data and isolates from poultry and cattle. *Appl Environ Microbiol*. 2007; 73: 148-155.
- Laine H, Doetzlhofer A, Mantela J, Ylikoski J, Laiho M, Roussel MF, Segil N, Pirvola U. p19(Ink4d) and p21(Cip1) collaborate to maintain the postmitotic state of auditory hair cells, their codeletion leading to DNA damage and p53-mediated apoptosis. *J Neurosci*. 2007; 27: 1434-1444.
- Laurinavicius S, Bamford DH, Somerharju P. Transbilayer distribution of phospholipids in bacteriophage membranes. *Biochim Biophys Acta*. 2007; 1768: 2568-2577.
- Lehto M, Kotovuori A, Palosuo K, Varjonen E, Lehtimäki S, Kalkkinen N, Palosuo T, Reunala T, Alenius H. Hev b 6.01 and Hev b 5 induce pro-inflammatory cytokines and chemokines from peripheral blood mononuclear cells in latex allergy. *Clin Exp Allergy*. 2007; 37: 133-140.
- Leppänen VM, Tossavainen H, Permi P, Lehtiö L, Rönholm G, Goldman A, Kilpeläinen I, Pihlajamaa T. Crystal structure of the N-terminal NC4 domain of collagen IX, a zinc binding member of the laminin-neurexin-sex hormone binding globulin (LNS) domain family. *J Biol Chem*. 2007; 282: 23219-23230.
- Lilleväli K, Haugas M, Pituello F, Salminen M. Comparative analysis of Gata3 and Gata2 expression during chicken inner ear development. *Dev Dyn*. 2007; 236: 306-313.
- Linder MD, Uronen RL, Hölttä-Vuori M, van der Sluijs P, Peränen J, Ikonen E. Rab8-dependent recycling promotes endosomal cholesterol removal in normal and sphingolipidosis cells. *Mol Biol Cell*. 2007; 18: 47-56.
- Lindholm P, Voutilainen MH, Laurén J, Peränen J, Leppänen V-M, Andressoo-J-O, Lindahl M, Janhunen S, Kalkkinen N, Timmusk T, Tuominen RK, Saarma M. Novel neurotrophic factor CDNF protects and rescues midbrain dopaminergic neurons *in vivo*. *Nature*. 2007; 448: 73-77.
- Louhivuori M, Otten R, Salminen T, Annala A. Evidence of molecular alignment fluctuations in aqueous dilute liquid crystalline media. *J Biomol NMR*. 2007; 39: 141-152.
- Luo X, Puig O, Hyun J, Bohmann D, Jasper H. Foxo and Fos regulate the decision between cell death and survival in response to UV irradiation. *EMBO J*. 2007; 26: 380-390.
- Mancini EJ, Assenberg R, Verma A, Walter TS, Tuma R, Grimes JM, Owens RJ, Stuart DI. Structure of the Murray Valley encephalitis virus RNA helicase at 1.9 Angstrom resolution. *Protein Sci*. 2007; 16: 2294-2300.
- Marr MT 2nd, D'Alessio JA, Puig O, Tjian R. IRES-mediated functional coupling of transcription and translation amplifies insulin receptor feedback. *Genes Dev*. 2007; 21: 175-183.
- Matilainen T, Haugas M, Kreidberg JA, Salminen M. Analysis of Netrin 1 receptors during inner ear development. *Int J Dev Biol*. 2007; 51: 409-414.
- Mattila PK, Pykäläinen A, Saarikangas J, Paavilainen VO, Vihinen H, Jokitalo E, Lappalainen P. Missing-in-metastasis and IRSp53 deform PI(4,5) P2-rich membranes by an inverse BAR domain-like mechanism. *J Cell Biol*. 2007; 176: 953-964.
- Mattinen L, Nissinen R, Riipi T, Kalkkinen N, Pirhonen M. Host-extract induced changes in the secretome of the plant pathogenic bacterium *Pectobacterium atrosepticum*. *Proteomics*. 2007; 7: 3527-3537.
- Mijatovic J, Airavaara M, Planken A, Auvinen P, Raasmaja A, Piepponen TP, Costantini F, Ahtee L, Saarma M. Constitutive Ret activity in knock-in multiple endocrine neoplasia type B mice induces profound elevation of brain dopamine concentration via enhanced synthesis and increases the number of TH-positive cells in the substantia nigra. *J Neurosci*. 2007; 27: 4799-4809.
- Moza M, Mologni L, Trokovic R, Faulkner G, Partanen J, Carpen O. Targeted deletion of the muscular dystrophy gene myotilin does not perturb muscle structure or function in mice. *Mol Cell Biol*. 2007; 27: 244-252.
- Mrena R, Ylikoski M, Mäkitie A, Pirvola U, Ylikoski J. Occupational noise-induced hearing loss reports and tinnitus in Finland. *Acta Otolaryngol*. 2007; 127: 729-735.
- Nachury MV, Loktev AV, Zhang Q, Westlake CJ, Peränen J, Merdes A, Slusarski DC, Scheller RH, Bazan JF, Sheffield VC, Jackson PK. A core complex of BBS proteins cooperates with the GTPase Rab8 to promote ciliary membrane biogenesis. *Cell*. 2007; 129: 1201-1213.
- Namslauer A, Lepp H, Branden M, Jasaitis A, Verkhovsky MI, Brzezinski P. Plasticity of proton pathway structure and water coordination in cytochrome c oxidase. *J Biol Chem*. 2007; 282: 15148-15158.

Niiranen L, Espelid S, Karlsen CR, Mustonen M, Paulsen SM, Heikinheimo P, Willassen NP. Comparative expression study to increase the solubility of cold adapted Vibrio proteins in *Escherichia coli*. *Protein Expr Purif*. 2007; 52: 210-218.

Oksanen E, Ahonen AK, Tuominen H, Tuominen V, Lahti R, Goldman A, Heikinheimo P. A complete structural description of the catalytic cycle of yeast pyrophosphatase. *Biochemistry*. 2007; 46: 1228-1239.

Orsini L, Pajunen M, Hanski I, Savilahti H. SNP discovery by mismatch-targeting of Mu transposition. *Nucleic Acids Res*. 2007;35: e44.

Ortega Roldan JL, Romero Romero ML, Ora A, Ab E, Lopez Mayorga O, Azuaga AI, van Nuland NA. The high resolution NMR structure of the third SH3 domain of CD2AP. *J Biomol NMR*. 2007; 39: 331-336.

Paavilainen VO, Hellman M, Helfer E, Bovellan M, Annala A, Carlier MF, Permi P, Lappalainen P. Structural basis and evolutionary origin of actin filament capping by twinfilin. *Proc Natl Acad Sci U S A*. 2007; 104: 3113-3118.

Pajunen M, Turakainen H, Poussu E, Peränen J, Vihinen M, Savilahti H. High-precision mapping of protein protein interfaces: an integrated genetic strategy combining en masse mutagenesis and DNA-level parallel analysis on a yeast two-hybrid platform. *Nucleic Acids Res*. 2007; 35: e103.

Palosuo T, Lehto M, Kotovuori A, Kalkkinen N, Blanco C, Poza P, Carrillo T, Hamilton RG, Alenius H, Reunala T, Turjanmaa K. Latex allergy: low prevalence of immunoglobulin E to highly purified proteins Hev b 2 and Hev b 13. *Clin Exp Allergy*. 2007; 37: 1502-1511.

Patana AS, Kurkela M, Goldman A, Finel M. The human UDP-glucuronosyltransferase: identification of key residues within the nucleotide-sugar binding site. *Mol Pharmacol*. 2007; 72: 604-611.

Paveliev M, Lume M, Velthut A, Phillips M, Arumäe U, Saarma M. Neurotrophic factors switch between two signaling pathways that trigger axonal growth. *J Cell Sci*. 2007; 120: 2507-2516.

Pitkänen T, Paakkari P, Miettinen IT, Heinonen-Tanski H, Paulin L, Hänninen ML. Comparison of media for enumeration of coliform bacteria and *Escherichia coli* in non-disinfected water. *J Microbiol Methods*. 2007; 68: 522-529.

Pittis MG, Montalvo AL, Heikinheimo P, Sbaragli M, Balducci C, Persichetti E, Van Maldergem L, Filocamo M, Bembi B, Beccari T. Functional

characterization of four novel MAN2B1 mutations causing juvenile onset alpha-mannosidosis. *Clin Chim Acta*. 2007; 375: 136-139.

Puhka M, Vihinen H, Joensuu M, Jokitalo E. Endoplasmic reticulum remains continuous and undergoes sheet-to-tubule transformation during cell division in mammalian cells. *J Cell Biol*. 2007; 179: 895-909.

Puig O, Bragado-Nilsson E, Koski T, Séraphin B. The U1 snRNP-associated factor Luc7p affects 5' splice site selection in yeast and human. *Nucleic Acids Res*. 2007; 35: 5874-5885.

Pummila M, Fliniaux I, Jaatinen R, James MJ, Laurikkala J, Schneider P, Thesleff I, Mikkola ML. Ectodysplasin has a dual role in ectodermal organogenesis: inhibition of Bmp activity and induction of Shh expression. *Development*. 2007; 134: 117-125.

Quintero IB, Araujo CL, Pulkka AE, Wirkkala RS, Herrala AM, Eskelinen EL, Jokitalo E, Hellström PA, Tuominen HJ, Hirvikoski PP, Vihko PT. Prostatic acid phosphatase is not a prostate specific target. *Cancer Res*. 2007; 67: 6549-6554.

Rakkola R, Matikainen S, Nyman TA. Proteome analysis of human macrophages reveals the upregulation of manganese-containing superoxide dismutase after toll-like receptor activation. *Proteomics*. 2007; 7: 378-384.

Rantanen MK, Lehtiö L, Rajagopal L, Rubens CE, Goldman A. Structure of the *Streptococcus agalactiae* family II inorganic pyrophosphatase at 2.80 Å resolution. *Acta Crystallogr D Biol Crystallogr*. 2007; 63: 738-743.

Rantanen MK, Lehtiö L, Rajagopal L, Rubens CE, Goldman A. Structure of *Streptococcus agalactiae* serine/threonine phosphatase. The subdomain conformation is coupled to the binding of a third metal ion. *FEBS J*. 2007; 274: 3128-3137.

Rautajoki K, Marttila E, Nyman TA, Laheesmaa R. IL-4 inhibits Caspase-3 by regulating several proteins in the Fas pathway during the initial stages of human Th2 cell differentiation. *Mol Cell Proteomics*. 2007;6: 238-251.

Reinikka-Railo H, Kautiainen H, Alenius H, Kalkkinen N, Kulomaa M, Reunala T, Turjanmaa K. Latex allergy: the sum quantity of four major allergens shows the allergenic potential of medical gloves. *Allergy*. 2007; 62: 781-786.

Roland JT, Kenworthy AK, Peränen J, Caplan S, Goldenring JR. Myosin Vb interacts with Rab8a on a tubular network containing EHD1 and EHD3. *Mol Biol Cell*. 2007; 18: 2828-2837.

- Rouhiainen A, Tumova S, Valmu L, Kalkkinen N, Rauvala H. Pivotal advance: analysis of proinflammatory activity of highly purified eukaryotic recombinant HMGB1 (amphoterin). *J Leukoc Biol.* 2007; 81: 49-58.
- Runeberg-Roos P, Virtanen H, Saarma M. RET(MEN 2B) is active in the endoplasmic reticulum before reaching the cell surface. *Oncogene.* 2007; 26: 7909-7915.
- Saarimäki-Vire J, Peltopuro P, Lahti L, Naserke T, Blak AA, Vogt Weisenhorn DM, Yu K, Ornitz DM, Wurst W, Partanen J. Fibroblast growth factor receptors cooperate to regulate neural progenitor properties in the developing midbrain and hindbrain. *J Neurosci.* 2007; 27: 8581-8592.
- Sabot F, Schulman AH. Template switching can create complex LTR retrotransposon insertions in Triticeae genomes. *BMC Genomics.* 2007; 8: 247.
- Schulman AH. Molecular markers to assess genetic diversity. *Euphytica* 2007; 158: 313-321.
- Sharma V, Annala A. Natural process - natural selection. *Biophys Chem.* 2007; 127: 123-128.
- Siletsky SA, Belevich I, Jasaitis A, Konstantinov AA, Wikström M, Soulimane T, Verkhovskiy MI. Time-resolved single-turnover of ba(3) oxidase from *Thermus thermophilus*. *Biochim Biophys Acta.* 2007; 1767: 1383-1392.
- Spuul P, Salonen A, Merits A, Jokitalo E, Kääriäinen L, Ahola T. Role of the amphipathic peptide of Semliki forest virus replicase protein nsP1 in membrane association and virus replication. *J Virol.* 2007; 81: 872-883.
- Stasyk T, Schiefermeier N, Skvortsov S, Zwierzina H, Peränen J, Bonn GK, Huber LA. Identification of endosomal epidermal growth factor receptor signaling targets by functional organelle proteomics. *Mol Cell Proteomics.* 2007; 6: 908-922.
- Strandman S, Zaremba A, Darinskii AA, Löflund B, Butcher SJ, Tenhu H. Self-assembly of star-like amphiphilic block copolymers with polyelectrolyte blocks. Effect of pH. *Polymer.* 2007; 48: 7008-7016.
- Syrjäkoski K, Jäntti J, Kallioniemi A, Karhu R. Mutations in the BRCA2 interacting DSS1 are not a risk factor for male breast cancer. *Int J Cancer.* 2007; 120: 444-446.
- Tanhuanpää P, Kalendar R, Schulman AH, Kiviharju E. A major gene for grain cadmium accumulation in oat (*Avena sativa L.*). *Genome.* 2007; 50: 588-594.
- Tanskanen JA, Sabot F, Vicient C, Schulman AH. Life without GAG: the BARE-2 retrotransposon as a parasite's parasite. *Gene.* 2007; 390: 166-174.
- Tauszig-Delamasure S, Yu LY, Cabrera JR, Bouzas-Rodriguez J, Mermet-Bouvier C, Guix C, Bordeaux MC, Arumäe U, Mehlen P. The TrkC receptor induces apoptosis when the dependence receptor notion meets the neurotrophin paradigm. *Proc Natl Acad Sci U S A.* 2007; 104: 13361-13366.
- Toikkanen JH, Niku-Paavola ML, Bailey M, Immanen J, Rintala E, Elomaa P, Helariutta Y, Teeri TH, Fagerström R. Expression of xyloglucan endotransglycosylases of *Gerbera hybrida* and *Betula pendula* in *Pichia pastoris*. *J Biotechnol.* 2007; 130: 161-170.
- Tu Quoc PH, Genevaux P, Pajunen M, Savilahti H, Georgopoulos C, Schrenzel J, Kelley WL. Isolation and characterization of biofilm formation-defective mutants of *Staphylococcus aureus*. *Infect Immun.* 2007; 75: 1079-1088.
- Tummers M, Yamashiro T, Thesleff I. Modulation of epithelial cell fate of the root in vitro. *J Dent Res.* 2007; 86: 1063-1067.
- Tuukkanen A, Kaila VR, Laakkonen L, Hummer G, Wikström M. Dynamics of the glutamic acid 242 side chain in cytochrome c oxidase. *Biochim Biophys Acta.* 2007; 1767: 1102-1106.
- Varhimo E, Savijoki K, Jalava J, Kuipers O, and Varmanen P. Identification of a novel streptococcal gene cassette mediating SOS-mutagenesis in *Streptococcus uberis*. *J Bacteriol.* 2007; 189: 5210-5222.
- Vihavainen E, Lundström HS, Susiluoto T, Koort J, Paulin L, Auvinen P, Bjorkroth KJ. Role of broiler carcasses and processing plant air in contamination of modified-atmosphere-packaged broiler products with psychrotrophic lactic acid bacteria. *Appl Environ Microbiol.* 2007; 73: 1136-1145.
- Wallin AE, Salmi A, Tuma R. Step length measurement--theory and simulation for tethered bead constant-force single molecule assay. *Biophys J.* 2007; 93: 795-805.
- Wang E, Koutsoulis D, Leiros HK, Andersen OA, Bouriotis V, Hough E, Heikinheimo P. Crystal structure of alkaline phosphatase from the Antarctic bacterium TAB5. *J Mol Biol.* 2007; 366: 1318-1331.
- Wang XP, Suomalainen M, Felszeghy S, Zelarayan LC, Alonso MT, Plikus MV, Maas RL, Chuong CM, Schimmang T, Thesleff I. An integrated gene regulatory network controls stem cell proliferation in teeth. *PLoS Biol.* 2007; 5: e159.

Westerholm-Parvinen A, Selinheimo E, Boer H, Kalkkinen N, Mattinen M, Saloheimo M. Expression of the *Trichoderma reesei* tyrosinase 2 in *Pichia pastoris*: Isotopic labeling and physicochemical characterization. *Protein Expr Purif.* 2007; 55: 147-158.

Wicker T, Sabot F, Hua-Van A, Bennetzen JL, Capy P, Chalhoub B, Flavell A, Leroy P, Morgante M, Panaud O, Paux E, SanMiguel P, Schulman AH. A unified classification system for eukaryotic transposable elements. *Nat Rev Genet.* 2007; 8: 973-982.

Würtz P, Aitio O, Hellman M, Permi P. Simultaneous detection of amide and methyl correlations using a time shared NMR experiment: application to binding epitope mapping. *J Biomol NMR.* 2007; 39: 97-105.

Würtz P, Permi P. SESAME-HSQC for simultaneous measurement of NH and CH scalar and residual dipolar couplings. *Magn Reson Chem.* 2007; 45: 289-295.

Yamashiro T, Zheng L, Shitaku Y, Saito M, Tsubakimoto T, Takada K, Takano-Yamamoto T, Thesleff I. Wnt10a regulates dentin sialophosphoprotein mRNA expression and possibly links odontoblast differentiation and tooth morphogenesis. *Differentiation.* 2007; 75: 452-462.

Yang J, Runeberg-Roos P, Leppänen VM, Saarma M. The mouse soluble GFR α 4 receptor activates RET independently of its ligand persephin. *Oncogene.* 2007; 26: 3892-3898.

Yang J, Valineva T, Hong J, Bu T, Yao Z, Jensen ON, Frilander MJ, Silvennoinen O. Transcriptional co-activator protein p100 interacts with snRNP proteins and facilitates the assembly of the spliceosome. *Nucleic Acids Res.* 2007; 35: 4485-4494.

Zabranska H, Tuma R, Kluh I, Svatos A, Ruml T, Hrabal R, Pichova I. The role of the S-S bridge in retroviral protease function and virion maturation. *J Mol Biol.* 2007; 365: 1493-1504.

Zhang FP, Domanskyi A, Palvimo JJ, Sariola H, Partanen J, Janne OA. An adenosine triphosphatase of the sucrose nonfermenting 2 family, androgen receptor-interacting protein 4, is essential for mouse embryonic development and cell proliferation. *Mol Endocrinol.* 2007; 21: 1430-1442.

REVIEWS AND BOOK CHAPTERS

Bespalov MM, Saarma M. GDNF family receptor complexes are emerging drug targets. *Trends Pharmacol Sci.* 2007; 28: 68-74.

Frees D, Savijoki K, Varmanen P, and Ingmer H. Clp ATPases and ClpP proteolytic complexes regulate vital biological processes in low GC, Gram-positive bacteria. *Mol Microbiol* 2007; 63: 1285-1295.

Frilander MJ. *Geenisäätelyn peruseriaatteet* (Perinnöllisyyslääketiede; P. Aula, H. Kääriäinen, A. Palotie Eds.). 2007, pp. 15-30 Kustannus Oy Duodecim, Helsinki.

Helariutta Y. Cell signalling during vascular morphogenesis. *Biochem Soc Trans.* 2007; 35: 152-155.

Huiskonen JT, Butcher SJ. Membrane-containing viruses with icosahedrally symmetric capsids. *Curr Opin Struct Biol.* 2007; 17: 229-236.

Jernvall J, Salazar-Ciudad I. The economy of tinkering mammalian teeth. *Novartis Found Symp.* 2007; 284: 207-16; discussion 216-224.

Kääriäinen L, Ahola T. Molekyylitiedon avulla influenssa vastaan. *Duodecim.* 2007; 123: 899-907.

Mikkola ML. Genetic basis of skin appendage development. *Semin Cell Dev Biol.* 2007; 18: 225-236.

Mikkola ML. p63 in skin appendage development. *Cell Cycle.* 2007; 6: 285-290.

Partanen J. FGF signalling pathways in development of the midbrain and anterior hindbrain. *J Neurochem.* 2007; 101: 1185-1193.

Runeberg-Roos P, Saarma M. Neurotrophic factor receptor RET: structure, cell biology, and inherited diseases. *Ann Med.* 2007; 39: 572-580.

Thesleff I. Molecular genetics of tooth development. In: *Principles of Developmental Genetics*. Ed. Sally A. Moody. pp.615-630, Academic Press/Elsevier, 2007.

Thesleff I, Järvinen E, Suomalainen M. Affecting tooth morphology and renewal by fine-tuning the signals mediating cell and tissue interactions. *Novartis Found Symp.* 2007; 284: 142-53; discussion 153-63.

Thesleff I, Wang XP, Suomalainen M. Regulation of epithelial stem cells in tooth regeneration. *C R Biol.* 2007; 330: 561-564.

Wallin, AE, Ojala H, Korsbäck A, Hæggström E, Tuma R. Real-time control of optical tweezers. *Proc. of SPIE* 2007; 6644 66441Y.

Wikström M, Verkhovsky MI. Mechanism and energetics of proton translocation by the respiratory heme-copper oxidases. *Biochim Biophys Acta.* 2007; 1767: 1200-1214.

OTHER PUBLICATIONS

Jernvall J, Salazar-Ciudad I. Where the genes meet the road. *Bioessays*. 2007; 29: 607-608. Book reviews.

Saarma M. Närvirakkude ühendustest, elust ja surmast. *Horisont*. 1; 20-23: 2007.

Savilahti H. Molekyyli-genetiikka tutkimuksessa ja sovelluksissa. *Erikoislääkäri* 5/2007:223

DISSERTATIONS

Alakuijala Anniina. Expression of functional Gaba_c receptors in the brain. Institute of Biomedicine, Department of Pharmacology and Institute of Biotechnology, University of Helsinki, Finnish Graduate School of neuroscience. Helsinki University Printing House, Helsinki 2007.

Belevich Ilya. Proton translocation coupled to electron transfer reactions in terminal oxidases. Institute of Biotechnology and Division of Biochemistry, Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 22/2007.

Fredriksson Kai. Structure and dynamics of coil-like molecules by residual dipolar couplings. Division of Biochemistry, Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 36/2006.

Hattula Katariina. Rab8 and Rab8-interacting proteins as players in cell polarization. Institute of Biotechnology and faculty of Medicine, University of Helsinki 2007.

Hellman Maarit. Structural characteristics affecting functions of two acting regulating proteins. Institute of Biotechnology and Laboratory of Organic Chemistry, Department of Chemistry, Faculty of Sciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 18/2007.

Hienola Anni. N-syndecan and HB-GAM in neural migration and differentiation: Modulation of growth factor activity in brain. Neuroscience Center and Institute of Biotechnology, Department of Biological and Environmental Sciences, Faculty of Biosciences and Finnish Graduate School of Neuroscience, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 3/2007.

Jukkola Tomi. FGFR1 regulated gene-expression, cell proliferation and differentiation in the developing midbrain and hindbrain. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics, Faculty of Biosciences and Helsinki Graduate School of Biotechnology and Molecular Biology, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 17/2007.

Jääliinoja Harri. Electron Cryo-Microscopy studies of bacteriophage ϕ 8 and Archaeal virus SH1. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics, Faculty of Biosciences and National Graduate School of Informational and Structural Biology, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 5/2007.

Laurén Juha. Characterization of LRRTM and NGR gene families: Expression and functions. Neuroscience Center and Institute of Biotechnology, University of Helsinki & Yale University School of Medicine, Dept. of Neurobiology, Yale University, USA. Helsinki University Printing House / Yliopistopaino, Helsinki 2007.

Lilleväli Kersti. Gata3 and Gata2 in inner ear development. Institute of Zoology and Hydrobiology, Faculty of Biology and Geography, University of Tartu. *Dissertationes Biologicae Universitatis Tartuensis*, 24. tartu 2007.

Mattila Pieta. Missing in Metastasis (MIM) regulates cell morphology by promoting plasma membrane and actin cytoskeleton dynamics. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics, Faculty of Biosciences and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 31/2007.

Nieminen Pekka. Molecular genetics of tooth agenesis. Department of Orthodontics, Institute of Dentistry and Institute of Biotechnology and Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 27/2007.

Paavilainen Ville O. Structural Basis of Cytoskeletal regulation by twinfilin. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics, Faculty of Biosciences and Helsinki Graduate School in Biotechnology and Molecular Biology, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki* 4/2007.

Poussu Eini. Mu *in vitro* DNA transposition applications in protein engineering. Institute of Biotechnology and Division of Biochemistry, Department of Biological and Environmental Sciences, Faculty of Biosciences and Viikki Graduate School of Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 6/2007.*

Ribacka Camilla. Redox-linked proton transfer by cytochrome c oxidase. Institute of Biotechnology and Division of Biochemistry, Department of Biological and Environmental Sciences, Faculty of Biosciences and Viikki Graduate School in Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 14/2007.*

Shmelev Anton. Folding and selective exit of reporter proteins from the yeast endoplasmic reticulum. Institute of Biotechnology and Department of Biological and Environmental Sciences, Division of Genetics, Faculty of Biosciences, University of Helsinki. *Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 33/2007.*

PATENTS AND PATENT APPLICATIONS

Karelson M, Saarma M, Pilv M. Antisense agents combining strongly bound base-modified oligonucleotide and artificial nuclease. US 11/742,384. Filed 30.4.2007.

Karelson M, Truve E, Olspert A, Sarmiento C, Saarma M. Oligonucleotides with modified bases in hybridization of nucleic acids, polymerase chain reaction and siRNA-mediated gene silencing. US 60/985,552, provisional. Filed 5.11.2007

Saarma M, Laurikainen AM, Hiltunen JO, Airaksinen MS, Klinge EM. Neurotrophic factors in the treatment of peripheral nerve dysfunction of pelvic area. EP1181042, 14.11.2007.

Saarma M, Merits A, Karelson M. Oligonucleotides with modified bases and containing artificial nuclease as antiviral agents. US 60/985,548, provisional. Filed 5.11.2007.

Savilahti H. Delivery of nucleic acids into genomes of human stem cells using in vitro assembled Mu transposition complexes. FI20075520, 6.7.2007.

Yli-Kauhaluoma J, Alakurtti S, Vuorela, P, Tammela P, Pohjala L, Ahola T. Betulin derived compounds useful as antiviral agents. PCT Int. Appl. 2007, WO 2007141390 A1 20071213

Institute of Biotechnology

PUBLICATIONS 2008

ORIGINAL ARTICLES

Abrescia NG, Grimes JM, **Kivela HM**, Assenberg R, Sutton GC, **Butcher SJ**, **Bamford DH**, Stuart DI. Insights into virus evolution and membrane biogenesis from the structure of the marine lipid-containing bacteriophage PM2. **Mol Cell**. 2008; 31(5): 749–761.

Aitio O, **Hellman M**, Kesti T, Kleino I, Samuilova O, Pääkkönen K, Tossavainen H, Saksela K, **Permi P**. Structural basis of PxxDY motif recognition in SH3 binding. **J Mol Biol**. 26; 382(1): 167–78.

Aittamaa M, **Somervuo P**, Pirhonen M, Mattinen L, Nissinen R, **Auvinen P**, Valkonen JPT. Distinguishing bacterial pathogens of potato using a genome-wide -microarray approach. **Molecular Plant Pathology**. 2008; 9: 705–717.

Akiyama T, Kamimura K, Firkus C, Takeo S, **Shimmi O**, Nakato H. Dally regulates Dpp morphogen gradient formation by stabilizing Dpp on the cell surface. *Dev Biol*. 2008; 313: 408–419.

Alvesalo J, **Greco D**, Leinonen M, **Raitila T**, Vuorela P, **Auvinen P**. Microarray analysis of a Chlamydia pneumoniae-infected human epithelial cell line by use of gene ontology hierarchy. **J Infect Dis**. 2008; 197: 156–162.

Annala A, Annala E. Why did life emerge? **Int. J. Astrobio**. 2008; 7(3-4): 293–30.

Arellano JB, Torkkeli M, **Tuma R**, **Laurinmäki P**, Melø TB, Ikonen TP, **Butcher SJ**, Serimaa RE, Psencík J. Hexanol-induced order-disorder transitions in lamellar self-assembling aggregates of bacteriochlorophyll c in Chlorobium tepidum chlorosomes. **Langmuir**. 2008; 24(5): 2035–41.

Avellan-Hietanen H, Aittomäki, J, Ekroos H, Aittomäki K, Turpeinen U, **Kalkkinen N**, Sovijärvi A. Decreased Oxygen saturation due to genetic disturbance; HB-Titusville. **The Clinical Respiratory Journal**. 2008; 2(4):242–244. DOI:10.1111/j.1752-699X.2008.00072.x

Borisov VB, **Belevich I**, **Bloch DA**, Mogi T, **Verkhovsky MI**. Glutamate 107 in subunit I of cytochrome bd from Escherichia coli is part of a transmembrane intraprotein pathway conducting protons from the cytoplasm to the heme b595/heme d active site. **Biochemistry**. 2008. 29; 47(30): 7907–14.

Cai C, **Li H**, Kangasniemi A, **Pihlajamaa T**, Von Ossowski L, Kerkelä K, Schulz S, **Rivera C**, Keinänen K. 2008. Somatostatin receptor subtype 1 is a PDZ ligand

for synapse-associated protein 97 and a potential regulator of growth cone dynamics. **Neuroscience**. 2008; 157(4): 833–43.

Chang W, **Schulman AH**. BARE retrotransposons produce multiple groups of rarely polyadenylated transcripts from two differentially regulated promoters. **Plant J**. 2008; 56(1): 40–50.

Chereau D, Boczkowska M, **Skwarek-Maruszewska A**, Fujiwara I, Hayes DB, Rebowski G, **Lappalainen P**, Pollard TD, Dominguez R. Leiomodin is an actin filament nucleator in muscle cells. **Science**. 2008; 320: 239–243.

Creed SJ, Bryce N, **Naumanen P**, Weinberger R, **Lappalainen P**, Stehn J, Gunning P. Tropomyosin isoforms define distinct microfilament populations with different drug susceptibility. **Eur J Cell Biol**. 87: 709–720.

Euro L, **Belevich G**, **Verkhovsky MI**, **Wikström M**, **Verkhovskaya M**. Conserved lysine residues of the membrane subunit NuoM are involved in energy conversion by the proton-pumping NADH:ubiquinone oxidoreductase (Complex I). **Biochim Biophys Acta**. 2008; 1777(9):1166–72.

Euro L, **Bloch DA**, **Wikström M**, **Verkhovsky MI**, **Verkhovskaya M**. Electrostatic interactions between FeS clusters in NADH:ubiquinone oxidoreductase (Complex I) from Escherichia coli. **Biochemistry**. 2008; 47: 3185–3193.

Fadeeva MS, Bertsova YV, **Verkhovsky MI**, Bogachev AV. Site-Directed Mutagenesis of Conserved Cysteine Residues in NqrD and NqrE Subunits of Na⁺-Translocating NADH:quinone Oxidoreductase. **Biochemistry (Mosc)**. 2008; 73: 123–129.

Fliniaux I, **Mikkola ML**, **Lefebvre S**, **Thesleff I**. Identification of dkk4 as a target of Eda-A1/Edar pathway reveals an unexpected role of ectodysplasin as inhibitor of Wnt signalling in ectodermal placodes. **Dev Biol**. 2008; 1;320(1):60–71.

Gorbikova EA, **Belevich I**, **Wikström M**, **Verkhovsky MI**. The proton donor for O-O bond scission by cytochrome c oxidase. **Proc Natl Acad Sci U S A**. 2008; 105(31):10733–7.

Gorbikova EA, **Wikström M**, **Verkhovsky MI**. The Protonation State of the Cross-linked Tyrosine during the Catalytic Cycle of Cytochrome c Oxidase. **J Biol Chem**. 2008; 12;283(50):34907–12.

Greco D, Kotronen A, Westerbacka J, **Puig O**, Arkkila P, Kiviluoto T, Laitinen S, Kolak M, Fisher RM, Hamsten A, **Auvinen P**, Yki-Järvinen H. Gene expression in human NAFLD. **Am J Physiol Gastrointest Liver Physiol.** 2008; 294:G1281–1287.

Greco D, Leo D, di Porzio U, Perrone Capano C, **Auvinen P**. Pre-filtering improves reliability of Affymetrix GeneChips results when used to analyze gene expression in complex tissues. **Mol Cell Probes.** 2008; 22:115–121.

Greco D, **Somervuo P**, Di Lieto A, **Raitila T**, Nitsch L, Castrén E, **Auvinen P**. Physiology, pathology and relatedness of human tissues from gene expression meta-analysis. **PLoS ONE.** 2008; 3: e1880.

Green RE, Malaspina AS, Krause J, Briggs AW, Johnson PL, Uhler C, Meyer M, Good JM, Maricic T, Stenzel U, Prüfer K, Siebauer M, Burbano HA, Ronan M, Rothberg JM, Egholm M, Rudan P, Brajkovic D, Kucan Z, Gusic I, **Wikström M**, Laakkonen L, Kelso J, Slatkin M, Pääbo S. A complete Neandertal mitochondrial genome sequence determined by high-throughput sequencing. **Cell.** 2008; 134(3):416–26.

Gupta R, Arjas E, Kulathinal S, Thomas A, **Auvinen P**. Bayesian hierarchical model for estimating gene expression intensity using multiple scanned microarrays. **EURASIP J Bioinform Syst Biol.** 2008:231950.

Harvey KF, **Mattila J**, Sofer A, Bennett FC, Ramsey MR, Ellisen LW, **Puig O**, Hariharan IK. FOXO-regulated transcription restricts overgrowth of Tsc mutant organs. **J Cell Biol.** 2008; 180(4):691–6.

Heger A, Korpelainen E, Hupponen T, Mattila K, Ollikainen V, **Holm L**. PairsDB atlas of protein sequence space. **Nucleic Acids Res.** 2008; 36:D276–80.

Holm L, Kääriäinen S, Rosenström P, **Schenkel A**. Searching protein structure databases with DaliLite v.3. 1: **Bioinformatics.** 2008; 24(23):2780–1.

Hultman J, **Pitkäranta M**, Romantschuk M, **Auvinen P**, **Paulin L**. Probe-based negative selection for underrepresented phylotypes in large environmental clone libraries. **J Microbiol Methods.** 2008; 75(3):457–63.

Hultman J, **Ritari J**, Romantschuk M, **Paulin L**, **Auvinen P**. Universal Ligation-Detection-Reaction Microarray applied for Compost Microbes. **BMC Microbiol.** 2008; 8(1): 237. doi:10.1186/1471-2180-8-237.

Ilmarinen T, Kangas H, Kytömaa T, Eskelin P, Saharinen J, Seeler JS, **Tanhuanpää K**, Chan FY, Slattery RM, Alakurtti K, Palvimo JJ, Ulmanen I. Functional interaction of AIRE with PIAS1 in transcriptional regulation. **Mol Immunol.** 2008; 45: 1847–1862.

Immonen T, **Alakuijala A**, Hytönen M, Sainio K, **Poteryaev D**, **Saarma M**, **Pasternack M**, Sariola

H. A proGDNF-related peptide BEP increases synaptic excitation in rat hippocampus. **Exp Neurol.** 2008; 210: 793–796.

Itkonen O, **Helin J**, **Saarinen J**, **Kalkkinen N**, Ivanov KI, Stenman UH, Valmu L. Mass spectrometric detection of tyrosine sulfation in human pancreatic trypsinogens, but not in tumor-associated trypsinogen. **FEBS J.** 2008; 275: 289–301.

Jaakkola S, **Sharma V**, **Annala A**. Cause of chirality consensus. **Curr. Chem. Biol.** 2008; 2: 53–58.

Jaatinen ST, **Happonen LJ**, **Laurinmäki P**, **Butcher SJ**, **Bamford DH**. Biochemical and structural characterisation of membrane-containing icosahedral dsDNA bacteriophages infecting thermophilic *Thermus thermophilus*. **Virology.** 2008; 379(1):10–19.

Jansen M, Pietiäinen VM, Pölönen H, Rasilainen L, Koivusalo M, Ruotsalainen U, **Jokitalo E**, Ikonen E. Cholesterol substitution increases the structural heterogeneity of caveolae. **J Biol Chem.** 2008; 283: 14610–14618.

Jaravine VA, Zhuravleva AV, **Permi P**, Ibraghimov I, Orekhov VY. Hyperdimensional NMR spectroscopy with nonlinear sampling. **J Am Chem Soc.** 2008; 130: 3927–3936.

Johansson MP, **Kaila VR**, **Laakkonen L**. Charge parameterization of the metal centers in cytochrome c oxidase. **J Comput Chem.** 2008 29 (5):753–67.

Järvinen E, Välimäki K, **Pummila M**, **Thesleff I**, **Jernvall J**. The taming of the shrew milk teeth. **Evol Dev.** 2008;10(4):477–86.

Jääliñoja HT, Roine E, **Laurinmäki P**, Kivelä HM, **Bamford DH**, **Butcher SJ**. Structure and host-cell interaction of SH1, a membrane-containing, halophilic euryarchaeal virus. **Proc Natl Acad Sci U S A.** 2008; 105(23), 8008–8013.

Kaila VR, **Annala A**. Natural selection for least action. **Proceedings of the Royal Society A – Mathematical physical and engineering sciences.** 2008; 464(2099): 3055–3070.

Kaila VR, **Verkhovsky MI**, Hummer G, **Wikström M**. Glutamic acid 242 is a valve in the proton pump of cytochrome c oxidase. **Proc Natl Acad Sci U S A.** 2008; 105: 6255–6259.

Kaila VR, **Verkhovsky M**, Hummer G, **Wikström M**. Prevention of leak in the proton pump of cytochrome c oxidase. **Biochim Biophys Acta.** 2008; 1777, 890–892.

Kainov DE, Mancini EJ, **Telenius J**, **Lisal J**, Grimes JM, **Bamford DH**, Stuart DI, **Tuma R**. Structural basis of mechanochemical coupling in a hexameric molecular motor. **J Biol Chem.** 2008; 283: 3607–3617.

- Kala K, Jukkola T, Pata I, Partanen J.** Analysis of the midbrain-hindbrain boundary cell fate using a boundary cell-specific Cre-mouse strain. **Genesis**. 2008; 46: 29–36.
- Kalendar R, Tanskanen J, Chang W, Antonius K, Sela H, Peleg O, Schulman AH.** Cassandra retrotransposons carry independently transcribed 5S RNA. **Proc Natl Acad Sci U S A**. 2008; 105: 5833–5838.
- Katritzky AR, Dobchev DA, Stoyanova-Slavova IB, Kuanar M, **Bespalov MM, Karelson M, Saarma M.** Novel computational models for predicting dopamine interactions. **Exp Neurol**. 2008; 211(1):150–71.
- Kirjavainen A, Sulg M, Heyd F, Alitalo K, Ylä-Herttua S, Möröy T, Petrova TV, Pirvola U.** Prox1 interacts with Atoh1 and Gfi1, and regulates cellular differentiation in the inner ear sensory epithelia. *Dev Biol*. 2008;322(1):33–45.
- Kivelä HM, Abrescia NG, Bamford JK, Grimes JM, Stuart DI, Bamford DH.** Selenomethionine labeling of large biological macromolecular complexes: probing the structure of marine bacterial virus PM2. **J Struct Biol**. 2008; 161: 204–210.
- Kivi N, **Greco D, Auvinen P, Auvinen E.** Genes involved in cell adhesion, cell motility and mitogenic signaling are altered due to HPV 16 E5 protein expression. **Oncogene**. 2008; 27: 2532–2541.
- Korhonen J, Talikota S, Corander J, **Auvinen P, Arjas E.** A naive Bayes classifier for protein function prediction. **Silico Biology**. 2008; 9: Article 0003.
- Korhonen L, Hansson I, Maugras C, Wehrle R, Kairisalo M, Borgkvist A, **Jokitalo E, Sotelo C, Fisone G, Dusart I, Lindholm D.** Expression of X-chromosome linked inhibitor of apoptosis protein in mature purkinje cells and in retinal bipolar cells in transgenic mice induces neurodegeneration. **Neuroscience**. 2008; 156:515–526.
- Koutsioulis D, Wang E, Tzanodaskalaki M, Nikiforaki D, Deli A, Feller G, **Heikinheimo P, Bouriotis V.** Directed evolution on the cold adapted properties of TAB5 alkaline phosphatase. **Protein Eng Des Sel**. 2008; 21: 319–327.
- Krupovic M, Bamford DH.** Archaeal proviruses TKV4 and MVV extend the PRD1-adenovirus lineage to the phylum Euryarchaeota. **Virology**. 2008; 375: 292–300.
- Krupovic M, Cvirkaite-Krupovic V, Bamford DH.** Identification and functional analysis of the Rz/Rz1-like accessory lysis genes in the membrane-containing bacteriophage PRD1. **Mol Microbiol**. 2008; 68: 492–503.
- Lehtonen S, Tienari J, Londesborough A, **Pirvola U, Ora A, Reima I, Lehtonen E.** CD2-associated protein is widely expressed and differentially regulated during embryonic development. **Differentiation**. 2008; 76: 506–517.
- Liiv I, Rebane A, Org T, Saare M, Maslovskaja J, Kisand K, Juronen E, **Valmu L, Bottomley MJ, Kalkkinen N, Peterson P.** DNA-PK contributes to the phosphorylation of AIRE: importance in transcriptional activity. **Biochim Biophys Acta**. 2008; 1783: 74–83.
- Lindholm P, Peränen J, Andressoo JO, Kalkkinen N, Kokaia Z, Lindvall O, Timmusk T, Saarma M.** MANF is widely expressed in mammalian tissues and differently regulated after ischemic and epileptic insults in rodent brain. **Mol Cell Neurosci**. 2008; 39(3):356–71.
- Liow LH, **Fortelius M, Bingham E, Lintulaakso K, Mannila H, Flynn L, Stenseth NC.** Higher origination and extinction rates in larger mammals. **Proc Natl Acad Sci U S A**. 2008; 105: 6097–6102.
- Leo JC, Elovaara H, Brodsky B, Skurnik M, Goldman A.** The Yersinia adhesin YadA binds to a collagenous triple-helical conformation but without sequence specificity. **Protein Eng Des Sel**. 2008; 21: 475–484.
- Lindén MV, Meinander K, Helle A, Johannes G, Riekkola ML, **Butcher SJ, Viitala T, Wiedmer SK.** Characterization of phosphatidylcholine/polyethylene glycol-lipid aggregates and their use as coatings and carriers in capillary electrophoresis. **Electrophoresis**. 2008; 29: 852–862.
- Lulla V, Sawicki DL, Sawicki SG, Lulla A, Merits A, Ahola T.** Molecular defects caused by temperature-sensitive mutations in Semliki Forest virus nsP1. **J Virol**. 2008; 82 (18): 9236–9244.
- Lyly A, Marjavaara SK, Kyttälä A, Uusi-Rauva K, Luiro K, Kopra O, Martinez LO, **Tanhuanpää K, Kalkkinen N, Suomalainen A, Jauhainen M, Jalanko A.** Deficiency of the INCL protein Ppt1 results in changes in ectopic F1-ATP synthase and altered cholesterol metabolism. **Hum Mol Genet**. 2008; 17: 1406–1417.
- Marden JH, Fescemyer HW, Saastamoinen M, Macfarland SP, Vera JC, **Frilander MJ, Hanski I.** Weight and nutrition affect pre-mRNA splicing of a muscle gene associated with performance, energetics and life history. **J Exp Biol**. 2008; 211(Pt 23): 3653–60.
- Mattila J, Kallijärvi J, Puig O.** RNAi screening for kinases and phosphatases identifies FoxO regulators. **Proc Natl Acad Sci U S A**. 2008; 30;105(39):14873–8.
- Mattinen L, **Somervuo P, Nykyri J, Nissinen R, Kouvonen P, Corthals G, Auvinen P, Aittamaa M, Valkonen JP, Pirhonen M.** Microarray profiling of host-extract-induced genes and characterization of the type VI secretion cluster in the potato pathogen *Pectobacterium atrosepticum*. **Microbiology**. 2008; 154: 2387–2396.

- Metlin A, **Paulin L, Suomalainen S**, Neuvonen E, Rybakov S, Mikhailishin V, Huovilainen A. Characterization of Russian rabies virus vaccine strain RV-97. **Virus Res.** 2008; 132: 242–247.
- Mijatovic J, Patrikainen O, Yavich L, Airavaara M, Ahtee L, **Saarma M**, Piepponen TP. Characterization of the striatal dopaminergic neurotransmission in MEN2B mice with elevated cerebral tissue dopamine. **J Neurochem.** 2008; 105: 1716–17125.
- Muona M, Aranko AS, Iwai H.** Segmental isotopic labelling of a multi-domain protein by protein ligation using protein trans-splicing. **ChemBioChem.** 2008; 9: 2958–2961.
- Nieminen K, Immanen J, Laxell M, Kauppinen L**, Tarkowski P, Dolezal K, Tähtiharju S, **Elo A**, Decourteix M, Ljung K, Bhalariao R, Keinonen K, Albert VA, **Helariutta Y.** Cytokinin signaling regulates cambial development in poplar. **Proc Natl Acad Sci USA.** 2008 105(50): 20032–7.
- Nuutinen T, **Tossavainen H, Fredriksson K**, Pirilä P, **Permi P**, Pospiech H, Syvaioja JE. The solution structure of the amino-terminal domain of human DNA polymerase epsilon subunit B is homologous to C-domains of AAA+ proteins. **Nucleic Acids Res.** 2008;36(15): 5102–10.
- Närhi K, Järvinen E**, Birchmeier W, Taketo MM, **Mikkola ML, Thesleff I.** Sustained epithelial beta-catenin activity induces precocious hair development but disrupts hair follicle down-growth and hair shaft formation. **Development.** 2008; 135: 1019–1028.
- Paatero AO, Turakainen H, Happonen LJ**, Olsson C, Palomäki T, **Pajunen MI**, Meng X, Otonkoski T, Tuuri T, Berry C, Malani N, **Frilander MJ**, Bushman FD, **Savilahti H.** Bacteriophage Mu integration in yeast and mammalian genomes. **Nucleic Acids Res.** 2008; 36(22): e148.
- Paavilainen VO, Oksanen E, Goldman A, Lappalainen P.** Structure of the actin-depolymerizing factor homology domain in complex with actin. **J Cell Biol.** 2008; 14;182(1):51–9.
- Papp E, **Rivera C**, Kaila K, Freund TF. Relationship between neuronal vulnerability and potassium-chloride cotransporter 2 immunoreactivity in hippocampus following transient forebrain ischemia. **Neuroscience.** 2008; 23;154(2):677–89.
- Parizot B, Laplaze L, Ricaud L, Boucheron-Dubuisson E, Bayle V, **Bonke M**, De Smet I, Poethig SR, **Helariutta Y**, Haseloff J, Chriqui D, Beeckman T, Nussaume L. Diarch symmetry of the vascular bundle in Arabidopsis root encompasses the pericycle and is reflected in distich lateral root initiation. **Plant Physiol.** 2008; 146: 140–148.
- Parkash V, Leppänen V-M, Virtanen H, Jurvansuu JM, Bessalov MM, Sidorova YA, Runeberg-Roos P, Saarma M, Goldman A.** The Structure of the Glial Cell Line-derived Neurotrophic Factor-Coreceptor Complex: Insights into RET signaling and heparin binding. **J. Biol. Chem.** 2008; 283: 35164–35172.
- Patana AS**, Kurkela M, Finel M, **Goldman A.** Mutation analysis in UGT1A9 suggests a relationship between substrate and catalytic residues in UDP-glucuronosyltransferases. **Protein Eng Des Sel.** 2008; 21(9):537–43.
- Paukku K, **Kalkkinen N**, Silvennoinen O, Kontula KK, Lehtonen JY. p100 increases AT1R expression through interaction with AT1R 3'-UTR. **Nucleic Acids Res.** 2008; 36(13):4474–87.
- Paveliev M, Hienola A, **Jokitalo E, Planken A, Bessalov MM**, Rauvala H, **Saarma M.** Sensory neurons from N-syndecan-deficient mice are defective in survival. **Neuroreport.** 2008; 19(14):1397–400.
- Pessa HK**, Will CL, **Meng X**, Schneider C, Watkins NJ, Perälä N, Nymark M, **Turunen JJ**, Lührmann R, **Frilander MJ.** Minor spliceosome components are predominantly localized in the nucleus. **Proc Natl Acad Sci U S A.** 2008;105(25):8655–60.
- Pispa J, Palmén S**, Holmberg CI, **Jääntti J.** C. elegans dss-1 is functionally conserved and required for oogenesis and larval growth. **BMC Dev Biol.** 2008; 8: 51.
- Pispa J, Pummila M**, Barker PA, **Thesleff I, Mikkola ML.** Edar and Troy signalling pathways act redundantly to regulate initiation of hair follicle development. *Hum Mol Genet.* 2008; 17(21):3380–91.
- Pitkäranta M, Meklin T, Hyvärinen A, Paulin L, Auvinen P, Nevalainen A, Rintala H. Analysis of fungal flora in indoor dust by ribosomal DNA sequence analysis, quantitative PCR, and culture. *Appl Environ Microbiol.* 2008; 74: 233–244.
- Plyusnin I, Evans AR**, Karme A, Gionis A, **Jernvall J.** Automated 3D phenotype analysis using data mining. **PLoS ONE.** 3(3): 2008; e1742.doi:10.1371/journal.pone.0001742
- Pohjala L**, Barai V, Azhayevev A, Lapinjoki S, **Ahola T.** A luciferase-based screening method for inhibitors of alphavirus replication applied to nucleoside analogues. **Antiviral Res.** 2008; 78: 215–222.
- Poranen MM, Butcher SJ**, Simonov VM, **Laurinmaki P, Bamford DH.** Roles of the Minor Capsid Protein P7 in the Assembly and Replication of Double-Stranded RNA Bacteriophage varphi6. **J Mol Biol.** 2008; 383(3):529–38.
- Poranen MM, Koivunen MR, Bamford DH.** Nontemplated terminal nucleotidyltransferase activity of double-stranded RNA bacteriophage phi6 RNA-dependent RNA polymerase. **J Virol.** 2008; 82(18): 9254–9264.

- Poranen MM**, Salgado PS, **Koivunen MR**, Wright S, **Bamford DH**, Stuart DI, Grimes JM. Structural explanation for the role of Mn²⁺ in the activity of phi6 RNA-dependent RNA polymerase. **Nucleic Acids Res.** 2008; 36(20):6633–44.
- Ramallo E, **Kalendar R**, **Schulman AH**, Martínez-Izquierdo JA. Reme1, a Copia retrotransposon in melon, is transcriptionally induced by UV light. **Plant Mol Biol.** 2008; 66: 137–150.
- Ramani R, Hanski S, Laiho A, **Tuma R**, Kilpeläinen S, Tuomisto F, Ruokolainen J, Ikkala O. Evidence of PPII-like helical conformation and glass transition in a self-assembled solid-state polypeptide-surfactant complex: poly(L-histidine)/docylbenzenesulfonic acid. **Biomacromolecules.** 2008; 9: 1390–1397.
- Rantalainen KI, Uversky VN, **Permi P**, **Kalkkinen N**, Dunker AK, Mäkinen K. Potato virus A genome-linked protein VPg is an intrinsically disordered molten globule-like protein with a hydrophobic core. **Virology.** 2008; 377(2):280–8.
- Ravanti JJ**, Ruokoranta TM, Alapuranen AM, **Bamford DH**. Global transcriptional responses of *Pseudomonas aeruginosa* to phage PRR1 infection. **J Virol.** 2008; 82: 2324–2329.
- Rintala H, **Pitkäranta M**, Toivola M, **Paulin L**, Nevalainen A. Diversity and seasonal dynamics of bacterial community in indoor environment. **BMC Microbiol.** 2008; 8:56.
- Saarikangas J**, **Hakanen J**, **Mattila PK**, Grumet M, **Salminen M**, **Lappalainen P**. ABBA regulates plasma-membrane and actin dynamics to promote radial glia extension. **J Cell Sci.** 2008; 121: 1444–1454.
- Salusjärvi L, **Kankainen M**, Soliymani R, Pitkänen JP, Penttilä M, Ruohonen L. Regulation of xylose metabolism in recombinant *Saccharomyces cerevisiae*. **Microb Cell Fact.** 2008; 7: 18.
- Samel M, Tõnismägi K, **Rönholm G**, Vija H, Siigur J, **Kalkkinen N**, Siigur E. L-Amino acid oxidase from *Naja naja oxiana* venom. **Comp Biochem Physiol B Biochem Mol Biol.** 2008; 149: 572–580.
- Savijoki K**, Alvesalo J, Vuorela P, Leinonen M, **Kalkkinen N**. Proteomic analysis of *Chlamydia pneumoniae*-infected HL cells reveals extensive degradation of intermediate filament and microtubule proteins. **FEMS Immunol Med Microbiol.** 2008; 54: 375–384.
- Seitonen JJ, Susi P, Lemmetty A, **Butcher SJ**. Structure of the mite-transmitted Blackcurrant reversion nepovirus using electron cryo-microscopy. **Virology.** 2008; 378(1):162–8.
- Sharma V**, **Wikström M**, **Laakkonen L**. Modeling the active-site structure of the cbb3-type oxidase from *Rhodobacter sphaeroides*. **Biochemistry.** 2008; 47: 4221–4227.
- Shulga A, Thomas-Crusells J, Sigl T, Blaesse A, Mestres P, Meyer M, Yan Q, Kaila K, **Sarma M**, **Rivera C**, Giehl KM. Posttraumatic GABA(A)-mediated [Ca²⁺]_i increase is essential for the induction of brain-derived neurotrophic factor-dependent survival of mature central neurons. **J Neurosci.** 2008; 28(27):6996–7005.
- Strandman S, Zarembo A, Darinskii AA, **Laurinmäki P**, **Butcher SJ**, Vuorimaa E, Lemmetyinen H, Tenhu H. The effect of the number of arms on the association of amphiphilic star block copolymers. **Macromolecules.** 2008; 41: 8855–8864.
- Suokko A, **Poutanen M**, **Savijoki K**, **Kalkkinen N**, Varmanen P. ClpL is essential for induction of thermotolerance and is potentially part of the HrcA regulon in *Lactobacillus gasseri*. **Proteomics.** 2008; 8: 1029–1041.
- Takatalo M, **Järvinen E**, Laitinen S, **Thesleff I**, Rönholm R. Expression of the novel Golgi protein GoPro49 is developmentally regulated during mesenchymal differentiation. **Dev Dyn.** 2008; 237(8):2243–55.
- Tanhuanpää P, **Kalendar R**, **Schulman AH**, Kiviharju E. The first doubled haploid linkage map for cultivated oat. **Genome.** 2008; 51(8): 560–9.
- Toikkanen O, Ruiz V, Rönholm G, **Kalkkinen N**, Liljeroth P, Quinn BM. Synthesis and stability of monolayer-protected Au₃₈ clusters. **J Am Chem Soc.** 2008; 130(33):11049–55.
- Tsang W, Bossard C, Khanna H, **Peränen J**, Swaroop A, Malhotra V, Dynlacht B. CP110 Suppresses Primary Cilia Formation through Its Interaction with CEP290, a Protein Deficient in Human Ciliary Disease. **Dev. Cell.** 2008; 15: 187–197.
- Tuma R**, Tsuruta H, French KH, Prevelige PE. Detection of intermediates and kinetic control during assembly of bacteriophage P22 procapsid. **J Mol Biol.** 2008; 381(5):1395–406.
- Tummers M**, **Thesleff I**. Observations on continuously growing roots of the sloth and the K14-Eda transgenic mice indicate that epithelial stem cells can give rise to both the ameloblast and root epithelium cell lineage creating distinct tooth patterns. **Evol Dev.** 2008; 10: 187–195.
- Turunen JJ**, Will CL, Grote M, Lührmann R, **Frilander MJ**. The U11-48K protein contacts the 5' splice site of U12-type introns and the U11-59K protein. **Mol Cell Biol.** 2008; 28: 3548–3560.
- Uusi-Rauva K, Luiro K, **Tanhuanpää K**, Kopra O, Martín-Vasallo P, Kyttälä A, Jalanko A. Novel

interactions of CLN3 protein link Batten disease to dysregulation of fodrin-Na⁺, K⁺ ATPase complex. **Exp Cell Res.** 2008; 314(15):2895–905.

Vera JC, Wheat CW, Fescemyer HW, **Frilander MJ**, Crawford DL, Hanski I, Marden JH. Rapid transcriptome characterization for a nonmodel organism using 454 pyrosequencing. **Mol Ecol.** 2008; 17: 1636–1647.

Verkhovskaya ML, Belevich N, Euro L, Wikström M, Verkhovsky MI. Real-time electron transfer in respiratory complex I. **Proc Natl Acad Sci U S A.** 2008; 105: 3763–3767.

Vihervaara T, Puig O. dFOXO regulates transcription of a Drosophila acid lipase. *J Mol Biol.* 2008; 376(5):1215–23.

Vilfan ID, Candelli A, Hage S, **Aalto AP, Poranen MM, Bamford DH**, Dekker NH. Reinitiated viral RNA-dependent RNA polymerase resumes replication at a reduced rate. **Nucleic Acids Res.** 2008; 36(22): 7059–67.

Wasteson P, Johansson BR, **Jukkola T**, Breuer S, Akyürek LM, **Partanen J**, Lindahl P. Developmental origin of smooth muscle cells in the descending aorta in mice. *Development.* 2008; 135: 1823–1832.

Wikström M. How I became a biochemist. *IUBMB Life.* 2008; 60(6):414–7.

Würtz P, Annala A. Roots of Diversity Relations. *Journal of Biophysics.* Volume 2008, Article ID 654672, doi:10.1155/2008/654672.

Würtz P, Permi P, Nielsen NC, Sørensen OW. Clean HMBC: suppression of strong-coupling induced artifacts in HMBC spectra. **J Magn Reson.** 2008; 194(1):89–98.

Xiong Y, **Patana AS**, Miley MJ, Zielinska AK, Bratton SM, Miller GP, **Goldman A**, Finel M, Redinbo MR, Radomska-Pandya A. The first aspartic acid of the DQxD motif for human UDP-glucuronosyltransferase 1A10 interacts with UDP-glucuronic acid during catalysis. **Drug Metab Dispos.** 2008; 36(3): 517–22.

Yu LY, Arumäe U. Survival assay of transiently transfected dopaminergic neurons. **J Neurosci Methods.** 2008; 169(1): 8–15.

Yu LY, Saarma M, Arumäe U. Death receptors and caspases but not mitochondria are activated in the GDNF- or BDNF-deprived dopaminergic neurons. **J Neurosci.** 2008; 28: 7467–7475.

Zhang FP, Mikkonen L, Toppari J, Palvimo JJ, **Thesleff I**, Jänne OA. Sumo-1 function is dispensable in normal mouse development. **Mol Cell Biol.** 2008; 28(17):5381–90.

Överby AK, Pettersson RF, Grunewald K, **Huiskonen JT.** Insights into bunyavirus architecture from electron

cryotomography of Uukuniemi virus. **Proc Natl Acad Sci U S A.** 2008; 105(7): 2375–2379.

REVIEWS AND BOOK CHAPTERS

Aittamaa M, **Auvinen P**, Hinderink K, Kiviniemi K, Korkeala H, Leppäranta O, Lindström M, Mattinen L, Myllys V, Nevas M, Nykäsenoja S, Pirhonen M, Rantala L, **Somervuo P**, Valkonen JPT. Plant, animal and food pathogens analyzed using genome-wide microarrays: towards improved diagnostics and control of bacterial pathogens. In: **Agricultural biomarkers for array technology (COST action 853)**. Eds. Frey and Pasquer. 2008; pp. 47–51.

Andressoo J-O, Saarma M. Signalling mechanisms underlying development and maintenance of dopamine neurons. **Curr Opin Neurobiol.** 2008; 18: 297–306.

Bamford JKH, **Butcher SJ.** Icosahedral dsDNA bacteriophages with an internal membrane. In: **Encyclopedia of Virology**. Third edition, ed. B.W.J. Mahy & M.H.V. Van Regenmortel. Elsevier Ltd. 2008; Vol 3, p 1–6.

Belevich I, Verkhovsky MI. Molecular mechanism of proton translocation by cytochrome c oxidase. **Antioxid Redox Signal.** 2008; 10(1):1–29. Review.

Gupta R, **Somervuo P**, Kulathinal S, **Auvinen P.** Finding optimal design for microarray experiments with biological and technical replicates. In: **Recent advances in linear models and related areas**. Eds. Shalabh, Heumann & Christian. Springer-Verlag 2008; 389–400.

Jernvall J, Gilbert CC, Wright PC. Peculiar tooth homologies of the greater bamboo lemur (*Prolemur = Hapalemur simus*): When is a paracone not a paracone? In: **Elwyn Simons: A Search for Origins**. Eds. JG Fleagle & CC Gilbert. Springer, New York, 2008; 335–342.

Jurvansuu JM, **Goldman A.** Recent inventions on receptor tyrosine kinase RET modulation. **Rec. Patents Biotechnol.** 2008; 2: 47–54.

Koivunen MRL, Sarin LP, Bamford DH. Structure-Function insights into the RNA-dependent RNA polymerase of the dsRNA bacteriophage phi6. In: **Segmented Double Stranded RNA Viruses: Structure and molecular biology**. Ed J.T. Patton. 2008; 239–257.

Krupovic M, Bamford DH. Virus evolution: how far does the double beta-barrel viral lineage extend? **Nat Rev Microbiol.** 2008; 6(12):941–8.

Krupovic M, Bamford DH. Holin of bacteriophage lambda: structural insights into a membrane lesion. **Mol Microbiol.** 2008; 69(4):781–3.

Mancini EJ, **Tuma R**. Structure and Function of P4, a dsRNA virus packaging motor. In: **Segmented Double Stranded RNA Viruses: Structure and molecular biology**. Ed J.T. Patton. 2008; 259–272.

Mattila PK, Lappalainen P. Filopodia: molecular architecture and cellular functions. **Nat Rev Mol Cell Biol**. 2008; 9: 446–454.

Mikkola ML. TNF superfamily in skin appendage development. **Cytokine Growth Factor Rev**. 2008; 19(3-4): 219–30.

Naumanen P, Lappalainen P, Hotulainen P. Mechanisms of actin stress fibre assembly. **J. Microscopy**. 2008; 231: 446–454.

Poranen MM, Bamford DH. Entry of a segmented dsRNA virus into the bacterial cell. In: **Segmented Double Stranded RNA Viruses: Structure and molecular biology**. Ed. J.T. Patton. 2008; 215–226.

Poranen MM, Domanska. A. Virus Entry to Bacterial Cells. In: **Encyclopedia of Virology**, Third Edition, ed. B.W.J. Mahy and M.H.V. Van Regenmortel. 2008; Vol 5, 365–370.

Poranen MM, Tuma R, Bamford DH. Dissecting the assembly pathway of bacterial dsRNA viruses: Infectious nucleocapsids produced by self-assembly. In: **Segmented Double Stranded RNA Viruses: Structure and molecular biology**. Ed J.T. Patton. 2008; 115–132.

Scita G, Confalonieri S, **Lappalainen P**, Suetsugu S. IRSp53: crossing the road of membrane and actin dynamics in the formation of membrane protrusions. **Trends Cell Biol**. 2008; 18: 52–60.

Suchanova B, **Tuma R**. Folding and assembly of large macromolecular complexes monitored by hydrogen-deuterium exchange and mass spectrometry. **Microb Cell Fact**. 2008; 7:12.

Tuma R. Icosahedral enveloped dsRNA bacterial viruses. In: **Encyclopedia of Virology**. Third Edition, ed. B.W.J. Mahy and M.H.V. Van Regenmortel. 2008; Vol 3: 6–13.

Vartiainen MK. Nuclear actin dynamics - From form to function. **FEBS Lett**. 2008; 582(14):2033–40.

Wright PC, King SJ, Baden A, **Jernvall J**. Aging in wild female lemurs: Sustained fertility with increased infant mortality. Primate Reproductive Aging. Atsalis S, Margulis SW, Hof PR (eds), In: **Interdisciplinary Topics in Gerontology**. 2008; Vol. 36. Karger Press, Basel, pp. 17–28.

OTHER PUBLICATIONS

Avellan-Hietanen H, Aittomäki, J, Ekroos H, Aittomäki K, Turpeinen U, **Kalkkinen N**, Sovijärvi A. Geenivirheen aiheuttama hemoglobiini Titusville - harvinainen syy valtimoveren pieneen happikylläisyyteen. **Duodecim**. 2008; 124:553–7.

Frilander MJ. Täpläverkkoperhonen liiti genomi-aikaan. **Duodecim**. 2008; 124: 2242–2243.

DISSERTATIONS

Bertling Enni. The role of cyclase-associated protein (CAP) in actin dynamics during cell motility and morphogenesis. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 10/2008**.

Golubtsov Andrey. Mechanisms for alphavirus nonstructural polyprotein processing. Faculty of Biosciences, Department of Biological and Environmental Sciences Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 5/2008**.

Järvinen Elina. Mechanisms and molecular regulation of mammalian tooth replacement. Faculty of Biosciences, Department of Biological and Environmental Sciences Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 12/2008**.

Laurinavicius Simonas. Phospholipids of lipid-containing bacteriophages and their transbilayer distribution. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry Institute of Biotechnology, and Institute of Biomedicine, Department of Medical Biochemistry and Developmental Biology, and Helsinki Biomedical Graduate School, University of Helsinki. Yliopistopaino, Helsinki University Printing House. 2008.

Li Hong. Structural and functional roles of KCC2 in developing cortex. Faculty of Biosciences, Department of Biological and Environmental Sciences, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 4/2008**.

Ludwig Anastasia. Mechanisms of KCC2 upregulation during development. Faculty of Biosciences, Department of Biological and Environmental Sciences, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 43/2008**.

Nunes Bastos Ricardo. Functional dissection of alternative secretory pathways in the yeast *S. cerevisiae*. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 28/2008.**

Paveliev Mikhail. Co-Signaling by Neurotrophic Factors and the Extracellular Matrix for Axonal Growth and Neuronal Survival. Faculty of Biosciences, Department of Biological and Environmental Sciences, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 47/2008.**

Poutanen Marjo. Microbial Proteomics. Faculty of Veterinary Medicine, Department of Basic Veterinary Sciences, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 33/2008.**

Suntio Taina. Alternate pathways of the early secretory route in yeast. Faculty of Biosciences, Department of Biological and Environmental Sciences Department of Applied Chemistry and Microbiology Faculty of Forestry and Agriculture, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 14/2008.**

Würtz Peter. Aspects and Applications of Pulse Sequence Design for Solution-State Nuclear Magnetic Resonance Spectroscopy. Faculty of Science, Department of Chemistry, Laboratory of Physical Chemistry Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 39/2008.**

Žiedaite Gabija. DNA Packaging and Host Cell Lysis: Late Events in Bacteriophage PRD1 Infection. Faculty of Biosciences, Department of Biological and Environmental Sciences, General Microbiology, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 41/2008.**

PATENTS AND PATENT APPLICATIONS

Saarma M, Lauren J, **Lindholm P,** Timmusk T, Tuominen T. Novel neurotrophic factor protein and uses thereof (MANF2/CDNF) (3255). US 12/037,535 divisional. Filed 26.02.2008. EP 1969003. Filed 19.06.2008. EP 1960426. Filed 19.06.2008

Saarma M, Voutilainen MH, **Lindholm P,** **Peränen LJ,** Tuominen R, Airavaara M, **Leppänen VM,** **Lindahl MS,** **Andressoo JO.** Neurotrophic factor MANF and uses thereof. FI 20080326. Filed 30.04.2008. US 61/052,757. Filed 13.05.2008.

Karelson M, **Saarma M,** Pilv M. Antisense agents combining strongly bound base-modified oligonucleotide and artificial nuclease. EP 07730718.9. Filed 03.11.2008.

Karelson M, Truve E, Olsper A, Sarmiento C, **Saarma M.** Use of oligonucleotides with modified bases in hybridization of nucleic acids. PCT. PCT/FI2008/050635. Filed 05.11.2008.

Saarma M, **Lonka L.** Splice variants of GDNF and uses thereof. PCT. PCT/FI2008/050599. Filed 24.10.2008.

Saarma M, Merits A, Karelson M. Use of oligonucleotides with modified bases as antiviral agents PCT. PCT/FI2008/050633. Filed 05.11.2008.

Institute of Biotechnology
PUBLICATIONS 2009

ORIGINAL ARTICLES

Airavaara M, Shen H, Kuo CC, **Peränen J, Saarma M**, Hoffer B, Wang Y. Mesencephalic astrocyte-derived neurotrophic factor reduces ischemic brain injury and promotes behavioral recovery in rats. **J Comp Neurol.** 2009; 515(1): 116–124.

Alonen A, Gartman M, **Aitio O**, Finel M, Yli-Kauhaluoma J, **Kostiainen R**. Synthesis, structure characterization, and enzyme screening of clenbuterol glucuronides. **Eur J Pharm Sci.** 2009; 37(5): 581–587.

Annala A, Kuismanen E. Natural hierarchy emerges from energy dispersal. **Biosystems.** 2009; 95: 227–233.

Annala A, Salthe S. Economies evolve by energy dispersal. **Entropy.** 2009; 11(4): 606–633.

Aranko AS, Züger S, Buchinger E, **Iwai H**. *In vivo* and *in vitro* protein ligation by naturally occurring and engineered split DnaE inteins. **PLoS One.** 2009; 4(4): e5185.

Bach CT, Creed S, Zhong J, Mahmassani M, Schevzov G, Stehn J, Cowell LN, **Naumanen P, Lappalainen P**, Gunning PW, O'Neill GM. Tropomyosin isoform expression regulates the transition of adhesions to determine cell speed and direction. **Mol Cell Biol.** 2009; 29(6): 1506–1514.

Backlund M, Pauku K, Daviet L, De Boer RA, Valo E, Hautaniemi S, **Kalkkinen N**, Ehsan A, Kontula KK, Lehtonen JY. Posttranscriptional regulation of angiotensin II type 1 receptor expression by glyceraldehyde 3-phosphate dehydrogenase. **Nucleic Acids Res.** 2009; 37(7): 2346–2358.

Berg KA, Lyra C, Sivonen K, **Paulin L, Suomalainen S**, Tuomi P, Rapala J. High diversity of cultivable heterotrophic bacteria in association with cyanobacterial water blooms. **ISME J.** 2009; 3(3): 314–325.

Bloch DA, Borisov VB, Mogi T, **Verkhovsky MI**. Heme/heme redox interaction and resolution of individual optical absorption spectra of the hemes in cytochrome bd from *Escherichia coli*. **Biochim Biophys Acta.** 2009; 1787(10): 1246–1253.

Bloch DA, Jasaitis A, **Verkhovsky MI**. Elevated proton leak of the intermediate OH in cytochrome c oxidase. **Biophys J.** 2009; 96(11): 4733–4742.

Bogachev AV, **Belevich NP**, Bertsova YV, **Verkhovsky MI**. Primary steps of the Na⁺-translocating NADH:ubiquinone oxidoreductase catalytic cycle resolved by the ultrafast freeze-quench approach. **J Biol Chem.** 2009; 284(9): 5533–5538.

Bogachev AV, **Bloch DA**, Bertsova YV, **Verkhovsky MI**. Redox properties of the prosthetic groups of Na⁽⁺⁾-translocating NADH:quinone oxidoreductase. 2. Study of the enzyme by optical spectroscopy. **Biochemistry.** 2009; 48(27): 6299–6304.

Bogachev AV, Kulik LV, **Bloch DA**, Bertsova YV, Fadeeva MS, **Verkhovsky MI**. Redox properties of the prosthetic groups of Na⁽⁺⁾-translocating nadh:quinone oxidoreductase. 1. Electron paramagnetic resonance study of the enzyme. **Biochemistry.** 2009; 48(27): 6291–6298.

Busche AE, **Aranko AS**, Talebzadeh-Farooji M, Bernhard F, Dötsch V, Iwai H. Segmental isotopic labeling of a central domain in a multidomain protein by protein trans-splicing using only one robust DnaE intein. **Angew Chem Int Ed Engl.** 2009; 48(33): 6128–6131.

Charoenchaikorn K, Yokomizo T, Rice DP, Honjo T, Matsuzaki K, Shintaku Y, Imai Y, Wakamatsu A, Takahashi S, Ito Y, Takano-Yamamoto T, **Thesleff I**, Yamamoto M, Yamashiro T. Runx1 is involved in the fusion of the primary and the secondary palatal shelves. **Dev Biol.** 2009; 326(2): 392–402.

Chen Y, Cai H, Pan J, Xiang N, Tien P, **Ahola T**, Guo D. Functional screen reveals SARS coronavirus nonstructural protein nsp14 as a novel cap N7 methyltransferase. **PNAS** 2009; 106(9): 3484–3489.

Coleman SK, Möykkynen T, Jouppila A, Koskelainen S, **Rivera C**, Korpi ER, Keinänen K. Agonist occupancy is essential for forward trafficking of AMPA receptors. **J Neurosci.** 2009; 29(2): 303–312.

Elo A, Immanen J, Nieminen K, Helariutta Y. Stem cell function during plant vascular develop-

ment. **Semin Cell Dev Biol.** 2009; 20(9): 1097–1106.

Euro L, Belevich G, Bloch DA, Verkhovskiy MI, Wikström M, Verkhovskaya M. The role of the invariant glutamate 95 in the catalytic site of Complex I from *Escherichia coli*. **Biochim Biophys Acta.** 2009; 1787(1): 68–73.

Euro L, Belevich G, Wikström M, Verkhovskaya M. High affinity cation-binding sites in Complex I from *Escherichia coli*. **Biochim Biophys Acta.** 2009; 1787(8): 1024–1028.

Filén JJ, Filén S, Moulder R, Tuomela S, Ahlfors H, West A, Kouvonen P, Kantola S, Björkman M, Katajamaa M, Rasool O, **Nyman TA**, Lahesmaa R. Quantitative proteomics reveals GIMAP family proteins 1 and 4 to be differentially regulated during human T helper cell differentiation. **Mol Cell Proteomics.** 2009; 8(1): 32–44.

af Gennäs GB, Talman V, **Aitio O**, Ekokoski E, Finel M, Tuominen RK, Yli-Kauhaluoma J. Design, synthesis, and biological activity of isophthalic acid derivatives targeted to the C1 domain of protein kinase C. **J Med Chem.** 2009; 52(13): 3969–3981.

Greco D, Volpicelli F, Di Lieto A, Leo D, Perrone-Capano C, **Auvinen P**, di Porzio U. Comparison of gene expression profile in embryonic mesencephalon and neuronal primary cultures. **PLoS One.** 2009; 4(3): e4977.

Hasegawa H, Holm L. Advances and pitfalls of protein structural alignment. **Curr Opin Struct Biol.** 2009; 19(3): 341–348.

Heikkinen O, **Permi P**, Koskela H, Carpén O, Ylänne J, Kilpeläinen I. Solution structure of the first immunoglobulin domain of human myotilin. **J Biomol NMR.** 2009; 44(2): 107–112.

Heikkinen O, **Permi P**, Koskela H, Ylänne J, Kilpeläinen I. ¹H, ¹³C and ¹⁵N resonance assignments of the human filamin A tandem immunoglobulin-like domains 16–17 and 18–19. **Biomol NMR Assign.** 2009; 3(1): 53–56.

Heikkinen O, **Seppälä R, Tossavainen H**, Heikkinen S, Koskela H, **Permi P**, Kilpeläinen I. Solution structure of the parvulin-type PPLase domain of *Staphylococcus aureus* PrsA-implications for the catalytic mechanism of parvulins. **BMC Struct Biol.** 2009; 9: 17.

Heikkinen OK, Ruskamo S, Konarev PV, Svergun DI, Iivanainen T, Heikkinen SM, **Permi P**, Koskela

H, Kilpeläinen I, Ylänne J. Atomic structures of two novel immunoglobulin-like domain pairs in the actin cross-linking protein filamin. **J Biol Chem.** 2009; 284(37): 25450–25458.

Heinämäki K, Oeemig JS, Djupsjöbacka J, Iwai H. NMR resonance assignment of DnaE intein from *Nostoc punctiforme*. **Biomol NMR Assign.** 2009; 3: 41–43.

Hotulainen P, Llano O, Smirnov S, Tanhuanpää K, Faix J, Rivera C, Lappalainen P. Defining mechanisms of actin polymerization and depolymerization during dendritic spine morphogenesis. **J Cell Biol.** 2009; 185(2): 323–339.

Hytönen MK, Grall A, Hédan B, Dréano S, Seguin SJ, Delattre D, Thomas A, Galibert F, **Paulin L**, Lohi H, Sainio K, André C. Ancestral T-box mutation is present in many, but not all, short-tailed dog breeds. **J Hered.** 2009; 100(2): 236–240.

Jalasvuori M, Jaatinen ST, Laurinavicius S, **Aholivarinen E, Kalkkinen N, Bamford DH**, Bamford JK. The closest relatives of icosahedral viruses of thermophilic bacteria are among viruses and plasmids of the halophilic archaea. **J Virol.** 2009; 83(18): 9388–9397.

Jia J, Maccarana M, Zhang X, **Bespalov M**, Lindahl U, Li JP. Lack of L-iduronic acid in heparan sulfate affects interaction with growth factors and cell signaling. **J Biol Chem.** 2009; 284 (23): 15942–15950.

Jokela-Määttä M, Vartio A, **Paulin L**, Donner K. Individual variation in rod absorbance spectra correlated with opsin gene polymorphism in sand goby (*Pomatoschistus minutus*). **J Exp Biol.** 2009; 212(Pt 21): 3415–3421.

Järvinen E, Tummers M, Thesleff I. The role of the dental lamina in mammalian tooth replacement. **J Exp Zool B Mol Dev Evol.** 2009; 312B(4): 281–291.

Jørgensen JR, Thompson L, Fjord-Larsen L, Krabbe C, Torp M, **Kalkkinen N**, Hansen C, Wahlberg L. Characterization of meteorin-an evolutionary conserved neurotrophic factor. **J Mol Neurosci.** 2009; 39(1–2): 104–116.

Kaila VR, Johansson MP, Sundholm D, Laakkonen L, **Wikström M.** The chemistry of the Cu(B) site in cytochrome c oxidase and the importance of its unique His-Tyr bond. **Biochim Biophys Acta.** 2009; 1787(4): 221–233.

Kaila VR, Verkhovsky MI, Hummer G, Wikström M. Mechanism and energetics by which glutamic acid 242 prevents leaks in cytochrome *c* oxidase. **Biochim Biophys Acta.** 2009; 1787(10): 1205–1214.

Kajander T, Sachs JN, **Goldman A**, Regan L. Electrostatic Interactions of Hsp-organizing protein tetratricopeptide domains with Hsp70 and Hsp90: computational analysis and protein engineering. **J Biol Chem.** 2009; 284(37): 25364–25374.

Kala K, Haugas M, Lilleväli K, Guimera J, Wurst W, Salminen M, **Partanen J.** Gata2 is a tissue-specific post-mitotic selector gene for midbrain GABAergic neurons. **Development.** 2009; 136(2):253–262.

Kankainen M, Paulin L, Tynkkynen S, von Ossowski I, Reunanen J, **Partanen P**, Satokari R, Vesterlund S, Hendrickx APA, Lebeer S, De Keersmaecker SCJ, Vanderleyden J, **Hämäläinen T, Laukkanen S, Salovuori N, Ritari J, Alatalo E**, Korpela R, Mattila- Sandholm T, Lassig A, Hatakka K, Kinnunen KT, Karjalainen H, Saxelin M, Laakso K, Surakka A, Palva A, Salusjärvi T, **Auvinen P**, de Vos WM. Comparative genomic analysis of *Lactobacillus rhamnosus* GG reveals pili containing a human- mucus binding protein. **PNAS.** 2009; 106:17193–17198.

Kardos R, Pozsonyi K, **Nevalainen E, Lappalainen P**, Nyitrai M, Hild G. The effects of ADF/cofilin and profilin on the conformation of the ATP-binding cleft of monomeric actin. **Biophys J.** 2009; 96(6): 2335–2343.

Karnani M, **Annala A.** Gaia again. **Biosystems.** 95; (1): 82–87.

Karnani M, **Pääkkönen K, Annala A.** The physical character of information. **Proc R Soc A.** 2009; 465: 2155–2175.

Kim YC, **Wikström M**, Hummer G. Kinetic gating of the proton pump in cytochrome *c* oxidase. **PNAS.** 2009; 106(33): 13707–13712.

Klaavuniemi T, Alho N, **Hotulainen P**, Kelloniemi A, Havukainen H, **Permi P**, Mattila S, Yläne J. Characterization of the interaction between Actinin-Associated LIM Protein (ALP) and the rod domain of alpha-actinin. **BMC Cell Biol.** 2009; 10: 22.

Kohonen J, Talikota S, Corander J, **Auvinen P**, Arjas E. A Naive Bayes classifier for protein function prediction. **In Silico Biol.** 2009; 9(1-2): 23–34.

Kontkanen H, Westerholm-Parvinen A, Saloheimo

M, Bailey M, Rättö M, Mattila I, Mohsina M, **Kalkkinen N**, Nakari-Setälä T, Buchert J. Novel Copri-nopsis cinerea polyesterase that hydrolyzes cutin and suberin. **Appl Environ Microbiol.** 2009; 75(7): 2148–2157.

Koskenniemi K, Koponen J, Kankainen M, **Savijoki K**, Tynkkynen S, de Vos WM, **Kalkkinen N**, Varmanen P. Proteome analysis of *Lactobacillus rhamnosus* GG using 2-D DIGE and mass spectrometry shows differential protein production in laboratory and industrial-type growth media. **J Proteome Res.** 2009; 8(11): 4993–5007.

Koutsoulis D, Lyskowski A, Mäki S, Guthrie E, Feller G, Bouriotis V, **Heikinheimo P.** Coordination sphere of the third metal site is essential to the activity and metal selectivity of alkaline phosphatases. **Protein Sci.** 2009; 19(1): 75–84.

Krogius-Kurikka L, Kassinen A, **Paulin L**, Corander J, Mäkiyuokko H, Tuimala J, Palva A. Sequence analysis of percent G+C fraction libraries of human faecal bacterial DNA reveals a high number of Actinobacteria. **BMC Microbiol.** 2009; 9: 68.

Krupovic M, Ravantti JJ, Bamford DH. Geminiviruses: a tale of a plasmid becoming a virus. **BMC Evol Biol.** 2009; 9: 112.

Kukkaro P, Bamford DH. Virus-host interactions in environments with a wide range of ionic strengths. **Environ Microbiol Reports.** 2009; 1(1): 71–77.

Künnapuu J, Björkgren I, Shimmi O. The *Drosophila* DPP signal is produced by cleavage of its proprotein at evolutionary diversified furin recognition sites. **PNAS.** 2009; 106: 8501–8506.

Laakkonen JP, Mäkelä AR, Kakkonen E, Turkki P, Kukkonen S, **Peränen J**, Ylä-Herttua S, Airene KJ, Oker- Blom C, Vihinen-Ranta M, Marjomäki V. Clathrin-independent entry of baculovirus triggers uptake of *E. coli* in non-phagocytic human cells. **PLoS One.** 2009; 4(4): e5093.

Lanckriet A, Timbermont L, **Happonen LJ, Pajunen MI**, Pasmans F, Haesebrouck F, Ducatelle R, **Savilahti H**, Van Immerseel F. Generation of single-copy transposon insertions in *Clostridium perfringens* by electroporation of phage mu DNA transposition complexes. **Appl Environ Microbiol.** 2009; 75(9): 2638–2642.

Lee HC, Chang SS, Choudhary S, **Aalto AP**, Maiti M, **Bamford DH**, Liu Y. qiRNA is a new type of small interfering RNA induced by DNA damage. **Nature.** 2009; 459(7244): 274–277.

Lehtonen MT, Akita M, **Kalkkinen N**, Ahola-Iivarinen E, **Rönholm G**, Somervuo P, Thelander M, Valkonen JP. Quickly-released peroxidase of moss in defense against fungal invaders. **New Phytol.** 2009; 183: 432–443.

Leo JC, Goldman A. The immunoglobulin-binding Eib proteins from *Escherichia coli* are receptors for IgG Fc. **Mol Immunol.** 2009; 46(8–9): 1860–1866.

Linder MD, Mäyränpää MI, **Peränen J**, Pietilä TE, Pietiäinen VM, Uronen RL, Olkkonen VM, Kovanen PT, Ikonen E. Rab8 regulates ABCA1 cell surface expression and facilitates cholesterol efflux in primary human macrophages. **Arterioscler Thromb Vasc Biol.** 2009; 29: 883–888.

Lindström M, Hinderink K, Somervuo P, Kiviniemi K, Nevas M, Chen Y, **Auvinen P**, Carter AT, Mason DR, Peck MW, Korkeala H. Comparative genomic hybridization analysis of two predominant Nordic group I (proteolytic) *Clostridium botulinum* type B clusters. **Appl Environ Microbiol.** 2009; 75(9): 2643–2651.

Malet H, Coutard B, Jamal S, Dutartre H, Papa-georgiou N, **Neuvonen M, Ahola T**, Forrester N, Gould EA, Lafitte D, Ferron F, Lescar J, Gorbalya AE, de Lamballerie X, Canard B. The crystal structures of Chikungunya and Venezuelan equine encephalitis virus nsP3 macro domains define a conserved adenosine binding pocket. **J Virol.** 2009; 83(13): 6534–6545.

Mattila J, Bremer A, Ahonen L, Kostainen R, **Puig O.** *Drosophila* FoxO regulates organism size and stress resistance through an adenylate cyclase. **Mol Cell Biol.** 2009; 29(19): 5357–5365.

Michon F, Tummers M. The dynamic interest in topics within the biomedical scientific community. **PLoS One.** 2009; 4(8): e6544.

Mouhu K, Hytönen T, Folta K, Rantanen M, **Paulin L, Auvinen P**, Elomaa P. Identification of flowering genes in strawberry, a perennial SD plant. **BMC Plant Biol.** 2009; 9: 122.

Munne PM, Tummers M, Järvinen E, Thesleff I, Jernvall J. Tinkering with the inductive mesenchyme: Sostdc1 uncovers the role of dental mesenchyme in limiting tooth induction. **Development.** 2009; 136(3): 393–402.

Mäntylähti S, Tossavainen H, Hellman M, Permi P. An intraresidual i(HCA)CO(CA)NH experiment for the assignment of main-chain resonances in

15N, 13C labeled proteins. **J Biomol NMR.** 2009; 45(3): 301–310.

Nakamura F, Heikkinen O, Pentikäinen OT, Osborn TM, Kasza KE, Weitz DA, Kupiainen O, **Permi P**, Kilpeläinen I, Yläne J, Hartwig JH, Stossel TP. Molecular basis of filamin A-FILGAP interaction and its impairment in congenital disorders associated with filamin A mutations. **PLoS One.** 2009; 4(3): e4928.

Neuvonen M, Ahola T. Differential activities of cellular and viral macro domain proteins in binding of ADPribose metabolites. **J Mol Biol.** 2009; 385(1): 212–225.

Nevalainen EM, Skwarek-Maruszewska A, Braun A, Moser M, **Lappalainen P.** Two biochemically distinct and tissue-specific twinfilin isoforms are generated from the mouse Twf2 gene by alternative promoter usage. **Biochem J.** 2009; 417(2): 593–600.

Nygårdas M, Vuorinen T, **Aalto AP, Bamford DH**, Hukkanen V. Inhibition of coxsackievirus B3 and related enteroviruses by antiviral short interfering RNA pools produced using phi6 RNA-dependent RNA polymerase. **J Gen Virol.** 2009; 90(Pt 10): 2468–2473.

Oeemig JS, Aranko AS, Djupsjöbacka J, Heinämäki K, Iwai H. Solution structure of DnaE intein from *Nostoc punctiforme*: structural basis for the design of a new split intein suitable for site-specific chemical modification. **FEBS Lett.** 2009; 583(9): 1451–1456.

Orsini L, Wheat CW, Haag CR, **Kvist J, Frilander MJ**, Hanski I. Fitness differences associated with Pgi SNP genotypes in the Glanville fritillary butterfly (*Melitaea cinxia*). **J Evol Biol.** 2009; 22(2): 367–375.

Pajunen M, Poussu E, Turakainen H, Savilahti H. Application of Mu in vitro transposition for high-precision mapping of protein-protein interfaces on a yeast two-hybrid platform. **Methods.** 2009; 49(3): 255–262.

Palgi M, Lindström R, Peränen J, Piepponen TP, **Saarma M, Heino TI.** Evidence that DmMANF is an invertebrate neurotrophic factor supporting dopaminergic neurons. **PNAS.** 2009; 106(7): 2429–2434.

Parkash V, Goldman A. Comparison of GFL-GFRalpha complexes: further evidence relating

GFL bend angle to RET signalling. **Acta Crystallogr Sect F Struct Biol Cryst Commun.** 2009; 65(Pt 6): 551–558.

Parkash V, Lindholm P, Peränen J, Kalkkinen N, Oksanen E, Saarma M, Leppänen VM, Goldman A. The structure of the conserved neurotrophic factors MANF and CDNF explains why they are bifunctional. **Protein Eng Des Sel.** 2009; 22(4): 233–241.

Perttilä J, Merikanto K, Naukkarinen J, Surakka I, Martin NW, **Tanhuanpää K**, Grimard V, Taskinen MR, Thiele C, Salomaa V, Jula A, Perola M, Virtanen I, Peltonen L, Olkkonen VM. OSBPL10, a novel candidate gene for high triglyceride trait in dyslipidemic Finnish subjects, regulates cellular lipid metabolism. **J Mol Med.** 2009; 87(8): 825–835.

Pietilä MK, Roine E, Paulin L, Kalkkinen N, Bamford DH. An ssDNA virus infecting archaea: a new lineage of viruses with a membrane envelope. **Mol Microbiol.** 2009; 72(2): 307–319.

Piltonen M, **Bespalov MM**, Ervasti D, Matilainen T, Sidorova YA, Rauvala H, **Saarma M**, Männistö PT. Heparinbinding determinants of GDNF reduce its tissue distribution but are beneficial for the protection of nigral dopaminergic neurons. **Exp Neurol.** 2009; 219(2): 499–506.

Plyusnin I, Holm L, Kankainen M. LOCP--locating pilus operons in grampositive bacteria. **Bioinformatics.** 2009; 25(9): 1187–1188.

Pohjala L, Alakurtti S, **Ahola T**, Yli-Kauhaluoma J, Tammela P. Betulinol-derived compounds as inhibitors of alphavirus replication. **J Nat Prod.** 2009; 72(11): 1917–1926.

Polianskyte Z, Peitsaro N, Dapkunas A, Liobikas J, Soliymani R, Lalowski M, Speer O, Seitsonen J, **Butcher S**, Cereghetti GM, Linder MD, Merckel M, Thompson J, Eriksson O. LACTB is a filament-forming protein localized in mitochondria. **PNAS.** 2009; 106(45): 18960–18965.

Poutanen M, Varhimo E, **Kalkkinen N**, Sukura A, Varmanen P, **Savijoki K**. Two-dimensional difference gel electrophoresis analysis of *Streptococcus uberis* in response to mutagenesis-inducing ciprofloxacin challenge. **J Proteome Res.** 2009; 8(1): 246–255.

Psencík J, Collins AM, **Liljeroos L**, Torkkeli M, Laurinmäki P, Ansink HM, Ikonen TP, Serimaa RE, Blankenship RE, **Tuma R**, **Butcher SJ**. Structure of chlorosomes from the green filamentous bacte-

rium *Chloroflexus aurantiacus*. **J Bacteriol.** 2009; 191(21): 6701–6708.

Quintero-Monzon O, Jonasson EM, **Bertling E**, Talarico L, Chaudhry F, Sihvo M, **Lappalainen P**, Goode BL. Reconstitution and dissection of the 600-kDa Srv2/CAP complex: roles for oligomerization and cofilin-actin binding in driving actin turnover. **J Biol Chem.** 2009; 284(16): 10923–10934.

Rantalainen KI, Christensen PA, Hafrén A, Otzen DE, **Kalkkinen N**, Mäkinen K. Interaction of a potyviral VPg with anionic phospholipid vesicles. **Virology.** 2009; 395(1): 114–120.

Rasila TS, Pajunen MI, Savilahti H. Critical evaluation of random mutagenesis by error-prone PCR protocols, *Escherichia coli* mutator strain and hydroxylamine treatment. **Anal Biochem.** 2009; 388(1): 71–80.

Rauhämäki V, Bloch DA, Verkhovsky MI, Wikström M. Active site of cytochrome cbb3. **J Biol Chem.** 2009; 284(17): 11301–11308.

Ritari J, Paulin L, Hultman J, Auvinen P. Application of a hybridization control probe to increase accuracy on ligation detection or minisequencing diagnostic microarrays. **BMC Res Notes.** 2009; 2:249.

Rzadzinska AK, **Nevalainen EM**, Prosser HM, **Lappalainen P**, Steel KP. Myosin VIIa interacts with Twinfilin-2 at the tips of mechanosensory stereocilia in the inner ear. **PLoS One.** 2009; 4(9): e7097.

Säälik P, Padari K, Niinep A, Lorents A, Hansen M, **Jokitalo E**, Langel U, Pooga M. Protein delivery with transportans is mediated by caveolae rather than flotillin-dependent pathways. **Bioconjug Chem.** 2009; 20(5): 877–887.

Saarikangas J, Zhao H, Pykäläinen A, Laurinmäki P, Mattila PK, Kinnunen PKJ, **Butcher SJ, Lappalainen P.** Molecular mechanisms of membrane deformation by I-BAR domain proteins. **Curr Biol.** 2009; 19(2): 95–107.

Salmi J, **Nyman TA**, Nevalainen OS, Aittokallio T. Filtering strategies for improving protein identification in high-throughput MS/MS studies. **Proteomics.** 2009; 9(4): 848–860.

Sarin LP, Poranen MM, Lehti NM, Ravantti JJ, Koivunen MR, Aalto AP, van Dijk AA, Stuart DI, Grimes JM, **Bamford DH.** Insights into the pre-initiation events of bacteriophage phi 6 RNA-de-

- pendent RNA polymerase: towards the assembly of a productive binary complex. **Nucleic Acids Res.** 2009; 37(4): 1182–1192.
- Satoma T, Heiskanen A, Mikkola M, Olsson C, Blomqvist M, Tiittanen M, Jaatinen T, **Aitio O**, Olonen A, Helin J, Hiltunen J, Natunen J, Tuuri T, Otonkoski T, Saarinen J, Laine J. The N-glycome of human embryonic stem cells. **BMC Cell Biol.** 2009; 2;10:42.
- Schulte D, Close TJ, Graner A, Langridge P, Matsumoto T, Muehlbauer G, Sato K, **Schulman AH**, Waugh R, Wise RP, Stein N. The international barley sequencing consortium--at the threshold of efficient access to the barley genome. **Plant Physiol.** 2009; 149(1): 142–147.
- Sharma V, Kaila VRI, Annila A.** Protein folding as an evolutionary process. **Physica A.** 2009; 388: 851–862.
- Shulga A, Blaesse A,** Kysenius K, **Huttunen HJ, Tanhuanpää K, Saarma M, Rivera C.** Thyroxin regulates BDNF expression to promote survival of injured neurons. **Mol Cell Neurosci.** 2009; 42(4): 408–418.
- Siletsky SA, **Belevich I, Wikström M,** Soulimane T, **Verkhovsky MI.** Time-resolved OH→EH transition of the aberrant ba3 oxidase from *Thermus thermophilus*. **Biochim Biophys Acta.** 2009; 1787(3): 201–205.
- Skwarek-Maruszewska A, Hotulainen P, Mattila PK, Lappalainen P.** Contractility-dependent actin dynamics in cardiomyocyte sarcomeres. **J Cell Sci.** 2009; 122(Pt 12): 2119–2126.
- Smýkal P, **Kalendar R,** Ford R, Macas J, Griga M. Evolutionary conserved lineage of Angela-family retrotransposons as a genome-wide microsatellite repeat dispersal agent. **Heredity.** 2009; 103(2): 157–167.
- Sundström JF, Vaculova A, Smertenko AP, Savenkov EI, Golovko A, Minina E, Tiwari BS, Rodriguez-Nieto S, Zamyatnin AA Jr, Välineva T, Saarikettu J, **Frilander MJ,** Suarez MF, Zavialov A, Ståhl U, Hussey PJ, Silvennoinen O, Sundberg E, Zhivotovskiy B, Bozhkov PV. Tudor staphylococcal nuclease is an evolutionarily conserved component of the programmed cell death degradome. **Nat Cell Biol.** 2009; 11(11): 1347–1354.
- Swee LK, Ingold-Salamin K, Tardivel A, Willen L, Gaide O, Favre M, Demotz S, **Mikkola M,** Schneider P. Biological activity of ectodysplasin A is conditioned by its collagen and heparan sulfate proteoglycan-binding domains. **J Biol Chem.** 2009; 284(40): 27567–27576.
- Ta HX, Holm L.** Evaluation of different domain-based methods in protein interaction prediction. **Biochem Biophys Res Commun.** 2009; 390(3): 357–362.
- Takatalo MS, **Tummers M, Thesleff I,** Rönholm R. Novel Golgi protein, GoPro49, is a specific dental follicle marker. **J Dent Res.** 2009; 88(6): 534–548.
- Täubel M, Rintala H, **Pitkäranta M, Paulin L,** Laitinen S, Pekkanen J, Hyvärinen A, Nevalainen A. The occupant as a source of house dust bacteria. **J Allergy Clin Immunol.** 2009; 124(4): 834–40.e47.
- Tolvanen M, Ojala PJ, **Törönen P,** Anderson H, Partanen J, Turpeinen H. Interspersed transcription chimeras: neglected pathological mechanism infiltrating gene accession queries? **J Biomed Inform.** 2009; 42(2): 382–389.
- Törönen P,** Ojala PJ, Marttinen P, **Holm L.** Robust extraction of functional signals from gene set analysis using a generalized threshold free scoring function. **BMC Bioinformatics.** 2009; 10: 307.
- Törönen P,** Pehkonen P, **Holm L.** Generation of gene ontology benchmark datasets with various types of positive signal. **BMC Bioinformatics.** 2009; 10:319.
- Tuisku P, Pernu TK, **Annila A.** In the light of time. **Proc R Soc A.** 2009; 465: 1173–1198.
- Tummers M, Thesleff I.** The importance of signal pathway modulation in all aspects of tooth development. **J Exp Zool B Mol Dev Evol.** 2009; 312B(4): 309–319.
- Tuomela S, Rautajoki KJ, Moulder R, **Nyman TA,** Lahesmaa R. Identification of novel Stat6 regulated proteins in IL-4-treated mouse lymphocytes. **Proteomics.** 2009; 9(4): 1087–1098.
- Turakainen H, Saarimäki-Vire J, Sinjushina N, Partanen J, Savilahti H.** Transposition-based method for the rapid generation of gene-targeting vectors to produce Cre/Flp-modifiable conditional knock-out mice. **PLoS One.** 2009; 4(2): e4341.
- Uvarov P, Ludwig A, Markkanen M, Soni S, Hübner CA, **Rivera C,** Airaksinen MS. Coexpression and heteromerization of two neuronal K-Cl cotransporter isoforms in neonatal brain. **J Biol Chem.** 2009;

284(20): 13696–13704.

Vermasvuori R, Koskinen J, Salonen K, Sirén N, Weegar J, Dahlbacka J, **Kalkkinen N**, von Weymarn N. Production of recombinant HIV-1 nef protein using different expression host systems: a techno-economical comparison. **Biotechnol Prog**. 2009; 25(1): 95–102.

Voutilainen MH, Bäck S, Pörsti E, Toppinen L, Lindgren L, Lindholm P, **Peränen J**, **Saarma M**, Tuominen RK. Mesencephalic astrocyte-derived neurotrophic factor is neurorestorative in rat model of Parkinson's disease. **J Neurosci**. 2009; 29(30): 9651–9659.

Vukich M, **Schulman AH**, Giordani T, Natali L, **Kalendar R**, Cavallini A. Genetic variability in sunflower (*Helianthus annuus* L.) and in the *Helianthus* genus as assessed by retrotransposonbased molecular markers. **Theor Appl Genet**. 2009; 119(6): 1027–1038.

Wright JT, Morris C, Clements SE, D'Souza R, Gaide O, **Mikkola M**, Zonana J. Classifying ectodermal dysplasias: Incorporating the molecular basis and pathways (Workshop II). **Am J Med Genet A**. 2009; 149A(9): 2062–2067.

Wu Z, Xuanyuan Z, Li R, Jiang D, Li C, Xu H, Bai Y, Zhang X, Turakainen H, Saris PE, **Savilahti H**, Qiao M. Mu transposition complex mutagenesis in *Lactococcus lactis*-identification of genes affecting nisin production. **J Appl Microbiol**. 2009; 106(1): 41–48.

Ylä-Anttila P, **Vihinen H**, **Jokitalo E**, Eskelinen EL. 3D tomography reveals connections between the phagophore and endoplasmic reticulum. **Autophagy**. 2009; 5(8): 1180–1185.

Zhang Y, Tomann P, Andl T, Gallant NM, Huelsken J, Jerchow B, Birchmeier W, Paus R, Piccolo S, **Mikkola ML**, Morrisey EE, Overbeek PA, Scheidereit C, Millar SE, Schmidt-Ullrich R. Reciprocal requirements for EDA/EDAR/NF-kappaB and Wnt/beta-catenin signaling pathways in hair follicle induction. **Dev Cell**. 2009; 17(1): 49–61.

Zhao X, **Jääntti J**. Functional characterization of the trans-membrane domain interactions of the Sec61 protein translocation complex beta-subunit. **BMC Cell Biol**. 2009; 10:76.

Ziedaite G, **Kivelä HM**, Bamford JK, **Bamford DH**. Purified membranecontaining procapsids of bacteriophage PRD1 package the viral genome. **J Mol Biol**. 2009; 386(3): 637–647.

Öhman T, Rintahaka J, **Kalkkinen N**, Matikainen S, **Nyman TA**. Actin and RIG-I/MAVS signaling components translocate to mitochondria upon influenza A virus infection of human primary macrophages. **J Immunol**. 2009; 182(9): 5682–5692.

REVIEWS AND BOOK CHAPTERS

Belevich NP, Verkhovskaya ML, **Verkhovsky MI**. Chapter 4 Electron transfer in respiratory complexes resolved by an ultra-fast freeze-quench approach. **Methods Enzymol**. 2009; 456: 75–93.

Bishopp A, **Help H**, **Helariutta Y**. Cytokinin signaling during root development. **Int Rev Cell Mol Biol**. 2009; 276: 1–48.

Blaesse P, Airaksinen MS, **Rivera C**, Kaila K. Cation-chloride cotransporters and neuronal function. **Neuron**. 2009; 61(6): 820–838.

Borisov V B, **Verkhovsky MI**. 26 August 2009, posting date. Chapter 3.2.7, Oxygen as Acceptor. In A. Böck, R. Curtiss III, J. B. Kaper, P. D. Karp, F. C. Neidhardt, T. Nyström, Slauch JM, Squires CL, and Ussery D (ed.), **EcoSal– Escherichia coli and Salmonella: cellular and molecular biology**. <http://www.ecosal.org>. ASM Press, Washington, DC.

Dettmer J, **Elo A**, **Helariutta Y**. Hormone interactions during vascular development. **Plant Mol Biol**. 2009; 69(4): 347–360.

Kalendar R, Lee D, **Schulman AH**. FastPCR software for PCR primer and probe design and repeat search. **Genes, Genomes and Genomics**. 2009; 3(1): 1–14.

Krupovic M, **Bamford DH**. Does the evolution of viral polymerases reflect the origin and evolution of viruses? **Nat Rev Microbiol**. 2009; 7(3): 250; author reply 250. doi:10.1038/nrmicro2030- c1.

Mikkola ML. Controlling the number of tooth rows. **Sci Signal**. 2009; 2(85): pe53

Mikkola ML. Molecular aspects of hypohidrotic ectodermal dysplasia. **Am J Med Genet A**. 2009; 149A(9): 2031–2036.

Rivera C. Ion Transport. In: **Encyclopedia of neu-**

rosience. Binder MD, Hirokawa N, Windhorst U (Eds.) (2009).

Saarma M. GFL neurotrophic factors: receptors, physiology and pharmacology. **Encyclopedia of Neuroscience.** 2009; 4: 711–720.

Wicker T, **Sabot F**, Hua-Van A, Bennetzen JL, Capy P, Chalhoub B, Flavell AJ, Leroy P, Morgante M, Panaud O, Paux E, SanMiguel P, **Schulman AH.** Reply: A unified classification system for eukaryotic transposable elements should reflect their phylogeny. **Nat Rev Genet,** 2009. 10: p276. doi:10.1038/nrg2165-c4.

Ylä-Anttila P, **Vihinen H, Jokitalo E,** Eskelinen EL. Monitoring autophagy by electron microscopy in mammalian cells. **Methods Enzymol.** 2009; 452: 143–164.

OTHER PUBLICATIONS

Eronen JT, Jernvall J. Hampaiden evoluutio. **Duodecim.** 2009; 125(18):2017–2022.

Frilander MJ. Kemian Nobel-palkinto ribosomien rakenteen selvittäjille. **Duodecim.** 2009; 125: 2476–2477.

Hultman J, Auvinen P. Mikrobiyhteisöjen tutkiminen metagenomiikan avulla. **Natura,** 04/2009: 14–18.

PHD THESES

Bespalov Maxim (Saarma lab). GDNF Receptors: Veterans and novices. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 40/2009.

Euro Liliya (Wikström lab). Electron and proton transfer in NADH:ubiquinone oxidoreductase (Complex I) from *Escherichia coli*. Faculty of Biosciences, Department of Biological and Environmental Sciences, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki.** 13/2009.

Gorbikova Elena (Verkhovsky lab). Oxygen reduction and proton translocation by cytochrome *c* oxidase. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry, Institute of Biotechnology, Helsinki

Bioenergetics Group, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 15/2009.

Greco Dario (Auvinen lab). Gene Expression: From microarrays to functional genomics. Faculty of Biosciences, Department of Biological and Environmental Sciences, Genetics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 14/2009.

Gupta Rashi (Auvinen lab). Methods to improve gene signal: Application to cDNA microarrays. Faculty of Science, Department of Mathematics and Statistics, DNA sequencing and genomics laboratory, Institute of Biotechnology, University of Helsinki. **Yliopistopaino,** 2009.

Hultman Jenni (Auvinen lab). Microbial diversity in the municipal composting process and development of detection methods. Faculty of Biosciences, Department of Ecological and Environmental Sciences Institute of Biotechnology, **University of Helsinki. Reports from the Department of Ecological and Environmental Sciences / University of Helsinki, Lahti** 9.

Jaatinen Silja T (Bamford lab). Lipidcontaining icosahedral dsDNA bacteriophages: Entry, exit and structure. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of General Microbiology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 10/2009.

Kaila Ville RI (Wikström lab). Theoretical studies on coupled electron and proton transfer in cytochrome *c* oxidase. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 5/2009.

Kukkaro Petra (Bamford lab). Characterization of new viruses from hypersaline environments. Faculty of Biosciences, Department of Biological and Environmental Sciences, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 1/2009.

Leo Jack C (Goldman lab). Structural and functional studies on trimeric autotransporters. Faculty of

Biosciences, Department of Biological and Environmental Sciences, Genetics, Research Program in Structural Biology and Biophysics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 32/2009.**

Lindholm Päivi (Saarma lab). Novel CDFN/MANF protein family: molecular structure, expression and neurotrophic activity. Institute of Biotechnology & Department of Biological and Environmental Sciences, Division of Genetics, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 25/2009.**

Mattila Jaakko (Puig lab). Regulation of growth by *Drosophila* foxO transcription factor. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 9/2009.**

Nevalainen Elisa (Lappalainen lab). The biological functions of mouse twinfilin isoforms. Faculty of Biosciences, Department of Biological and Environmental Sciences, Genetics, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 2/2009.**

Oksanen Esko (Goldman lab). Enzyme molecular choreography: studies on soluble inorganic pyrophosphatases. Faculty of Science, Department of Chemistry, Laboratory of Organic Chemistry, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 39/2009.**

Parkash Vimal (Goldman lab). Neurotrophic factors and their receptors. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 28/2009.**

Patana Anne-Sisko (Goldman lab). The human UDP-glucuronosyltransferases: Studies on substrate binding and catalytic mechanism. Institute of Biotechnology, Faculty of Biosciences, Department of Biological and Environmental Sciences, Biochemistry, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 3/2009 .**

Pummila Marja (Thesleff lab). Role of Eda and

Troy pathways in ectodermal organ development. Faculty of Biosciences, Department of Biological and Environmental Sciences, Physiology Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki. 23/2009.**

Skwarek-Maruszewska Aneta (Lappalainen lab). Actin dynamics in muscle cells. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Genetics, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 36/2009.**

Tselykh Timofey (Mäkelä lab). Functional analysis of MrpL55, Vig and Mat1 acting at the crossroad of cell cycle, transcription and metabolism regulation. Faculty of Biosciences, Department of Biological and Environmental Sciences, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 29/2009.**

Virtanen Heidi (Saarma lab). Structure-function studies of GDNF family ligand-RET signalling. Faculty of Biosciences, Department of Biological and Environmental Sciences, Division of Biochemistry Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 19/2009.**

Yu Li-Ying (Saarma lab). Death pathways activated in the neurotrophic factor-deprived neurons. Faculty of Biosciences, Department of Biological and Environmental Sciences, Institute of Biotechnology, University of Helsinki. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 6/2009.**

PATENTS AND PATENT APPLICATIONS

Karelson M, Truve E, Olsper A, Sarmiento C, **Saarma M**. US patent application WO 2009/060124 A2. Use of oligonucleotides with modified bases in hybridization of nucleic acids. First published 14.05.2009.

Penn R, **Bespalov M, Peränen J, Runeberg-Roos P, Saarma M**. Improved Neurturin Molecules. Serial number: 61/256,352, Filing Date: 30/10/ 2009.

Saarma M. Merits A, Karelson, M. US patent application WO 2009/060122 A2. Use off oligonucleotides with modified bases as antiviral agents. First published 14.05.2009.

Saarma M, Lindholm P, Voitolainen M, Peränen J, Tuominen RK, Airavaara M, Leppänen V-M, Lindahl M, Andressoo J-O. Neurotrophic factor MANF and uses thereof. United States Patent Application 20090282495; Application Number: 12/433345, Publication Date: 11/12/2009; Filing Date: 04/30/2009.

Institute of Biotechnology
PUBLICATIONS 2010

ORIGINAL ARTICLES

Aalto AP, Poranen MM, Grimes JM, Stuart DI, Bamford DH. In vitro activities of the multifunctional RNA silencing polymerase QDE-1 of *Neurospora crassa*. **J Biol Chem**. 2010; 285: 29367-29374.

Airavaara M, Chiocco MJ, Howard DB, Zuchowski KL, **Peränen J**, Liu C, Fang S, Hoffer BJ, Wang Y, Harvey BK. Widespread cortical expression of MANF by AAV serotype 7: Localization and protection against ischemic brain injury. **Exp Neurol**. 2010; 225(1): 104-113.

Aitio OMA, Hellman M, Kazlauskas A, Vingadassalom D, Leong J M, Saksela K, **Permi P**. (2010). Recognition of tandem PxxP motifs as a unique Src homology 3-binding mode triggers pathogen-driven actin assembly. **Proc Natl Acad Sci U S A**. 2010; 107(50): 21743-21748.

Aittamaa M, Somervuo P, Laakso I, **Auvinen P**, Valkonen JP. Microarray-based comparison of genetic differences between strains of *Streptomyces turgidiscabies* with focus on the pathogenicity island. **Mol Plant Pathol**. 2010; 11(6): 733-746

Ambrosino C, Tarallo R, Bamundo A, Cuomo D, Franci G, Nassa G, Paris O, Ravo M, Giovane A, Zambrano N, Lepikhova T, Jänne OA, Baumann M, **Nyman TA**, Cicatiello L, Weisz A. Identification of a hormone-regulated dynamic nuclear actin network associated to estrogen receptor alpha in human breast cancer cell nuclei. **Mol Cell Proteomics**. 2010; 9(6): 1352-1367.

Annala A. All in action. **Entropy** 2010; 12: 2333-2358.

Annala A, Salthe S. Cultural Naturalism. **Entropy**. 2010; 12: 1325-1343.

Annala A, Salthe S. Physical foundations of evolutionary theory. *J. Non-Equilib. Thermodyn.* 2010; 35: 301-321

Baskin TI, Peret B, Baluška F, Benfey PN, Bennett M, Forde BG, Gilroy S, **Helariutta Y**, Hepler PK, Leyser O, Masson PH, Muday GK, Murphy AS, Poethig S, Rahman A, Roberts K, Scheres B, Sharp RE, Somerville C. Shootward and rootward: peak terminology for plant polarity. **Trends Plant Sci**. 2010; 15(11): 593-594.

Belevich I, Gorbikova E, Belevich NP, Rauhamäki V, Wikström M, Verkhovsky MI. Initiation of the

proton pump of cytochrome c oxidase. **Proc Natl Acad Sci U S A**. 2010; 107(43): 18469-18474.

Belyayev A, **Kalendar R**, Brodsky L, Nevo E, **Schulman AH**, Raskina O. Transposable elements in a marginal plant population: temporal fluctuations provide new insights into genome evolution of wild diploid wheat. **Mob DNA**. 2010; 1(1): 6.

Bhattacharjee A, Lehtinen MJ, **Kajander T**, **Goldman A**, Jokiranta TS. Both domain 19 and domain 20 of factor H are involved in binding to complement C3b and C3d. **Mol Immunol**. 2010; 47(9): 1686-16891.

Björklund MA, **Vahtomeri K**, Peltonen K, Viollet B, **Mäkelä TP**, Band AM, Laiho M. Non-CDK-bound p27 (p27(NCDK)) is a marker for cell stress and is regulated through the Akt/PKB and AMPK-kinase pathways. **Exp Cell Res**. 2010; 316(5): 762-774.

Boyer DM, Evans AR, **Jernvall J**. Evidence of dietary differentiation among late Paleocene-early Eocene plasiadapids (Mammalia, primates). **Am J Phys Anthropol**. 2010; 142(2): 194-210.

Bryant DM, Datta A, Rodríguez-Fraticelli AE, **Peränen J**, Martín-Belmonte F, Mostov KE. A molecular network for de novo generation of the apical surface and lumen. **Nat Cell Biol**. 2010; 12(11): 1035-1045.

Buchinger E, Aachmann FL, **Aranko AS**, Valla S, Skjåk-Bræk G, **Iwai H**, Wimmer R. Use of protein trans-splicing to produce active and segmentally (2) H, (15)N labelled mannuronan C5-epimerase AlgE4. **Protein Sci**. 2010; 19(8): 1534-1543.

Böhm F, Speicher T, Hellerbrand C, Dickson C, **Partanen J**, Ornitz D, Werner S. FGF receptors 1 and 2 control chemically induced injury and compound detoxification in regenerating livers of mice. **Gastroenterology**. 2010; 139(4): 1385-1396.

Carlsbecker A, Lee JY, Roberts CJ, **Dettmer J**, **Lehesranta S**, Zhou J, Lindgren O, Moreno-Risueno MA, **Vatén A**, **Thitamadee S**, **Campilho A**, Sebastian J, Bowman JL, **Helariutta Y**, Benfey PN. Cell signalling by microRNA165/6 directs gene dose-dependent root cell fate. **Nature**. 2010; 465(7296): 316-321.

Chilov D, **Sinjushina N**, **Saarimäki-Vire J**, Taketo MM, **Partanen J**. beta-Catenin regulates intercellular signalling networks and cell-type specific transcription in the developing mouse

- midbrain-rhombomere 1 region. **PLoS One**. 2010; 5(6):e10881.
- Coleman SK, Cai C, **Kalkkinen N**, Korpi ER, Keinänen K. Analysis of the potential role of GluA4 carboxyl-terminus in PDZ interactions. **PLoS One**. 2010; 5(1): e8715.
- Cvirkaite-Krupovic V, Poranen M, Bamford DH**. Phospholipids act as secondary receptor during the entry of the enveloped dsRNA bacteriophage phi6. **J Gen Virol**. 2010; (Pt 8):2116-2120.
- Cvirkaite-Krupovic V, Krupovic M**, Daugelavicius R, **Bamford DH**. Calcium ion-dependent entry of the membrane-containing bacteriophage PM2 into its pseudoalteromonas host. **Virology**. 2010; 405(1): 120-128.
- Daugelavičius R, **Buivydas A, Senčilo A, Bamford DH**. Assessment of the activity of RND-type multidrug efflux pumps in *Pseudomonas aeruginosa* using tetraphenylphosphonium ions. **Int J Antimicrob Agents**. 2010; 3: 234-238.
- Djouder N, Tuerk RD, Suter M, Salvioni P, Thali RF, Scholz R, **Vahtomeri K**, Auchli Y, Rechsteiner H, Brunisholz RA, Viollet B, **Mäkelä TP**, Wallimann T, Neumann D, Krek W. PKA phosphorylates and inactivates AMPKalpha to promote efficient lipolysis. **EMBO J**. 2010; 29(2): 469-81.
- Eronen JT, **Evans AR, Fortelius M, Jernvall J**. The impact of regional climate on the evolution of mammals: a case study using fossil horses. **Evolution**. 2010; 64(2): 398-408.
- Felszeghy S, **Suomalainen M, Thesleff I**. Notch signalling is required for the survival of epithelial stem cells in the continuously growing mouse incisor. **Differentiation**. 2010; 80(4-5): 241-248.
- Finn RD, Mistry J, Tate J, Coggill P, Heger A, Pollington JE, Gavin OL, Gunasekaran P, Ceric G, Forslund K, **Holm L**, Sonnhammer EL, Eddy SR, Bateman A. The Pfam protein families database. **Nucleic Acids Res**. 2010; 38(Database issue): D211-22.
- Fujimori S, Novak H, Weissenböck M, **Jussila M**, Gonçalves A, Zeller R, Galloway J, **Thesleff I**, Hartmann C. Wnt/ β -catenin signaling in the dental mesenchyme regulates incisor development by regulating Bmp4. **Dev Biol**. 2010; 348(1): 97-106.
- Gandhi M, Smith BA, **Bovellan M, Paavilainen V**, Daugherty-Clarke K, Gelles J, **Lappalainen P**, Goode BL. GMF is a cofilin homolog that binds Arp2/3 complex to stimulate filament debranching and inhibit actin nucleation. **Curr Biol**. 2010; 20(9): 861-867.
- Greco D**, Vellonen K-S, Turner CH, Häkli M, Tervo T, Wolosin JM, **Auvinen P**, Urtti A. Gene expression analysis in a SV-40 immortalized human corneal epithelial cells cultured with an air-liquid interface. **Molecular Vision**. 2010; 16: 2109-2120.
- Gupta R, Greco D, Auvinen P**, Arjas E. Bayesian integrated modeling of expression data: a case study on RhoG. **BMC Bioinformatics**. 2010; 11(1):295.
- Haiko J, Laakkonen L, Juuti K, **Kalkkinen N**, Korhonen TK. The ompTins of *Yersinia pestis* and *Salmonella enterica* cleave the reactive center loop of plasminogen activator inhibitor 1. **J Bacteriol**. 2010; 192(18): 4553-4561.
- Happonen LJ, Redder P**, Peng X, Reigstad LJ, Prangishvili D, **Butcher SJ**. Familial relationships in hyperthermo- and acidophilic archaeal viruses. **J Virol**. 2010; 84(9): 4747-4754.
- Hellman M, Peränen J, Saarma M, Permi P**. (1)H, (13)C and (15)N resonance assignments of the human mesencephalic astrocyte-derived neurotrophic factor. **Biomol NMR Assign**. 2010; 4(2): 215-217.
- Holm L, Rosenström P**. Dali server: conservation mapping in 3D. **Nucleic Acids Res**. 2010 Jul;38(Web Server issue): W545-9.
- Huiskonen JT**, Hepojoki J, **Laurinmäki P**, Vaheri A, Lankinen H, **Butcher SJ**, Grünwald K. Electron cryotomography of Tula hantavirus suggests a unique assembly paradigm for enveloped viruses. **J Virol**. 2010; 84(10): 4889-4897.
- Ji H, Das TK, Puustinen A, **Wikström M**, Yeh SR, Rousseau DL. Modulation of the active site conformation by site-directed mutagenesis in cytochrome c oxidase from *Paracoccus denitrificans*. **J Inorg Biochem**. 2010; 104(3): 318-323.
- Jokela J, Herfindal L, Wahlsten M, **Permi P**, Selheim F, Vasconcelos V, Døskeland SO, Sivonen K. A novel cyanobacterial nostocyclopeptide is a potent antitoxin against microcystins. **Chembiochem**. 2010; 11(11): 1594-1599.
- Kaila V**, Johansson M, Sundholm D, **Wikström M**. Interheme electron tunneling in cytochrome c oxidase. **Proc Natl Acad Sci U S A**. 2010; 107(50): 21470-21475.
- Kaila VR, Verkhovsky MI, Wikström M**. Proton-coupled electron transfer in cytochrome oxidase. **Chem Rev**. 2010; 110(12): 7062-7081.
- Kalendar R**, Antonius K, Smýkal P, **Schulman AH**. iPBS: a universal method for DNA fingerprinting and retrotransposon isolation. **Theor Appl Genet**. 2010; 121(8): 1419-1430.
- Katz A, Freiberg AN, **Backstrom V**, Schulz AR, Mateos A, **Holm L**, Pettersson RF, Vaheri A, Flick

R, Plyusnin A. Oligomerization of Uukuniemi virus nucleocapsid protein. **Virology**. 2010; 7(1): 187.

Kavanagh KD, Haugen TO, Gregersen F, **Jernvall J**, Vøllestad LA. Contemporary temperature-driven divergence in a Nordic freshwater fish under conditions commonly thought to hinder adaptation. **BMC Evol Biol**. 2010; 10: 350.

Knödler A, Feng S, Zhang J, Zhang X, Das A, **Peränen J**, Guo W. Coordination of Rab8 and Rab11 in primary ciliogenesis. **Proc Natl Acad Sci U S A**. 2010; 107(14): 6346-6351.

Kontunen-Soppela S, Riikonen J, Ruhanen H, Brosché M, **Somervuo P**, Peltonen P, Kangasjärvi J, **Auvinen P**, **Paulin L**, Keinänen M, Oksanen E, Vapaavuori E. Differential gene expression in senescing leaves of two silver birch genotypes in response to elevated CO and tropospheric ozone. **Plant Cell Environ**. 2010; 33(6): 1016-1028.

Koskenniemi K, Laakso K, Koponen J, Kankainen M, Greco D, **Auvinen P**, **Savijoki K**, **Nyman TA**, Surakka A, Salusjärvi T, de Vos WM, Tynkkynen S, **Kalkkinen N**, Varmanen P. Proteomic and transcriptomic characterization of bile stress response in probiotic *Lactobacillus rhamnosus* GG. **Mol Cell Proteomics**. 2010; 8(11): 4993-5007.

Koutsioulis D, **Lyskowski A**, Mäki S, Guthrie E, Feller G, Bouriotis V, **Heikinheimo P**. Coordination sphere of the third metal site is essential to the activity and metal selectivity of alkaline phosphatases. **Protein Sci**. 2010; 19(1): 75-84.

Krupovič M, **Cvirkaitė-Krupovič V**, **Bamford DH**. Protein A33 responsible for antibody-resistant spread of Vaccinia virus is homologous to C-type lectin-like proteins. **Virus Res**. 2010; 151(1): 97-101.

Krupovic M, Forterre P, **Bamford DH**. Comparative analysis of the mosaic genomes of tailed archaeal viruses and proviruses suggests common themes for virion architecture and assembly with tailed viruses of bacteria. **J Mol Biol**. 2010; 397(1): 144-160.

Krupovic M, Gribaldo S, **Bamford DH**, Forterre P. The evolutionary history of archaeal MCM helicases: a case study of vertical evolution combined with hitch-hiking of mobile genetic elements. **Mol Biol Evol**. 2010; 27(12): 2716-2732. 51.

Künnapuu J, **Shimmi O**. Evolutional imprints on the sequences of BMP2/4/DPP type proteins. **Fly (Austin)**. 2010; 4 (1): 21-23.

Kyburz A, Raulinaitis V, Koskela O, Kontinen V, **Permi P**, Kilpelainen I, Seppala R. (1)H, (13)C and (15)N resonance assignments of the major extracytoplasmic domain of the cell shape-determining protein MreC from *Bacillus subtilis*. **Biomol NMR Assign**. 2010; 4(2): 235-238.

Laine H, **Sulg M**, **Kirjavainen A**, **Pirvola U**. Cell cycle regulation in the inner ear sensory epithelia: role of cyclin D1 and cyclin-dependent kinase inhibitors. **Dev Biol**. 2010; 337(1): 134-146.

Lee HC, **Aalto AP**, Yang Q, Chang SS, Huang G, Fisher D, Cha J, **Poranen MM**, **Bamford DH**, Liu Y. (2010). The DNA/RNA-dependent RNA polymerase QDE-1 generates aberrant RNA and dsRNA for RNAi in a process requiring replication protein A and a DNA helicase. **PLoS Biol** 2010; 8(10), e1000496.

Leo JC, Elovaara H, Bihan D, Pugh N, Kilpinen SK, Raynal N, Skurnik M, Farndale RW, **Goldman A**. First analysis of a bacterial collagen-binding protein with collagen toolkits: promiscuous binding of YadA to collagens may explain how YadA interferes with host processes. **Infect Immun**. 2010; 78(7): 3226-3236.

Leo JC, **Goldman A**. Jacks of all trades?--Probably not. The *E. coli* Eib proteins bind IgG Fc. **Mol Immunol**. 2010; 47(9): 1870-1872.

Leppänen A, Parviainen V, **Ahola-Iivarinen E**, **Kalkkinen N**, Cummings RD. Human L-selectin preferentially binds synthetic glycosulfopeptides modeled after endoglycan and containing tyrosine sulfate residues and sialyl Lewis x in core 2 O-glycans. **Glycobiology**. 2010; 20(9): 1170-1185.

Leppänen VM, Prota AE, Jeltsch M, Anisimov A, **Kalkkinen N**, Strandin T, Lankinen H, **Goldman A**, Ballmer-Hofer K, Alitalo K. Structural determinants of growth factor binding and specificity by VEGF receptor 2. **Proc Natl Acad Sci U S A**. 2010; 107(6): 2425-2430.

Li Q, Song XW, Zou J, Wang GK, **Kremneva E**, Li XQ, Zhu N, Sun T, **Lappalainen P**, Yuan WJ, Qin YW, Jing Q. Attenuation of microRNA-1 derepresses the cytoskeleton regulatory protein twinfilin-1 to provoke cardiac hypertrophy. **J Cell Sci**. 2010; 123(Pt 14): 2444-2452

Lietzén N, Natri L, Nevalainen OS, Salmi J, **Nyman TA**. Compid: A new software tool to integrate and compare MS/MS based protein identification results from mascot and paragon. **J Proteome Res**. 2010; 9(12): 6795-6800.

Lonka-Nevalaita L, **Lume M**, **Leppänen S**, **Jokitalo E**, **Peränen J**, **Saarma M**. Characterization of the intracellular localization, processing, and secretion of two glial cell line-derived neurotrophic factor splice isoforms. **J Neurosci**. 2010; 30(34): 11403-11413.

Michon F, **Tummers M**, **Kyyrönen M**, **Frilander MJ**, **Thesleff I**. Tooth morphogenesis and ameloblast differentiation are regulated by micro-RNAs. **Dev Biol**. 2010; 340(2): 355-368.

Mikkola ML, Costanzo A, **Thesleff I**, Roop DR, Koster MI. Treasure or artifact: a decade of p63 research speaks for itself. **Cell Death Differ.** 2010; 17(1): 180-183; author reply 184-186.

Monfregola J, Napolitano G, D'Urso M, **Lappalainen P**, Ursini MV. Functional characterization of Wiskott-Aldrich syndrome protein and scar homolog (WASH), a bi-modular nucleation-promoting factor able to interact with biogenesis of lysosome-related organelle subunit 2 (BLOS2) and gamma-tubulin. **J Biol Chem.** 2010; 285(22): 16951-16957.

Moulder R, Lönnberg T, Elo LL, Filén JJ, Rainio E, Corthals G, Oresic M, **Nyman TA**, Aittokallio T, Lahesmaa R. Quantitative Proteomics Analysis of the Nuclear Fraction of Human CD4+ Cells in the Early Phases of IL-4 Induced Th2 Differentiation. **Mol Cell Proteomics.** 2010; 9(9): 1937-1953.

Munne PM, Felszeghy S, **Jussila M**, **Suomalainen M**, **Thesleff I**, **Jernvall J**. Splitting placodes: effects of bone morphogenetic protein and activin on the patterning and identity of mouse incisors. **Evol Dev.** 2010; 12(4): 383-392.

Muona M, **Aranko AS**, **Raulinaitis V**, **Iwai H**. Segmental isotopic labeling of multi-domain and fusion proteins by protein trans-splicing *in vivo* and *in vitro*. **Nat Protoc.** 2010; 5(3): 574-587.

Murga-Zamalloa CA, Atkins SJ, **Peränen J**, Swaroop A, Khanna H. Interaction of retinitis pigmentosa GTPase regulator (RPGR) with RAB8A GTPase: implications for cilia dysfunction and photoreceptor degeneration. **Hum Mol Genet.** 2010; 19(18): 3591-3598.

Mäkivuokko H, Tiihonen K, Tynkkynen S, **Paulin L**, Rautonen N. The effect of age and non-steroidal anti-inflammatory drugs on human intestinal microbiota composition. **Br J Nutr.** 2010; 103(2): 227-234.

Mäntylähti S, **Aitio O**, **Hellman M**, **Permi P**. HA-detected experiments for the backbone assignment of intrinsically disordered proteins. **J Biomol NMR.** 2010; 47(3): 171-181.

Mäntylähti S, Koskela O, Jiang P, **Permi P**. MQ-HNCO-TROSY for the measurement of scalar and residual dipolar couplings in larger proteins: application to a 557-residue IgFLNa16-21. **J Biomol NMR.** 2010; 47(3): 183-194.

Ojala T, Kuparinen V, Koskinen JP, **Alatalo E**, **Holm L**, **Auvinen P**, Edelman S, Westerlund-Wikström B, Korhonen TK, **Paulin L**, **Kankainen M**. Genome sequence of *Lactobacillus crispatus* ST1. **J Bacteriol.** 2010; 192(13): 3547-3548.

Ora A, **Oksanen E**, **Kajander T**, **Goldman A**, **Butcher SJ**. Crystallization and preliminary crystallographic analysis of mouse peroxiredoxin II with significant pseudosymmetry. **Acta Crystallogr**

Sect F Struct Biol Cryst Commun. 2010; 66(Pt 3): 357-360.

Ovaskainen O, Nokso-Koivisto J, Hottola J, Rajala T, Pennanen, T, Ali-Kovero H, Miettinen O, Oinonen P, **Auvinen P**, **Paulin L**, Larsson KH, Mäkipää R. What is the probability that the best BLAST hit represents the correct species - identifying wood-inhabiting fungi from environmental samples with pyrosequencing. **Fungal Ecology** 2010; 3: 274-283

Paasonen L, Sipilä T, Subrizi A, **Laurinmäki P**, **Butcher SJ**, Rappolt M, Yaghmur A, Urtti A, Yliperttula M. Gold-embedded photosensitive liposomes for drug delivery: Triggering mechanism and intracellular release. **J Control Release.** 2010; 147(1): 136-1343.

Partanen P, **Hultman J**, **Paulin L**, **Auvinen P**, Romantschuk M. Bacterial diversity at different stages of the composting process. **BMC Microbiol.** 2010; 10: 94.

Pawłowski R, **Rajakylä EK**, **Vartiainen MK**, Treisman R. An actin-regulated importin α/β -dependent extended bipartite NLS directs nuclear import of MRTF-A. **EMBO J.** 2010; 29(20): 3448-3458.

Peltopuro P, **Kala K**, **Partanen J**. Distinct requirements for Ascl1 in subpopulations of midbrain GABAergic neurons. **Dev Biol.** 2010; 343(1-2): 63-70.

Pessa HKJ, **Greco D**, **Kvist J**, **Wahlström G**, Heino TI, **Auvinen P**, **Frilander MJ**. Gene expression profiling of U12-type spliceosome mutant *Drosophila* reveals widespread changes in metabolic pathways. **PlosOne.** 2010; 5(10): e13215.

Pietilä MK, Laurinavicius S, **Sund J**, **Roine E**, **Bamford DH**. The single-stranded DNA genome of novel archaeal virus halorubrum pleomorphic virus 1 is enclosed in the envelope decorated with glycoprotein spikes. **J Virol.** 2010; 84(2): 788-798.

Piippo M, **Lietzen N**, Nevalainen OS, Salmi J, **Nyman TA**. Pripper: prediction of caspase cleavage sites from whole proteomes. **BMC Bioinformatics.** 2010; 11(1): 320.

Planken A, **Porokuokka LL**, Hänninen AL, **Tuominen RK**, **Andressoo JO**. Medium-throughput computer aided micro-island method to assay embryonic dopaminergic neuron cultures in vitro. **J Neurosci Methods.** 2010; 194(1): 122-131.

Ramalingam N, **Zhao H**, Breitsprecher D, **Lappalainen P**, Faix J, Schleicher M. Phospholipids regulate localization and activity of mDia1 formin. **Eur J Cell Biol.** 2010; 89(10): 723-732.

Roine E, Kukkaro P, **Paulin L**, Laurinavicius S, Domanska A, Somerharju P, Bamford DH. New, closely related haloarchaeal viral elements with different nucleic Acid types. **J Virol.** 2010; 84(7): 3682-3689.

Salazar-Ciudad I, Jernvall J. A computational model of teeth and the developmental origins of morphological variation. **Nature.** 2010; 464(7288): 583-586.

Sane P, Tuomisto F, Wiedmer SK, **Nyman T**, Vattulainen I, Holopainen JM. Temperature-induced structural transition in-situ in porcine lens - changes observed in void size distribution. **Biochim Biophys Acta.** 2010; 1798: 958-965.

Schollenberger L, Gronemeyer T, Huber CM, Lay D, Wiese S, Meyer HE, Warscheid B, Saffrich R, **Peränen J**, Gorgas K, Just WW. RhoA regulates peroxisome association to microtubules and the actin cytoskeleton. **PLoS One.** 2010; 5(11): e13886.

Seitsonen J, Susi P, Heikkilä O, Sinkovits RS, **Laurinmäki P**, Hyypiä T, **Butcher SJ.** Interaction of $\alpha V\beta 3$ and $\alpha V\beta 6$ integrins with Human parechovirus 1. **J Virol.** 2010; 84(17): 8509-8519.

Sharma V, Wikström M, Kaila VR. Redox-coupled proton transfer in the active site of cytochrome cbb(3). **Biochim Biophys Acta.** 2010; 1797(8): 1512-1520. 90.

Sidorova YA, Mätlik K, Paveliev M, Lindahl M, Piranen E, Milbrandt J, Arumäe U, Saarma M, Beshpalov MM. Persephin signaling through GFR $\alpha 1$: The potential for the treatment of Parkinson's disease. **Mol Cell Neurosci.** 2010; 44(3):223-232.

Sipilä T, Kananen L, **Greco D**, Donner J, Silander K, Terwilliger JD, **Auvinen P**, Peltonen L, Lönnqvist J, Pirkola S, Partonen T, Hovatta I. An association analysis of circadian genes in anxiety disorders. **Biol Psychiatry.** 2010; 67(12): 1163-1170.

Skinner MM, Evans A, Smith T, **Jernvall J**, Tafforeau P, Kupczik K, Olejniczak AJ, Rosas A, Radović J, Thackeray JF, Toussaint M, Hublin JJ. Brief communication: Contributions of enamel-dentine junction shape and enamel deposition to primate molar crown complexity. **Am J Phys Anthropol.** 2010; 142(1): 157-163.

Skwarek-Maruszewska A, Boczkowska M, Zajac AL, **Kremneva E**, Svitkina T, Dominguez R, **Lappalainen P.** Different localizations and cellular behaviors of leiomodulin and tropomodulin in mature cardiomyocyte sarcomeres. **Mol Biol Cell.** 2010; 21(19): 3352-3361.

Spuul P, Balistreri G, Kääriäinen L, Ahola T. PI3K-, actin- and microtubule-dependent transport of Semliki Forest virus replication complexes from the plasma membrane to modified lysosomes. **J Virol.** 2010; 84(15): 7543-1557.

Sulg M, Kirjavainen A, Pajusola K, Bueler H, Ylikoski J, Laiho M, **Pirvola U.** Differential sensitivity of the inner ear sensory cell populations to forced cell cycle re-entry and p53 induction. **J Neurochem.** 2010; 112(6): 1513-1526.

Suomalainen M, Thesleff I. Patterns of Wnt pathway activity in the mouse incisor indicate absence of Wnt/beta-catenin signaling in the epithelial stem cells. **Dev Dyn.** 2010; 239(1): 364-372.

Ta HX, Yoon CN, Holm L, Han SK. Inferring the physical connectivity of complex networks from their functional dynamics. **BMC Syst Biol.** 2010; 4:70.

Tanenbaum ME, **Vallenius T**, Geers EF, Greene L, **Mäkelä TP**, Medema RH. Cyclin G-associated kinase promotes microtubule outgrowth from chromosomes during spindle assembly. **Chromosoma.** 2010; 119(4): 415-424.

The International Brachypodium Initiative (incl. **Jaakko Tanskanen** and **Alan H. Schulman** from BI). Genome sequencing and analysis of the model grass *Brachypodium distachyon*. **Nature.** 2010; 463: 763-768.

Tugume AK, Mukasa SB, **Kalkkinen N**, Valkonen JP. Recombination and selection pressure in the ipomovirus sweet potato mild mottle virus (*Potyviridae*) in wild species and cultivated sweetpotato in the centre of evolution in East Africa. **J Gen Virol.** 2010; 91(Pt 4): 1092-108.

Tuominen H, Salminen A, **Oksanen E**, Jämsen J, Heikkilä O, Lehtiö L, Magretova NN, **Goldman A**, Baykov AA, Lahti R. Crystal structures of the CBS and DRTGG domains of the regulatory region of *Clostridium perfringens* pyrophosphatase complexed with the inhibitor, AMP, and activator, diadenosine tetraphosphate. **J Mol Biol.** 2010; 398(3): 400-413.

Tvorogov D, Anisimov A, Zheng W, Leppänen VM, Tammela T, Laurinavicius S, Holnthoner W, Heloterä H, Holopainen T, Jeltsch M, **Kalkkinen N**, Lankinen H, Ojala PM, Alitalo K. Effective suppression of vascular network formation by combination of antibodies blocking VEGFR ligand binding and receptor dimerization. **Cancer Cell.** 2010; 18(6): 630-640.

Udd L, Katajisto P, Kyyrönen M, Ristimäki AP, Mäkelä TP Impaired gastric gland differentiation in Peutz-Jeghers syndrome. **Am J Pathol.** 2010; 176(5): 2467-2476.

Umulis DM, **Shimmi O**, O'Connor MB, Othmer HG. Organism-scale modeling of early *Drosophila* patterning via bone morphogenetic proteins. **Dev Cell**. 2010; 18(2): 260-274.

Verbeeren J, **Niemelä EH**, **Turunen JJ**, Will CL, **Ravanti JJ**, Lührmann R, **Frilander MJ**. An ancient mechanism for splicing control: U11 snRNP as an activator of alternative splicing. **Mol Cell**. 2010; 37(6): 821-833.

Verkhovsky MI, Bogachev AV. Sodium-translocating NADH:quinone oxidoreductase as a redox-driven ion pump. **Biochim Biophys Acta**. 2010; 1797(6-7): 738-746.

Volkman G, **Iwai H**. Protein trans-splicing and its use in structural biology: opportunities and limitations. **Mol Biosyst**. 2010; 6(11): 2110-2121.

Vuorinen AL, Gammelgård E, **Auvinen P**, Somervuo P, Dere S, Valkonen JPT. Factors underpinning the responsiveness and higher levels of virus resistance realized in potato genotypes carrying virus-specific R genes. **Ann Appl Biol**. 2010; 157: 229-241.

Weber M, **Chernov K**, **Turakainen H**, Wohlfahrt G, **Pajunen M**, **Savilahti H**, **Jääntti J**. Mso1p Regulates Membrane Fusion through Interactions with the Putative N-Peptide Binding Area in Sec1p Domain 1. **Mol. Biol. Cell**. 2010; 21(8): 1362-1374.

Wheat CW, Haag CR, Marden JH, Hanski I, **Frilander MJ**. Nucleotide polymorphism at a gene (Pgi) under balancing selection in a butterfly metapopulation. **Mol Biol Evol**. 2010; 27(2): 267-281.

Würtz P, **Annala A**. Ecological succession as an energy dispersal process. **Biosystems**. 2010; 100(1): 70-78.

Yang J, Meyer M, Müller AK, Böhm F, Grose R, Dauwalder T, Verrey F, Kopf M, **Partanen J**, Bloch W, Ornitz DM, Werner S. Fibroblast growth factor receptors 1 and 2 in keratinocytes control the epidermal barrier and cutaneous homeostasis. **J Cell Biol**. 2010; 188(6): 935-952.

Yoshida T, Miyoshi J, Takai Y, **Thesleff I**. Cooperation of nectin-1 and nectin-3 is required for normal ameloblast function and crown shape development in mouse teeth. **Dev Dyn**. 2010; 239(10): 2558-2569.

Yuan Q, **Jääntti J**. Functional analysis of phosphorylation on *Saccharomyces cerevisiae* syntaxin 1 homologues Sso1p and Sso2p. **PLoS One**. 2010; 5(10): e13323.

Zhao H, **Hakala M**, **Lappalainen P**. ADF/cofilin binds phosphoinositides in a multivalent manner to act as a PIP(2)-density sensor. **Biophys J**. 2010; 98(10): 2327-2336.

Öhman T, **Lietzén N**, Välimäki E, Meljchorsen J, Matikainen S, **Nyman TA**. Cytosolic RNA recognition pathway activates 14-3-3 protein mediated signaling and caspase-dependent disruption of cytoskeleton network in human keratinocytes. **J Proteome Res**. 2010; 9: 1549-1564.

REVIEWS AND BOOK CHAPTERS

Abrescia NGA, Grimes JM, Fry EE, Ravanti JJ, **Bamford DH**, Stuart DI. What Does it Take to Make a Virus: The concept of the viral "self". **Emerging Topics in Physical Virology** (ed P.G.Stockley and R.Twarock)2010; 35-58.

Hultman J, **Auvinen P**. Metagenomics opens up new frontiers in microbiology. **Duodecim**. 2010; 126(11): 1278-1285.

Korolainen M, **Nyman TA**, Aittokallio T, Pirttilä T. An update on clinical proteomics in Alzheimer's disease. **J Neurochem**. 2010; 112(6): 1386-1414.

Krupovič M, **Bamford DH**. Order to the viral universe. **J Virol**. 2010; 84(24): 12476-12479.

Lehesranta SJ, **Lichtenberger R**, **Helariutta Y**. Cell-to-cell communication in vascular morphogenesis. **Curr Opin Plant Biol**. 2010; 13(1): 59-65.

Lindholm P, **Saarma M**. Novel CDFN/MANF family of neurotrophic factors. **Dev Neurobiol**. 2010; 70(5): 360-371.

Närhi K, **Thesleff I**. Explant culture of embryonic craniofacial tissues: analyzing effects of signaling molecules on gene expression. **Methods Mol Biol**. 2010; 666: 253-267.

Oksanen HM, **Poranen MM**, **Bamford DH**. Bacteriophages: Lipid-containing. **Encyclopedia of Life Sciences** 2010; (ELS)1-11.

Saarikangas J, **Zhao H**, **Lappalainen P**. Regulation of the actin cytoskeleton-plasma membrane interplay by phosphoinositides. **Physiol Rev**. 2010; 90(1): 259-289.

Saarma M, **Lindholm P**, **Arumäe U**. Neurotrophic Factors. **3rd edition of Movement Disorders**, 2010.

Scarpella E, **Helariutta Y**. Vascular Pattern Formation in Plants. **Curr Top Dev Biol**. 2010; 91C: 221-265.

Skarp KP, **Vartiainen MK**. Actin on DNA-an ancient and dynamic relationship. **Cytoskeleton (Hoboken)**. 2010; 67(8): 487-495.

Yadav SR, Bishopp A, Helariutta Y. Plant development: early events in lateral root initiation. **Curr Biol.** 2010; 20(19): R843-5

OTHER**PUBLICATIONS**

Mäkelä T. Virkistystä syövän lääkekehityksen alkulähteitä: metabolinen muutos. **Dosis.** 2010; 26(2): 64-67.

Saarma M. Biotehnoloogilisi lähenemisi neurodegeneratiivsete haiguste raviks. **Eesti Arst.** 2010; 9: 535-544.

PHD**THESES**

Aalto Antti (Bamford lab). Multifunctional RNA silencing pathway polymerase QDE-1 of *Neurospora crassa*. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 35/2010

Achim Kaia (Partanen lab). Regulation of GABAergic neuron identity and diversity in the developing midbrain. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 19/2010.

Balistreri Giuseppe (Kääriäinen/Ahola lab) Structure, function and intracellular dynamics of alphavirus replication complexes. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Microbiology and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 18/2010.

Cvirkaite-Krupovic Virginija (Bamford lab). Entry of the membrane-containing bacteriophages into their hosts. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 15/2010

Krupovic Mart (Bamford lab). Evolutionary Genomics of Prokaryotic Viruses. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 14/2010

Mantela Johanna (Pirvola lab). Role of cell cycle regulators in development of the inner ear. University of Helsinki, Faculty of Biosciences, Department of Biosciences, Division of Genetics and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 5/2010.

Munne Pauliina (Jernvall/Thesleff lab). *Sostdc1* plays an essential role in mammalian tooth patterning : Insight into the rodent dental evolution. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Physiology and Neurosciences and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 32/2010.

Pessa Heli (Frilander lab). U12-type spliceosome: localization and effects of splicing efficiency on gene expression. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Division of Genetics and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 27/2010

Pohjala Leena (Aholan lab). Screening tools for the identification of alphavirus inhibitors. University of Helsinki, Faculty of Pharmacy, Pharmaceutical biology and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 26/2010

Saarikangas Juha (Lappalainen lab). Bending the rules of cell protrusions : Molecular mechanisms and biological roles of inverse-BAR proteins in cell morphogenesis. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Division of Genetics. and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 29/2010.

Sarin Peter (Bamford lab). Molecular mechanisms of bacteriophage $\phi 6$ RNA-dependent RNA polymerase and its utilization in biotechnology. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Division of General Microbiology and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki** 31/2010.

Simola Mari (Makarow lab). Recovery of yeast *Saccharomyces cerevisiae* after thermal insult. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Division of Biochemistry and Institute of Biotechnology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 20/2010.**

Spuul Pirjo (Ahola lab). Cellular membranes as a playground for Semliki Forest Virus replication complex. University of Helsinki, Faculty of Biological and Environmental Sciences, Department of Biosciences, Division of General Microbiology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 22/2020**

Suomalainen Marika (Thesleff lab). Fine-tuning of the signalling network controlling morphogenesis and stem cell development in teeth. University of Helsinki, Faculty of Biosciences, Department of Biosciences, Physiology. **Dissertationes bioscientiarum molecularium Universitatis Helsingiensis in Viikki 2/2010.**

PATENTS AND PATENT APPLICATIONS

Karelson M **Saarma M**, Pilv M. Antisense agents combining strongly bound base-modified oligonucleotide and artificial nuclease . US patent issued on August 31, 2010, and patent No 7,786,292.

Runeberg-Roos P, **Bespalov MM**, Penn R, **Saarma M**. Improved Neurturin Molecules. Filed on 11/15/2010, Serial No. 12/946,167.

Saarma M, Karelson M, Pilv M **Bespalov M**. Provisional US application 61/285,858 "Methods for facilitating neural cell survival using GDNF family ligands (GFL) mimetics or RET pathway signalling activators", filed December 11, 2010.

Saarma M, Karelson M, Pilv M, **Bespalov MM**. Methods of Facilitating Neural Cell Survival Using GDNF Family Ligand (GFL) Mimetics or RET Signaling Pathway Activators. No. PCT/EP2010/069535. Filed 12 December 2010

Saarma M, Voutilainen M, **Lindholm P**, **Peränen J**, Tuominen R, Airavaara M, Leppänen V-M, Andressoo J-O. Neurotrophic factor MANF and uses thereof, Application number 09738284.0-1212 PCT/FI2009050346, date 03.12. 2010.